

MAG-MATE

TE Internal #: 63039-1

Magnet Wire Terminals, F-Crimp, Size 1, Lead Wire Size 26 – 22 AWG, Lead Wire Size .12 – .3 mm², 33 – 31 AWG Magnet Wire,

MAG-MATE

View on TE.com >



Terminals & Splices > Magnet Wire Terminals











Magnet Wire Terminal Type: F-Crimp

Compatible With Cavity Size: Size 1

Lead Wire Size: 26 – 22 AWG

Magnet Wire Size: 33 – 31 AWG

Compatible With Cavity Size

Features

Product Type Features

Compatible With Discrete Wire Type	Magnet Wire, Solid
Sealable	No
Body Features	

Size 1

Contact Features

Magnet Wire Terminal Type	F-Crimp
Terminal Plating Material	Tin
Terminal Orientation	Straight

Termination Features

Termination Method to Wire & Cable	Crimp, Insulation Displacement (IDC)
Crimp Area Length	2.54 mm[.1 in]

Dimensions

Terminal Height	4.75 mm[.187 in]
Lead Wire Size	26 – 22 AWG



Magnet Wire Size	.2 – .23 mm
Stock Thickness (Magnet Wire Side)	.25 mm[.01 in]
Overall Product Length	9.14 mm[.36 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-65 – 150 °C[-85 – 302 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Packaging Features	
Packaging Method	Reel, Reel/Carton
Other	
Comment	Stranded, fused stranded or solid lead wire, Two magnet wires may be terminated in the same terminal slot if diameters are equal.

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits



as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






















Also in the Series | MAG-MATE







Documents

Product Drawings
MAG-MATE W/BBL 33-31 010TPBR



English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63039-1_Y.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63039-1_Y.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63039-1_Y.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Magnet Wire Terminals & Splices

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English