SSRK-600D30 V ACTIVE

Potter & Brumfield | Potter & Brumfield SSRK

TE Internal #: 6-1393030-8 Power Relays, Solid State, 1 Form A (SPST-NO), DIN Rail, Potter & Brumfield SSRK

View on TE.com >

Relays, Contactors & Switches > Relays > Power Relays > P&B Solid State Relays, SSRK Series



Power Relay Type: Solid State

Contact Arrangement: 1 Form A (SPST-NO)

Relay Mounting Type: DIN Rail

All P&B Solid State Relays, SSRK Series (12)

Features **Product Type Features** Output Type AC Power Relay Type Solid State **Configuration Features** Output Switching Zero **Electrical Characteristics** Input Voltage Typical 4 VDC Output Voltage (Max) 660 V



Output Voltage Rating (AC Relays) 48 – 660 Vrms Output Current Rating .15 – 30 Arms Output Voltage Rating (DC Relays) 48 - 660 VDC Output Current (Min) .15 A Insulation Initial Dielectric Between Contacts & Coil 4000 Vrms

Body Features

Product Weight

280 g[9.87 oz]

SSRK-600D30

Power Relays, Solid State, 1 Form A (SPST-NO), DIN Rail, Potter & Brumfield SSRK



Case Color	Black
Contact Features	
Switch Arrangement	1 Form A (SPST-NO)
Contact Arrangement	1 Form A (SPST-NO)
Termination Features	
Relay Termination Type	Finger-Safe (IP20) Screw Clamps
Mechanical Attachment	
Coupling	Optical
Relay Mounting Type	DIN Rail
Housing Features	
Relay Housing Style	DIN Mount with Integral Heatsink
Dimensions	
Dimensions (L x W x H) (Approximate)	82.3 x 22.5 x 111.5 mm[3.24 x .886 x 4.39 in]
Usage Conditions	
Operating Temperature Range	-30 - 80 °C
Operation/Application	
R-Switch & slimSSR Relays	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU Compliant with Exemptions EU ELV Directive 2000/53/EC Compliant with Exemptions China RoHS 2 Directive MIIT Order No 32, 2016 Restricted Materials Above Threshold EU REACH Regulation (EC) No. 1907/2006 Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Pb (92% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. Low Halogen - Br, Cl, F, I < 900 ppm per Halogen Content homogenous material. Also BFR/CFR/PVC Free Solder Process Capability Not applicable for solder process capability

C For support call+1 800 522 6752

SSRK-600D30

Power Relays, Solid State, 1 Form A (SPST-NO), DIN Rail, Potter & Brumfield SSRK




Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Potter & Brumfield SSRK





Documents

CAD Files

Customer View Model

ENG_CVM_CVM_6-1393030-8_B1.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_6-1393030-8_B1.3d_stp.zip English

Customer View Model

ENG_CVM_CVM_6-1393030-8_B1.2d_dxf.zip

English

3D PDF

L For support call+1 800 522 6752

SSRK-600D30

Power Relays, Solid State, 1 Form A (SPST-NO), DIN Rail, Potter & Brumfield SSRK



3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Potter & Brumfield SSRK SSRM Series

English

Solid State Relay SSRK Series Data Sheet

English