

## Potter & Brumfield | Potter & Brumfield ODC

TE Internal #: 7-1393028-6

Power Relays, Solid State, 1 Form A (SPST-NO), Printed Circuit

Board, Potter & Brumfield ODC

View on TE.com >




Relays, Contactors & Switches > Relays > Power Relays > P&B SSR OUTPUT DC MODULES











Power Relay Type: Solid State

Contact Arrangement: 1 Form A (SPST-NO)
Relay Mounting Type: Printed Circuit Board

All P&B SSR OUTPUT DC MODULES (6)

## **Features**

## Product Type Features

All the second of the second o	
Output Type	DC
Power Relay Type	Solid State
Configuration Features	
Output Switching	Zero
Electrical Characteristics	
Output Current Rating	.01 – 1 A
Input Voltage Typical	24 VDC
Output Voltage (Max)	250 V
Output Voltage Rating (DC Relays)	3 – 250 VDC
Output Current (Min)	.01 A
Insulation Initial Dielectric Between Contacts & Coil	4000 Vrms
Body Features	
Product Weight	35 g[1.38 oz]

Red

Case Color



### **Contact Features**

Switch Arrangement	1 Form A (SPST-NO)
Contact Arrangement	1 Form A (SPST-NO)
Termination Features	

Printed Circuit Terminals

Relay Termination Type

Mechanical Attachment	
Coupling	Optical
Relay Mounting Type	Printed Circuit Board
Housing Features	
Relay Housing Style	Industry Standard
Dimensions	
Dimensions (L x W x H) (Approximate)	43.1 x 15.2 x 31.7 mm[1.697 x .598 x 1.248 in]

# **Usage Conditions**

Operating Temperature Range	-30 − 80 °C	

## Operation/Application

R-Switch & slimSSR Relays	No	
---------------------------	----	--

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224)  Candidate List Declared Against: JUNE 2022 (224)  SVHC > Threshold:  Pb (92% in Component Part)  Article Safe Usage Statements:  Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 260°C

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Also in the Series | Potter & Brumfield ODC



#### **Documents**

#### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_7-1393028-6\_C1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_7-1393028-6\_C1.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_7-1393028-6\_C1.2d\_dxf.zip

English

3D PDF

3D

Power Relays, Solid State, 1 Form A (SPST-NO), Printed Circuit Board, Potter & Brumfield ODC



By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

ODC DC Output Module Data Sheet

English