Multilock Connector System


TE Internal #: 85218-1

Housing for Female Terminals, Wire-to-Wire, 11 Position, Natural, Signal, Cable Mount (Free-Hanging), Multilock Connector System

View on TE.com >



Connectors > Automotive Connectors > Connector Housings > MULTILOCK, CONNECTOR HOUSING



Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 1.7 mm, 2.8 mm [.07 in, .11 in]

Connector System: Wire-to-Wire

Number of Positions: 11

Sealable: No

All MULTILOCK, CONNECTOR HOUSING (573)

Features

Product Type Features

Rectangular
Housing for Female Terminals
Wire-to-Wire
No
Yes
Integrated in Housing
11
3
180°
PBT
Natural
1.8mm, 3mm

Receptacle

1.7 mm, 2.8 mm[.07 in][.11 in]

Contact Type

Mating Tab Width



Mechanical Attachment

Mounting Feature	Without
Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Polarized
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Dimensions	
Product Width	22.8 mm[.897 in]
Product Length	22.6 mm[.889 in]
Product Height	21.9 mm[.862 in]
Row-to-Row Spacing	5.53 mm, 6.87 mm[.217 in][.27 in]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	300
Packaging Method	Bag
Other	
Serviceable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

Connector Position Assurance Capable

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

No



Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











Also in the Series | Multilock Connector System



Automotive Connector Caps & Covers (16)



Automotive Connector EMC Shielding (1)



Automotive Connector Locks & Position Assurance(2)



Automotive Housings(572)









Automotive Terminals(140)



Insertion & Extraction Tools(6)



Other Automotive Connector Accessories(9)



PCB Headers & Receptacles(127)

Documents

Product Drawings

070/110 11P PLUG HSG(D.T.B)

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_85218-1_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_85218-1_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_85218-1_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

MULTILOCK Connector System

English

Product Specifications

Product Specification

English