

Hartman

TE Internal #: 8-1616982-7

DC Contactors, SPST NO DB, 400 A, 32 VDC Coil Voltage, 120 Ω Coil Resistance, 28 VDC Coil Voltage, Wire Connector, 28 VDC

Switching Voltage, Chassis

View on TE.com >



Relays, Contactors & Switches > Contactors > Mil-Aero Contactors > DC Contactors > DC Contactor: Small SPST, 400A



DC Contactor Contact Arrangement: SPST NO DB

DC Contactor Contact Current Rating: 400 A

Coil Voltage (Max): 32 VDC

DC Contactor Coil Resistance: 120Ω

DC Contactor Coil Voltage Rating: 28 VDC

All DC Contactor: Small SPST, 400A (14)

Features

Product Type Features

Arc Cover	Without
Product Classification	Relays - Contactors
Product Type	Contactor
Product Category	Electromechanical Relays
Contactor Type	Sealed
Terminal Configuration	D-Sub

Configuration Features

Auxiliary Switch Contact Arrangement	2 Form Z
--------------------------------------	----------

Electrical Characteristics

Actuating System	DC
Coil Voltage (Max)	32 VDC
DC Contactor Coil Resistance	120 Ω
DC Contactor Coil Voltage Rating	28 VDC
DC Contactor Contact Switching Voltage (Max)	28 VDC

Contact Features

DC Contactor Contact Arrangement	SPST NO DB
DC Contactor Contact Current Rating	400 A



Pole Configuration	1
Termination Features	
Coil Termination	Wire Connector
Mechanical Attachment	
Mounting Plate	With
DC Contactor Mounting Type	Chassis

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2022 (223) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts





Documents

Product Drawings
K4001B5C2=CONTACTOR 400 A SPST 28 VDC

English

Datasheets & Catalog Pages 8-1616982-7_sec6_K4001B5C2

English