MATE-N-LOK | Commercial MATE-N-LOK

TE Internal #: 925662-1

Connector Contacts, Pin, Tin, Pre-Tin, 250 VAC, Locking Lance

Contact Retention, Wire-to-Wire, Discrete Wire, Commercial MATE-

N-LOK

View on TE.com >



Connectors > Rectangular Connectors > Connector Contacts











Contact Type: Pin

Contact Mating Area Plating Material: Tin

Wire Contact Termination Area Plating Material: Pre-Tin

Operating Voltage: 250 VAC

Contact Retention Within Housing: With

Features

Product Type Features	
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Compatible With Wire & Cable Type	Discrete Wire
Electrical Characteristics	
Operating Voltage	250 VAC
Contact Features	
Contact Diameter	3.56 mm[.14 in]
Contact Type	Pin
Contact Mating Area Plating Material	Tin
Wire Contact Termination Area Plating Material	Pre-Tin
Contact Retention Within Housing	With

Brass

28 A

Contact Base Material

Contact Current Rating (Max)



Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Contact Retention Type Within Housing	Locking Lance
Connector Mounting Type	Cable Mount (Free-Hanging)
Dimensions	
Accepts Wire Insulation Diameter Range	2.5 – 4.5 mm[.098 – .177 in]
Wire Size	$2.1 - 5.3 \text{ mm}^2$
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Packaging Features	
Packaging Method	Box
Packaging Quantity	500

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 539764-1

EXTRACTION TOOL



TE Part # 1-480586-0 09P .140 MNL CAP NAT



TE Part # 1-350347-0 03P .140 MNL CAP PM NAT



TE Part # 880125 9 CIR CAP 140DIA PANEL MT NAT



TE Part # 1-480673-0 09P .140 MNL CAP PM NAT



TE Part # 1-350345-0 02P .140 MNL CAP P/M NAT



TE Part # 1-480512-0 04P .140 MNL CAP NAT



TE Part # 794683-1 09P .140 MNL CAP BLK HT







Also in the Series | Commercial MATE-N-LOK

03P .140 MNL CAP BLK HT




Connector Contacts(26)



Crimp Wire Pins, Tabs & Ferrules(3)



Insertion & Extraction Tools(5)



Power Contacts(129)









Rectangular Connector Housings(17)



Rectangular Connector Seals(1)



Rectangular Power Connectors(170)



Standard Circular Connectors(4)



Standard Rectangular Connectors(10)



Wire-to-Board Connector Contacts(1)

Documents

Product Drawings

9140 DIA PIN

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_925662-1_L_c-925662-1-l.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_925662-1_L_c-925662-1-l.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_925662-1_L_c-925662-1-l.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Product Specifications

Product Specification

English