926330-3 <

Positive Lock | Positive Lock 250

TE Internal #: 926330-3 Crimp Terminal Housings, Receptacle, Receptacle, 6 Position, Straight, UL 94V-0, Natural, Polyamide 6.6 GF, Mating Alignment, Positive Lock 250

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: Receptacle Housing Type: Receptacle Number of Positions: 6 Terminal Orientation: Straight

UL Flammability Rating: UL 94V-0

Features



Product Type Features

| Product Type | Terminal Housing |
|--------------------------|------------------|
| Sealable | No |
| Housing Type | Receptacle |
| Insulated | No |
| Configuration Features | |
| Number of Positions | 6 |
| Body Features | |
| Primary Product Color | Natural |
| Contact Features | |
| Terminal Type | Receptacle |
| Terminal Orientation | Straight |
| Contact Mating Retention | Without |
| Mechanical Attachment | |
| | |

C For support call+1 800 522 6752

926330-3

Crimp Terminal Housings, Receptacle, Receptacle, 6 Position, Straight, UL 94V-0, Natural, Polyamide 6.6 GF, Mating Alignment, Positive Lock 250



| Mating Alignment Type | Polarization |
|---------------------------------------|----------------------------|
| Mating Alignment | With |
| Crimp Terminal Housing Mounting Style | Cable Mount (Free-Hanging) |
| lousing Features | |
| Housing Material | Polyamide 6.6 GF |
| Centerline (Pitch) | 9.1 mm[.358 in] |
| Jsage Conditions | |
| Operating Temperature Range | -40 - 105 °C[-40 - 221 °F] |
| ndustry Standards | |
| UL Flammability Rating | UL 94V-0 |
| ackaging Features | |
| Packaging Quantity | 1000 |
| Packaging Method | Carton |

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

| EU ELV Directive 2000/53/EC | Not Yet Reviewed |
|---|--|
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC |
| Halogen Content | Not Yet Reviewed for halogen content |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

926330-3

Crimp Terminal Housings, Receptacle, Receptacle, 6 Position, Straight, UL 94V-0, Natural, Polyamide 6.6 GF, Mating Alignment, Positive Lock 250



Compatible Parts



-STE





ETE


| TE Part # 1-926522-2 PL 250 REC HSG 2P NYLON NAT | TE Part # 926330-8 6P POS-LOCK BU GEH | TE Part # 926646-8 PL 250 8P HOUSING PA6.6 ZYTEL 101 WHITE | TE Part # 1-154719-1 PL 250 REC HSG 1P NYLON NAT |
|--|--|---|---|
| ETE | ETE | | |
| TE Part # 1-2133341-1 PL MK1 RECEPTACLE NATURAL 6.6 PA | TE Part # 926524-1 PL 2P HOUSING PA6.6 ZYTEL 101 BLACK | TE Part # 926646-3 PL 250 8P HOUSING PA6.6 ZYTEL 101NATURAL | TE Part # 926646-4 8P POS-LOCK GEH 6,3 |


Also in the Series | Positive Lock 250

926330-3

Crimp Terminal Housings, Receptacle, Receptacle, 6 Position, Straight, UL 94V-0, Natural, Polyamide 6.6 GF, Mating Alignment, Positive Lock 250







Documents

Product Drawings 6P POS-LOCK BU GEH

English

CAD Files **Customer View Model**

ENG_CVM_CVM_926330-3_F.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_926330-3_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_926330-3_F.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.