

#### AMPMODU | AMPMODU 2 mm

TE Internal #: 964976-4

Housing, Receptacle, Wire-to-Board, 8 Position, 2 mm [.078 in] Centerline, Crimp Snap-In, 2 Row, Black, Mating Retention, Wire &

Cable, AMPMODU 2 mm

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing

Connector & Housing Type: Receptacle

Connector System: Wire-to-Board

Number of Positions: 8

Centerline (Pitch): 2 mm [.078 in]

### **Features**

### **Product Type Features**

	ousing
Connector & Housing Type Rec	eceptacle
Connector System Wir	ire-to-Board
Sealable	0
Connector & Contact Terminates To Wir	ire & Cable

### **Configuration Features**

Number of Positions	8
Number of Rows	2

#### **Termination Features**

Termination Method to Wire & Cable	Crimp Snap-In
------------------------------------	---------------

#### Mechanical Attachment

Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)

### **Housing Features**

Centerline (Pitch)	2 mm[.078 in]
Housing Color	Black

## **Dimensions**

Row-to-Row Spacing	2 mm[.078 in]
--------------------	---------------



Usage Conditions	
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Operation/Application	
Circuit Application	Signal

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Compatible Parts







## Also in the Series | AMPMODU 2 mm







Wire-to-Board Connector Assemblies & Housings(109)



Wire-to-Board Connector Contacts(27)

### **Documents**

## **Product Drawings**

MODU2MM BU-GEH2X 4P

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_964976-4\_D.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_964976-4\_D.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_964976-4\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Datasheets & Catalog Pages**

AMPMODU Interconnetion System

**AMPMODU Interconnetion System** 

English