## HM-101508-2.5-8A - ACTIVE

TE Internal #: C53715-000 Standard Labels, UL Listed, Label Width 101.6 mm [4 in], Label Height 2.5 in [63.5 mm], Metalized Silver, Polyester, Label Thickness 97 Micron

#### View on TE.com >



Identification & Labeling > Labels > Standard Labels > HM High Tack Metalized Polyester Labels



Label Type: Industrial Label Label Style: Die-Cut Label Adhesive Type: High Tack Acrylic Adhesive UL Listed: Yes Label Width: 101.6 mm [4 in ]

All HM High Tack Metalized Polyester Labels (36)

## Features

## Product Type Features

Label Type

Industrial Label

Body Features	
Label Color	Metalized Silver
Usage Conditions	
Operating Temperature Range	-40 - 150 °C[-40 - 302 °F]
Printer/Label Features	
Number of Labels Across	1
Recommended Printer Ribbon	See Printer Ribbon Matrix
Label Style	Die-Cut
Label Width	101.6 mm[4 in]
Label Height	63.5 mm[2.5 in]
Label Material	Polyester
Label Thickness	97 Micron
Industry Standards	
UL Listed	Yes
Packaging Features	

## HM-101508-2.5-8A

Standard Labels, UL Listed, Label Width 101.6 mm [4 in], Label Height 2.5 in [63.5 mm], Metalized Silver, Polyester, Label Thickness 97 Micron



Packaging Quantity	2500
Packaging Method	Roll
Other	
Label Adhesive Type	High Tack Acrylic Adhesive
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



## Documents

**C** For support call+1 800 522 6752

## HM-101508-2.5-8A

Standard Labels, UL Listed, Label Width 101.6 mm [4 in], Label Height 2.5 in [63.5 mm], Metalized Silver, Polyester, Label Thickness 97 Micron



Product Drawings HM-101508-2.5-8A

English

## Datasheets & Catalog Pages IDENTIFICATION SELECTION GUIDE

English

HM High Tack Metalized Polyester labels

English

# Product Specifications IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English