


**6XH72BA**


REV	REFERENCE DIM	REFERENCE PROJECT	REV BY	DATE	APP'D	DATE
A	EON-03234701	PROJ-00329801	rcp/m	07-26-2005		

19797301-001	CONN FOR CCWLE
19797301-002	CONN FOR CWLE

CONNECTIONS SHOWN ARE FOR CCWLE  
 ROTATION. TO REVERSE INTERCHANGE  
 RED AND BLACK LEADS.



INTERNAL CONNECTIONS



EXTERNAL CONNECTIONS

- GEOMETRIC CHARACTERISTICS & SYMBOLS
- FLATNESS
  - CIRCULARITY
  - ⊥ PERPENDICULARITY (SQUARENESS)
  - ∥ PARALLELISM
  - ROUNDNESS (CIRCULARITY)
  - ⌒ PROFILE OF ANY SURFACE
  - ∩ ROUNDOFF
  - ⊙ TRUE POSITION
  - ⊕ SYMMETRY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE AS FOLLOWS:

INCH: ±.1 / ±.02 / ±.005 / ±.0005

MM: ±0.13 / ±0.13 / ±0.013

ANG: ±30 DEG & BREAK SHAPE EXCEPT:

REAR: ±0.13 / ±0.13 / ±0.13

W/CHAM: ±0.02 / ±0.02 / ±0.02

W/CHAM SURFACES: ±.12

INCH: ±.002 / ±.002 / ±.002

MM: ±.05 / ±.05 / ±.05

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE AS FOLLOWS:

INCH: ±.1 / ±.02 / ±.005 / ±.0005

MM: ±0.13 / ±0.13 / ±0.013

ANG: ±30 DEG & BREAK SHAPE EXCEPT:

REAR: ±0.13 / ±0.13 / ±0.13

W/CHAM: ±0.02 / ±0.02 / ±0.02

W/CHAM SURFACES: ±.12

INCH: ±.002 / ±.002 / ±.002

MM: ±.05 / ±.05 / ±.05

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE AS FOLLOWS:

INCH: ±.1 / ±.02 / ±.005 / ±.0005

MM: ±0.13 / ±0.13 / ±0.013

ANG: ±30 DEG & BREAK SHAPE EXCEPT:

REAR: ±0.13 / ±0.13 / ±0.13

W/CHAM: ±0.02 / ±0.02 / ±0.02

W/CHAM SURFACES: ±.12

INCH: ±.002 / ±.002 / ±.002

MM: ±.05 / ±.05 / ±.05

DR BY: RCLDHN 07-22-2005

DATE: 07-22-2005

FROM: FROM DATE

TO: TO DATE

REVISION: REVISION

DESCRIPTION: DESCRIPTION

DATE: DATE

BY: BY

APP'D: APP'D

DATE: DATE

BY: BY

APP'D: APP'D

DATE: DATE

**Dayton**

DAYTON ELECTRIC MANUFACTURING CO.  
 Miam. Ohio 45424 USA

DESCRIPTION: CONNECTION-DIAGRAM EXTRNL

SIZE: C

DMG NO: 19797301

SCALE: NONE

SHEET 1