



ABSORBENT & SPILL CONTROL

www.BradyID.com/SPC

Don't Miss These New Products!





High Visibility Safety & **Chemical Mat** Page 32





Spill Response Plus **Absorbents** for small spills Page 14

Wheeled **Spill Kits** for added mobility Page 61





Don't Miss These New Products!





VENDSORB™ Absorbent Rolls Page 34





Table Of Contents

Use our guides to quickly and easily pinpoint the right absorbent for your spills.
Universal Absorbent Pads & Rolls8 All-purpose absorbents for cleaning up oils, coolants, solvents and water-based fluids.
Oil Only Absorbent Pads & Rolls20 Oil Only absorbents to clean-up all of your oil or petroleum-based spills.
Chemical Absorbent Pads & Rolls30 Chemical absorbents can be used on a wide range of chemicals.
VENDSORB TM Absorbent Rolls34 Absorbents designed for your vending program to help control usage and reduce waste.
SOCs, Pillows & Drum Covers36 Spill containment products designed to fit in and around machinery.
Mat & Rug Absorbents
Marine Absorbents
Granular & Neutralizer Absorbents48
Loose granular absorbents ideal for liquid spill clean-up, lab packing and stabilizing free liquids.
lab packing and stabilizing free liquids. Spill Control & Containment
lab packing and stabilizing free liquids. Spill Control & Containment



Universal Absorbents



Oil Only Absorbents



Chemical Absorbents



Absorbent SOCs and Pillows



Spill Control Products and Kits



Learning Center





Regulations

The following OSHA and EPA regulations protect your employees and the environment;

29 CFR 1910.22(a)(2)

Clean, dry workplace floors.

40 CFR 112.7(c)(1)(vii)

Absorbent materials are one option for preventing oil spills from reaching waterways.

29 CFR 1910.120(j)(1)(vii)

DOT-specified containers and suitable quantities of absorbents shall be kept available for response to spills.

Why SPC Products?

For more than 30 years, SPC products have helped customers protect against leaks, drips and spills that create safety hazards in the workplace. Brady provides high-quality service, application expertise and product knowledge to SPC distributors and customers.

Brady SPC has a history of innovation and continues to develop industry-leading products and applications. With an ever expanding portfolio, we are committed to providing our customers with the right product for the right application at the right price point.

Brady SPC—An Environmentally Friendly Company

Corporate social responsibility is at the core of the Brady SPC business! In fact, 97% of material is reused to reduce landfill waste. Brady SPC strives to become a zero waste facility through the conservation of energy and the recovery of resources.

Why Is Spill Control Important?

Beyond the obvious need to protect our environment and to reuse or recycle, a proper spill control program can create a safe and productive work environment for your employees.

By complying with EPA and OSHA regulations around spill control we provide our people with conditions that allow for the greatest productivity and limit equipment down time. The cost of non-compliance around this area of regulation can have devastating effects on a business' reputation and financial performance.

Spill Prevention Control & Countermeasure (SPCC) Plan

The EPA issued its final rule amending the SPCC under the authority of the Federal Water Pollution Control Act. This regulation became effective as of August 16, 2002.

What is an SPCC Plan?

An SPCC plan is a facility-specific, comprehensive plan outlining both the containment and countermeasures implemented to prevent a spill from occurring and a series of response procedures in the event that one does.

The SPCC plan addresses the following three areas:

- Operating procedures that prevent oil spills
- Control measures installed to prevent a spill from reaching the environment
- Countermeasures to contain, clean-up and mitigate the effects of an oil spill that reaches the environment

Cost Savings

More and more industries are using a variety of absorbents for the control and clean-up of oils, industrial liquids and chemicals in their workplace. They reduce cost, increase productivity and improve safety. See why Brady's SPC absorbents are the product of choice!

The examples below show how much money an average facility can save by switching their spill control products to SPC absorbents.

Cost Comparison #1: Absorbent Materials







	Clay	SPC Absorbents	Your Costs
Cost per bag or box	\$5.00	\$75.00	
Absorbency (gallons per package)	4	40	
Total bags or boxes of absorbent required	375	38	
Total	\$1.875.00	\$2.812.50	

Cost Comparison #2: Labor Costs







	Clay	SPC Absorbents	Your Costs
Estimated minutes per gallon to clean-up	3.0	1.0	
Total man-hours to clean-up	75	25	
Average hourly wage & benefits	\$20.00	\$20.00	
Total	\$1.875.00	\$500.00	

Cost Comparison #3: Disposal Costs







	Clay	SPC Absorbents	Your Costs
Number of drums required	76	24	
Estimated cost per drum	\$60.00	\$60.00	
Total drum cost	\$4,560.00	\$1,440.00	
Disposal cost per drum	\$150.00	\$150.00	
Total	\$15,960.00	\$5,040.00	

Grand Total \$19,335.00 \$8,352.50

Comparison is based on a facility with 1,500 gallons of spill clean-up per year.

The values included in this cost comparison are based on the products' average costs as published online in 2013.

SPC Absorbents Cost Savings vs. Clay

\$10,982.50 57% Savings

Did You Know? SPC Absorbents vs. Clay

There is a negative financial impact of using clay to clean-up your leaks, drips and spills. It may be cheaper to buy, but the benefits stop there.

Still not convinced? Consider these points:

- OSHA considers silica a serious health hazard.
- Granular clean-up is difficult and labor intensive. The small particles can easily enter and damage machinery or your finished product.
- Clay has limited chemical resistance.

With Brady's SPC Absorbents, all of these shortcomings are eliminated!



Choosing Your Absorbents



Think you're using the correct absorbent? Put it to the test!


Want to know if your absorbent is working for you? Start at the end, in the trash. One of the best ways to pick the right absorbent is to see what it looks like when you're done with it. Take a look...



Check Product Type

Looks like this absorbent roll is being used to contain a leak – instead, consider using a SOC for leaky equipment.


Brady SPC offers pads, rolls, SOCs, pillows and more so that you have the right type of product to contain your spill.



Check Durability

Are your absorbents falling apart or tearing due to heavy traffic?

Look for absorbents with spunbond coverstock construction when durability is critical.



Over-saturated

Check Absorbency

Are your absorbents being used to their absorbency capacity? Or maybe your current absorbent isn't absorbing the whole spill.

For small spills, choose a medium or lightweight pad to avoid wasting.

For large spills, use a heavyweight pad to cut down on the number of lighter pads you go through.

Not Sure Which Absorbents To Use? Consider A Survey!

We understand that surveying a facility for potential trouble spots, proper absorbent usage and product selection can be extremely time consuming and confusing. But we also believe that it can be extremely beneficial.

• Free Absorbent Survey

Brady's Absorbent Survey is a free service designed to help a facility keep its employees and its equipment safe. This detailed survey asks the right questions and identifies how Brady SPC and its distributor can provide solutions for the proper use of absorbents in the plant. Many organizations use these surveys as an "Environmental Audit" and keep them on file.

Cost Savings Worksheet

Seeing is believing! This simple worksheet helps you compare the absorbents you are currently purchasing with our recommendations – quickly showing you the price difference and your cost savings.

Contact your Brady SPC Representative for more information, for assistance in selecting the right product or to set up you FREE Absorbent Survey!!





Choosing Your Absorbents

Selecting the right absorbent for the job makes a big difference. Proper product selection can make your employees' jobs easier, create a safer work environment, and save you money!

These three easy steps will help you find the correct SPC absorbent product for your application.



Step One:

Know What You're Absorbing

Your Spill:

- Coolants
- Solvents
- Gasoline
- Vegetable oil
- Kerosene
- Other water-based fluids

Your Absorbent Solution: Universal Absorbents

All-purpose products that clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects. Re-Form™ universal absorbents made of recycled materials offer an environmentally friendly solution.

Page 8



Your Spill:

- Hydraulic oil
- Motor oil
- Brake fluid
- Cooking oil
- Turpentine
- Other oil-based fluids

Your Absorbent Solution: Oil Only Absorbents

Specialized for oil and other petroleum-based spills including paints and non-water soluble chemicals, these absorbents will not absorb water and will float indefinitely. Re-Form™ oil only absorbents made of recycled materials offer an environmentally friendly solution.

Page 20



Your Spill:

- Aggressive chemicals
- Citric acid
- Sodium hydroxide
- Other unknown chemicals

Your Absorbent Solution: Chemical Absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid. They are chemically inert, so they will not react with aggressive fluids.







Choosing Your Absorbents

2 Step Two: Identify Your Absorbent Application





Wiping, Dripping or Foot Traffic Applications

Pads & Rolls

Use for wiping, dripping and leaks. Pads are pre-cut, while rolls allow you to choose the length you need.

SOCs & Pillows

Specialized for use around or underneath equipment.





Barrier-Backed or Heavy Traffic Applications

Mats & Rugs

Use with heavy foot or vehicle traffic, or where a barrier-backed mat is needed.




Emergency Spill Response

Spill Containment and Spill Kits

Be prepared for emergency spills with a variety of bundled spill kits carefully configured with our most popular products.

Additional spill control products are available including spill pallets, drain plugs and absorbent storage centers.



Step Three: Select Your Absorbent Size and Weight

Now that you know what you're absorbing, and what style of product you need, you can choose your absorbent from the many sizes and absorbency weights that Brady SPC offers.

Quickly and easily compare absorbents in the following sections:

Universal Absorbents	Page 8
Oil Only Absorbents	Page 20
Chemical Absorbents	Page 30
SOCs & Pillows	Page 36
Mats & Rugs	Page 42
Spill Control & Containment	Page 50



Use these all-purpose absorbents to clean-up oils, coolants, solvents and water-based fluids anywhere in your facility. Around machinery, under leaky pipes or fittings, in messy traffic areas, for general maintenance projects - they are your first choice for indoor spill control. Plus, their gray color masks spills and stains - helping you resist the urge to pick up the absorbent before it is fully saturated.

Looking for added cost savings? Select a perforated option that allows you to use only what you need.

The Technology:

The technology or structure behind each of the universal products helps determine relative strength and absorbency. This information along with the product's characteristics (grade, perforations, etc.) will help you decide which absorbent is best for your application.

Common Liquids Absorbed:

- Coolants
- Kerosene
- Solvents
- Latex paint
- Oils
- Other water-
- Gasoline
- based fluids
- Vegetable oil



View Products Online

To view these Universal Absorbents online, visit: www.BradyID.com/SPC



Universal Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features include durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

	Applications	Durab	Linting Linting	Cost	Ab ^{sorbency} Ab ^{sorbes}	Construction
Battlemat [®] Rolls	High wear resistance is ideal for heavy foot traffic, forklifts and walkways.	111	Low Linting	\$\$\$	Heavy Weight	Tough spunbond coverstock
UXT Xtra Tough Pads & Rolls	Extra durable general purpose absorbent for wiping, drips, and leaks	111	Low Linting	\$\$\$	Heavy, Medium & Light Weight	3-ply (SMS) construction, spunbond coverstock on both sides
HT High Traffic Rolls	Economical for foot traffic, walkways, and around work stations.	J J J	Low Linting	\$\$	Heavy & Medium Weight	2-ply (SM) construction, spunbond coverstock on one side
MRO Plus® Pads & Rolls	Best for industrial applications where greater durability and lower linting is needed	J J	Medium Linting	\$\$\$	Heavy & Medium Weight	3-ply (MMM) Meltblown Polypropylene
Spill Response Plus Universal Pads & Rolls	Best for best for small spill applications where greater durability and lower linting is needed	SS	Medium Linting	\$\$	Heavy Weight	3-ply (MMM) Meltblown Polypropylene
GP General Purpose Pads & Rolls	Maintenance absorbent for general industrial applications	✓.	Medium Linting	\$\$	Heavy, Medium & Light Weight	Single-ply, made with MAXX® technology to improve adsorption & strength
Basic Universal Pads & Rolls	Value absorbent for general purpose wiping, drips or leaks	√	Medium Linting	\$	Heavy & Light Weight	Single-ply Meltblown Polypropylene
Re-Form™ XPlus Pads & Rolls	When durability and lower linting is needed for foot traffic, walkways, and around work stations.	J J	Medium Linting	\$\$\$	Medium Weight	Minimum 80% recycled cellulose with 2-sided MBPP coverstock
Re-Form™ Pro Plus Pads & Rolls	High absorbency for petroleum- based drips, spills and wiping applications	11	Medium Linting	\$\$\$	Heavy Weight	3-ply, 90% recycled fibers
Re-Form™ Plus Pads & Rolls	Maintenance absorbent for general industrial applications	11	Medium Linting	\$\$	Heavy, Medium & Light Weight	Minimum 80% recycled newsprint and cellulose with 1-sided coverstock
Re-Form™ Pads	Value absorbent for general purpose wiping, drips or leaks	1	High Linting	\$	Heavy, Medium & Light Weight	Minimum 80% recycled newsprint and cellulose



BattleMat® Absorbent Rolls

Tough camouflage patterned roll hides leaks and drips and is ideal for areas with moderate foot traffic.

- Tough, 2-ply construction perfect for use as a mat in high traffic areas
- Camouflaged pattern hides absorbent stains reducing urge to dispose before too early
- A durable, abrasion-resistant upper layer
- Perforated to help you reduce waste use only what you need

BattleMat® rolls and pads, with their unique construction and camouflage pattern, are tough enough to take whatever you dish out.

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Water-based Fluids

Durability: ///

Linting: Low Linting Absorbencies: Heavy Weight

Cost: \$\$\$

Recommended Applications

- Walkways and high traffic areas
- Production & machine areas
- Under assembly lines, equipment or vehicles
- On workbenches or
- as a work surface



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BattleMat Pads								
BM100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	28	16.5	40	100/bale
BattleMat Rolls								
BM30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	53	34.5	12	1/case
BM30X	Heavy Wt. Roll	30"x150'	No	12.5	53	34.5	12	1/case
BM15	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	26	17	30	1/case





UXT - Universal "Xtra Tough" Absorbents

Extra tough maintenance rolls for applications that require a durable, non-linting and abrasion-resistant absorbent!

- High performance, all-purpose absorbent made to handle virtually any liquid
- Universal Meltblown Polypropylene
- 3-ply (SMS) construction with spunbond coverstock on both sides for maximum durability and very low linting - perfect to wipe down tools and machinery
- Both abrasion resistant and non-abrasive performance – perfect for wipe down applications
- The extra strength required for the wringing and re-using of absorbents
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste use only what you need

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Water-based Fluids

Durability: </

Linting: Low Linting

Absorbencies: Heavy, Medium

& Light Weight

Cost: \$\$\$

Recommended Applications

- For drips, spills and wiping applications
- Pharmaceutical
- Food processing
- Printing industries
- · Machining small parts
- High tech industries
- Paint room

Catalog # UXT Pads	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
UXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	11	19.5	14.5	30	100/case
UXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	11	17	12	30	100/case
UXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	14	31.5	18.5	24	200/case
UXT Rolls								
UXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	11	17	14.5	30	1/case
UXT30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	11	37	27.5	12	1/case



Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Water-based Fluids

Durability: </ Linting: Low Linting Absorbencies:

Heavy & Mediúm Weight

Cost: \$\$

Recommended Applications

- Anywhere foot traffic or extra durability is needed
- · Metal fabrication
- Utility
- General manufacturing
- Equipment repair & servicing
- Precision engineering

HT - "High Traffic" Absorbents

Multi-use maintenance absorbent built for durability and high absorbency in "high traffic" and busy problem areas.

- Absorbs all water-based industrial liquids, oil and petroleum-based fluids
- Universal Meltblown Polypropylene
- 2-ply (SM) construction with spunbond coverstock makes it extra tough and abrasion resistant
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste use only what you need
- Gray color masks drips and spills, encourages longer use



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
HT Pads								
HT200	Light Wt. Pad	15"x19"	Yes, 7.5"	12.5	38	16.5	24	200/case
HT500	Light Wt. Pad	15"x19"	Yes, 7.5"	12.5	13.5	8.5	30	100/case
HT Rolls								
HT30	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	47	32	12	1/case
HT555	Heavy Wt. Roll	15"x150'	Yes (3), 5" and every 18"	12.5	23	16	30	1/case
HT15	Heavy Wt. Roll	15"x150'	Yes, every 15"	12.5	23	16	30	1/case
HT550	Heavy Wt. Roll	15"x50'	Yes (3), 5" and every 18"	12.5	8	5	60	1/case
HT303	Medium Wt. Roll	30"x300'	Yes, 15" and every 15"	12	63	40	12	1/bale
HT303X	Medium Wt. Roll	30"x300'	No	12.5	65	40	12	1/bale
HT350	Medium Wt. Roll	30"x150'	Yes, 15" and every 18"	12.5	35	20	12	1/bale
HT153	Medium Wt. Roll	15"x300'	Yes, every 15"	12.5	32	20	24	1/bale
HT230	Light Wt. Roll	30"x300'	Yes, 15" and every 15"	12.5	42.5	29.5	18	1/bale
HT215	Light Wt. Roll	15"x300'	Yes, every 15"	12.5	21.5	15	18	1/bale

HT550 and HT555 - Versatile Multi-Perforated Rolls

- Convenient dispenser box
- Triple perforated lengthwise every 5"
- Cross-wise perforation every 18"



As a pad!








As a roll! As a SOC!

As a wipe!





Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and
Water-based Fluids

Durability: ✓✓

Linting: Medium Linting

Absorbencies: Heavy &

Medium Weight

Cost: \$\$\$

Recommended Applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas
- · Liquid storage areas

MRO Plus® Absorbents

Our number one universal absorbent and the standard in all-purpose, gray maintenance absorbents.

- Absorbs all industrial liquids (water, petroleum and chemical-based fluids)
- 3-ply (MMM) Meltblown Polypropylene construction increases durability and reduces lint
- Perforated to help you reduce waste use only what you need
- Dimpled for added durability & reduced linting, and gray color masks drips and spills

MRO150DND features 150 heavyweight pads in a unique Dispense-n-Dispose™ system - packaging doubles as a dispenser and a disposal bin all at once.





Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
MRO Plus Pad		0.20		· uoto: (g#go)	oupdoing (gail)	()		
MRO50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	26.5	13	50/bale
MRO150DND	Heavy Wt. Pad*	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
MRO100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
MRO100-2	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	13.5	8	36	50/bale
MRO300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case
MRO Plus Roll	s							
MRO30DP	Heavy Wt. Roll	30"x150'	Yes, every 15" and up center	12.5	49	32	12	1/case
MRO30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	32	12	1/case
MRO30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	12	1/case
MRO24DP	Heavy Wt. Roll	24"x150'	Yes, every 12" and up center	12.5	39	22.5	27	1/bale
MRO15DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	30	1/case
MRO15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	30	1/case
MRO15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	30	1/case
MRO15DPS	Heavy Wt. Roll	15"x73'	Yes, 7.5" and 12" across	12.5	12	8	80	1/bale
MRO12P	Heavy Wt. Roll	12"x150'	Yes, every 12"	12.5	20	11.5	36	1/bale
MRO350DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
MRO350	Medium Wt. Roll	30"x150'	No	12.5	38	26.5	12	1/case
MRO315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	20	14	30	1/case

^{*}Features Dispense-N-Dispose System



Spill Response Plus Universal Absorbents

Best for small spill applications.

- Convenient, portable size perfect for employees to fold or carry in their pockets for quick response time
- Ideal for small spills and janitorial applications
- 3-ply (MMM) Meltblown Polypropylene
- Highly absorbent, multi-purpose absorbents designed to handle water-based liquids and oils
- Dimpled for added durability and reduced linting

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Water-based Fluids

Durability: ✓ ✓

Linting: Medium Linting

Absorbencies: Heavy

Heavy Weight

Cost: \$\$

Recommended Applications

- Janitorial
- Hospitality & Retail
- Maintenance areas
- Liquid storage areas
- Anywhere there is a leak, drip or spill
- · Production areas
- Under assembly lines or equipment



	Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
	Spill Response	Plus Universal Pads							
Į.	SRP100	Heavy Wt. Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
N	SRP200	Heavy Wt. Pad	7.5"x10"	No	12.5	11.1	7.5	96	200/case
	Spill Response	Plus Universal Rolls							
1	SRP75P	Heavy Wt. Roll*	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	96	1/bale



May We Also Suggest: 2-Gallon SRP Spill Kit

Brady SPC also offers a 2-gallon spill kit that is specially designed for small spills.

View all spill kits on page 58.



NEW!



GP - "General Purpose" Absorbents

These economical, general purpose absorbents offer the look, feel and performance of a premium product.

- Made with MAXX® Technology improved adsorption and strength without the extra weight
- Universal in nature so it absorbs basically all fluids (water, petroleum and chemical-based fluids)
- Universal Meltblown Polypropylene
- Efficient single-ply construction
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste use only what you need

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Water-based Fluids

Durability: ✓


Linting: Medium Linting

Absorbencies: Heavy, Medium & Light Weight

Cost: \$\$

Recommended Applications

- · Ideal for industrial settings
- Machine shop
- Refineries
- Paper mills
- Transportation maintenance
- Steel manufacturing
- Anywhere there is a
- leak, spill or drip



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
GP Pads								
GP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	30	11.5	24	100/case
GP100-B	Heavy Wt. Pad (bagged)	15"x19"	Yes, 7.5"	18	30	12	24	100/bale
GP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	20	25	10	30	100/bale
GP200-B	Light Wt. Pad (bagged)	15"x19"	Yes, 7.5"	20	44	16	18	200/bale
GP500	Light Wt. Pad	15"x19"	Yes, 7.5"	20	22	8.2	30	100/bale
MXU1000	Light Wt. Pad	15"x19"	Yes, 7.5"	24	27	11	30	100/case
GP Rolls								
GP30	Heavy Wt. Roll	30"x150'	No	13	48	28	18	1/bale



Basic Universal Absorbent

Our value-priced universal all-purpose absorbent.

- Absorbs all water-based industrial liquids, oils and petroleum-based fluids
- Universal Meltblown Polypropylene
- Economical single-ply construction
- Perforated to help you reduce waste use only what you need
- Dimpled for added durability and reduced linting

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Water-based Fluids

Durability: ✓

Linting: Medium Linting

Absorbencies: Heavy, Medium

& Light Weight

Printing

Cost: \$

Recommended Applications

- General industrial universal applications
 - ns 💂 -
- universal applications
- Transportation
- Manufacturing



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Basic Universa	l Pads							
BPU100	Heavy Wt. Pad	15"x17"	Yes, 7.5"	18	20.5	8.5	30	100/bale
BPU200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	13.7	18	200/bale
BPU500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	30	100/bale
Basic Universa	I Rolls							
BRU150	Heavy Wt. Roll	30"x150"	Yes, every 30"	14.5	38	19.5	18	1/bale
BRU152	Heavy Wt. Roll	15"x150"	Yes, every 30"	14.5	38	19.5	18	2/bale



Request a SPC Absorbent Sample Pack

Visit www.BradyID.com/SPC

to request a free Absorbent Sample Pack to see what SPC absorbents can do for you!









Product Summary

Liquids Absorbed: Oils

Oils, Coolants, Solvents and Water-based Fluids

Durability: 🗸

Linting: Medium Linting
Absorbencies: Medium Weight

Cost: \$\$\$

Recommended Applications

- For drips, spills, and wiping applications
- Indoor use or dryweather outdoor use
- General purpose absorbent
- Light foot traffic

Re-Form™ XPlus Absorbents

A medium weight absorbent with the same absorbency capacity as Re-Form™ Plus Absorbents but with meltblown coverstock on both sides for added durability.

- Made from 80% recycled cellulose
- Up to 50% more absorbent than comparable Meltblown Polypropylene absorbents
- Supports corporate sustainability and LEED initiatives
- Absorbs water-based chemicals, oils and petroleum-based products
- Up to 50% more absorbent than comparable Meltblown Polypropylene absorbents
- Perforated to help you reduce waste use only what you need



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity		
Re-Form XPlus	Pads									
RFDP300	Medium Wt. Pad	16"x18"	Yes, 7.5"	16.5	32	16.6	30	100/case		
Re-Form XPlus Rolls										
RFDP328-DP	Medium Wt. Roll	28.5"x150'	Yes. 14.25" and every 19"	16.5	55	33.3	12	1/case		

^{*}Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.



Did You Know? Re-Form™ XPlus Now Offers Better Traction

Re-Form[™] XPlus Absorbents have been updated to include a meltblown coverstock on both sides. This improvement offers you better traction and durability than its original construction, helping you prevent slips, trips and falls in your facility.







Product Summary

Liquids Absorbed:

: Oils, Coolants, Solvents and Water-based Fluids

Durability: 🗸

Linting: Medium Linting
Absorbencies: Heavy Weight

Cost: \$\$\$

Recommended Applications

- Anywhere there is a leak, drip or spill
- Production/machine areas
- Under assembly lines or equipment
- Maintenance areas
- Liquid storage areas

Re-Form™ Pro Plus Absorbents

The absorbency and durability you expect (plus it's recycled)!

The look, feel and performance of a traditional absorbent made from 90 percent recycled fibers. Available in pads and rolls, Re-Form Pro Plus helps keep your employees and work environment safe from unexpected spills, leaks, drips and other accidents.

- Environmentally friendly: Made of 90% recycled materials
- Extremely absorbent: absorbs 20 times its weight
- Strong durability: 3-ply dimpled construction

Perforated design means you only use what you need and send less waste to landfills.





Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Re-Form Pro	Plus Pads							
RFPP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
Re-Form Pro	Plus Rolls							
RFPP30P	Heavy Wt. Roll	30"x150"	Yes, 30"	12.5	49	32	12	1/case

*Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.



NEW!





Re-Form™ Plus Absorbents

Eco-friendly all-purpose absorbent for wiping and light foot traffic.

- Made from 80% recycled newsprint and cellulose with spunbond coverstock on one side for durability
- Up to 50% more absorbent than comparable polypropylene
- Supports corporate sustainability and LEED initiatives
- Absorbs water-based chemicals, oils and petroleum-based products
- Class A fire retardant

Product Summary

Liquids Absorbed:

Oils, Coolants, Solvents and Water-based Fluids

Durability:

Linting: Medium Linting

Heavy, Medium & Light Weight Absorbencies:

Cost:


Applications

- For drips, spills and wiping Indoor use or dry-weather outdoor use
- Maintenance or storage areas
- Production/Machine areas
- Under equipment or vehicles
- · Light foot traffic areas

Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
RFP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	17	40	19.5	24	100/case
RFP500	Light Wt. Pad	15"x19"	Yes, 7.5"	17	24	12.7	36	100/case
Re-Form Plus R	lolls							
RFP28-DP	Heavy Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	62	33	12	1/case
RFP328-DP	Medium Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	17	54	30.5	12	1/case
RFP314P	Medium Wt. Roll	14.25"x150'	Yes, every 19"	17	30	15.5	24	1/case

^{*}Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.





Re-Form™ Universal Absorbents

Economical general purpose absorbent offering superior absorbency compared to meltblown polypropylene.

- Made from 80% recycled newsprint and cellulose and is up to 50% more absorbent than comparable polypropylene absorbents
- Nylon mesh construction provides extra durability and strength
- Class A fire retardant
- Supports corporate sustainability and LEED initiatives

Product Summary

Liquids Absorbed:

Oils, Coolants, Solvents and Water-based Fluids

Durability:

Linting:

High Linting Heavy, Medium & Light Weight Absorbencies:

Cost:

Applications

- For drips and spill applications
- Indoor use or dry-weather outdoor use
- Maintenance areas
- Production/Machine areas
- Under assembly/equipment lines or vehicles

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Re-Form Pads								
RF100	Heavy Wt. Pad	15"x19"	No	17.5	40	19	24	100/case
RF300	Medium Wt. Pad	15"x19"	No	17.5	32	14.8	30	100/case
RF500	Light Wt. Pad	15"x19"	No	17.5	24	12	36	100/case

^{*}Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.



Specialized for oil and other petroleum-based spills, oil only pads and rolls repel water and will float indefinitely. These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for outside use, Brady SPC's oil only products are equally effective in soaking up petroleum-based solvents and paints, vegetable oils and other non-water soluble oil-based fluids.

Looking for added cost savings? Select a perforated option that allows you to use only what you need.

The Technology:

The technology (construction layers, weave and loft) behind each of the oil only products helps determine relative strength and absorbency. This information along with the product's characteristics (grade, perforations, etc.) will help you decide which absorbent is best for your application.

Common Liquids Absorbed:

- Drilling and cutting Gasoline, diesel fluids
- Hydraulic and brake fluids
- Engine oils
- Transmission fluids Other oils and
- Lubricants

- and aircraft fuels
- Cooking oils
- Oil-based paints and solvents
- petroleum-based fluids



View Products Online

To view these Oil Only Absorbents online, visit: www.BradyID.com/SPC



Oil Only Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features including durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

absorbent options for your specific application.								
	Applications	Durab	Linting	Cost	Abs ^{orbency}	Construction		
SXT [®] Oil Pads & Rolls	Quality absorbent for wiping tools or component parts that require high durability	JJJ	Low Linting	\$\$\$	Heavy Weight	3-ply (SMS) Meltblown Polypropylene, spunbond coverstock on both sides		
Oil Plus Pads & Rolls	Durable for general industrial applications such as wiping, drips and leaks	S	Medium Linting	\$\$\$	Heavy, Medium & Light Weight	3-ply (MMM) Meltblown Polypropylene		
Spill Response Plus Oil Only Pads & Rolls	Durable for general small spill applications such as wipes, drips and leaks	J J	Medium Linting	\$\$	Heavy Weight	3-ply (MMM) Meltblown Polypropylene	NEW!	
SPC [®] Oil Pads & Rolls	Cost effective and ideal for industrial applications or marine spills	11	Medium Linting	\$\$	Heavy & Medium Weight	Single-ply Meltblown Polypropylene		
ENV [®] Oil Pads & Rolls	Contractor grade for emergency marine spills and maximum absorbency	SS	High Linting	\$	Heavy & Medium Weight	Single-ply Meltblown Polypropylene		
Basic Oil Only Pads & Rolls	Value absorbent for general purpose wiping, drips or leaks and marine applications	1	High Linting	\$	Heavy & Light Weight	Single-ply Meltblown Polypropylene		
Static Resistant Pads & Rolls	For wherever static electricity is a concern, around fuel or other ignitable fumes	J J	High Linting	\$\$\$	Heavy & Medium Weight	Single-ply Meltblown Polypropylene		
Re-Form™ Oil Only Pads & Rolls	High absorbency for petroleum- based drips, spills and wiping applications	111	Low Linting	\$\$\$	Heavy Weight	Minimum 80% recycled cotton and cellulose with 2-sided coverstock		



Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Oil-based Fluids

Durability: 🗸

Linting: Low Linting

Absorbencies: Heavy Weight

Cost: \$\$\$

Recommended Applications

- For drips, spills and wiping applications
- High tech industries
- Pharmaceutical
- Paper industries
- Machining of small parts
- Food processing
- D ' '
- Precision
- engineering

SXT® Oil Absorbents

The ideal absorbent when durability, abrasion resistance and low linting is required.

- High performance, oil only absorbent made to handle petroleum-based spills
- Repels water and floats indefinitely; also remains intact even when saturated with oil
- 3-ply (MMM) Meltblown Polypropylene construction
- Spunbond coverstock provides added durability with very low linting
- Both abrasion resistant and non-abrasive performance – ideal for wiping down tools or component parts
- The extra strength required for the wringing and reusing of absorbents
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste using only what you need



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SXT Oil Pads								
SXT100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12	19.5	14.5	30	100/case
SXT300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12	17	10	30	100/case
SXT200	Light Wt. Pad	15"x19"	Yes, 7.5"	14	31.5	18	24	200/case
SXT Oil Rolls								
SXT30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12	37	26.5	12	1/case
SXT15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12	18	14	30	1/case





Oil Plus Oil Absorbents

Perfect for general everyday use and emergency spill clean-up.

- Absorbs petroleum-based oils, solvents and other non-water soluble liquids
- Floats indefinitely even when saturated with oil
- 3-ply (MMM) Meltblown Polypropylene construction
- Multi-ply, heavyweight quality you can count on
- Dimpled for added durability and reduced linting
- Perforated to help you reduce waste using only what you need
- Wide selection of roll sizes makes it ideal for industrial applications

OP150DND features 150 heavyweight pads in a unique Dispense-n-Dispose™ system - packaging doubles as a dispenser and a disposal bin all at once.





Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Oil-Based Fluids

Durability: ✓✓

Linting: Medium Linting

Absorbencies: Heavy, Medium & Light Weight

Cost: \$\$\$

Recommended Applications

- Ideal for industrial applications
- Heavy manufacturing
- Fuel stations
- Automotive industries
- Precision engineering
- Printing industries

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Oil Plus Pads								
OP50	Heavy Wt. Pad	30"x30"	Yes, 15"	12.5	41	24	13	50/bale
OP150DND	Heavy Wt. Pad*	15"x19"	Yes, 7.5"	12.5	39	27	18	150/case
OP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	12.5	26	17.5	30	100/case
OP300	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14	30	100/case
Oil Plus Rolls								
OP30DP	Heavy Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	49	33	12	1/case
OP30P	Heavy Wt. Roll	30"x150'	Yes, every 30"	12.5	49	33	12	1/case
OP30	Heavy Wt. Roll	30"x150'	No	12.5	49	33	15	1/case
OP15DP	Heavy Wt. Roll	15"x150'	Yes, 7.5" and 12" across	12.5	24	17.5	30	1/case
OP15P	Heavy Wt. Roll	15"x150'	Yes, every 18"	12.5	24	17.5	30	1/case
OP15	Heavy Wt. Roll	15"x150'	No	12.5	24	17.5	30	1/case
OP15DPS	Heavy Wt. Roll	15"x73'	Yes, 7.5" and 12" across	12.5	12	7.5	80	1/bale
OP550	Heavy Wt. Roll	15"x50'	Yes, every 18"	12.5	9	5	60	1/case
OP350DP	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	38	26.5	12	1/case
OP315P	Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	19	14	30	1/case

^{*}Features Dispense-N-Dispose System



Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Water-based Fluids

Durability:

Linting: Medium Linting

Absorbencies: Heavy

Weight

Cost: \$\$

Recommended Applications

- Janitorial
- Hospitality
- Retail
- Ideal for industrial applications
- Heavy manufacturing
- Fuel stations
- Automotive industries
- Precision engineering
- Printing industries

Spill Response Plus Oil Only Absorbents

Durable absorbents for general small spill applications such as wipes, drips and leaks.


- Employees can fold and carry pads in their pockets, allowing for quick response to spills
- 3-ply (MMM) Meltblown Polypropylene
- Highly absorbent, absorbs paints, vegetable oils and other non-water soluble oil-based
- Dimpled for added durability and reduced linting



					Absorbency	Absorbency	Shipping	Pallet	
	Catalog #	Туре	Size	Perforated	Factor (gl/gs)	Capacity (gal)	Wt (lbs)	Qty.	Quantity
	Spill Response	Plus Universal Pads							
1	SRPO100	Heavy Wt. Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
1	SRPO200	Heavy Wt. Pad	7.5"x10"	No	12.5	11.1	7.5	96	200/case
	Spill Response	Plus Universal Rolls							
1	SRPO75P	Heavy Wt. Roll*	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	96	1/bale



Brady SPC also offers a 2-gallon spill kit that



NEW! NEW!



SPC® Oil Absorbents

Our standard oil only pads for industrial or marine use.

Convenient and cost-effective, Brady's original SPC absorbent is still one of our most popular lines. It is made with MAXX® Technology, meaning greater performance without the extra weight.

- Single-ply Oil Only Meltblown Polypropylene
- Absorbs petroleum-based liquids and repels water making it ideal for outdoor marine or environmental applications
- Floats indefinitely even when saturated with oil
- Dimpled for added durability & reduced linting
- Perforated to help you reduce waste using only what you need
- All SPC® Oil Absorbents are packaged in a blue colored bag to streamline absorbent identification in your facility

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Oil-based Fluids

Durability: </

Linting: Medium Linting

Absorbencies: Heavy & Medium Weight

Cost: \$\$

Recommended Applications

- General industrial
- Marine and environmental spills
- Oil refineries/Fuel chemical
- General manufacturing



				Absorbency	Absorbency	Shipping		
Catalog #	Туре	Size	Perforated	Factor (gl/gs)	Capacity (gal)	Wt (lbs)	Qty.	Quantity
SPC Oil Pa	ds							
SPC50	Heavy Wt. Pad	33"x39"	No	18	73	33.5	7	50/bale*
SPC100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	35	14	30	100/bale*
SPC100B	Heavy Wt. Pad (Blue MBPP Pad)	15"x19"	Yes, 7.5"	18	35	14	30	100/bale*
SPC105	Heavy Wt. Pad (1 side w/blue coverstock)	15"x19"	Yes, 7.5"	18	35	14	30	100/bale*
SPC300	Medium Wt. Pad	15"x19"	Yes, 7.5"	18	30	11	30	100/bale*
SPC200	Light Wt. Pad	15"x19"	Yes, 7.5"	18	51	16	18	200/bale*
SPC500	Light Wt. Pad	15"x19"	Yes, 7.5"	18	20	8.2	30	100/bale*
SPC Oil Ro	lls							
SPC150	Heavy Wt. Roll	38"x144'	No	15	70	33	18	1/bale*
SPC152	Heavy Wt. Roll	19"x144'	No	15	70	33	18	2/bale*
SPC19150	Heavy Wt. Roll	19" x 144'	No	15	35	17	36	1/bale*
SPC156	Medium Wt. Roll (1 side w/blue coverstock)	30"x150'	Yes, 15" and every 15"	15	37	26.5	18	1/bale*

^{*}SPC Oil Absorbents packaged in a blue bag.



ENV® Oil Absorbents

Made with MAXX® Technology for superior absorbency and greater strength. Plus, they weight less - which means lower disposal costs!

Highly economical, contractor grade Oil Only Meltblown Polypropylene for oil clean-up on land or water.

- Absorbs petroleum-based liquids and repels water
- Economical single-ply construction
- Floats indefinitely even when saturated with oil
- Perforated to help you reduce waste using only what you need
- All ENV® Oil Absorbents are packaged in a green colored bag to streamline absorbent identification in your facility

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Oil-based Fluids

Durability: ✓✓

Linting: High Linting **Absorbencies:** Heavy &

Medium Weight

Cost: \$

Recommended Applications

- Marine and environmental spills
- General industrial oil
- only applications
- Coast guard
- Emergency spill response
- On-board vessels
- Off-shore oil rigs



Catalog # ENV Oil Pads	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
ENV100	Heavy Wt. Pad	15"x19"	No	20	33	12.5	24	100/bale*
ENV50	Medium Wt. Pad	30"x30"	No	20	50	19	7	50/bale*
ENV300	Medium Wt. Pad	15"x19"	No	18	23.2	10	24	100/bale*
ENV200	Light Wt. Pad	15"x19"	No	23	51	16	18	200/bale*
ENV500	Light Wt. Pad	15"x19"	No	23	24.5	8	30	100/bale*
MXO1000	Light Wt. Pad	15"x19"	Yes, 7.5"	23	26	11	30	100/case*
ENV Oil Rolls								
ENV150	Medium Wt. Roll	30"x150'	No	15	44	22	18	1/bale*

^{*}ENV Oil Absorbents packaged in a green bag.





Basic Oil Absorbents

Our value-priced oil only absorbent.

- Oil Only Meltblown Polypropylene
- Absorbs petroleum-based liquids and repels water
- Floats indefinitely even when saturated with oil
- Economical single-ply construction is great for everyday usage
- Perforated to help you reduce waste using only what you need
- Dimpled for added durability and reduced linting
- All Basic Oil Absorbents are packaged in a clear bag to streamline absorbent identification in your facility

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Oil-based Fluids

Durability: <

Linting: High Linting

Absorbencies: Heavy & Light Weight


Cost: \$

Recommended Applications

- Marine and environmental spills
- General industrial oil only applications
- Manufacturing
- Printing
- Transportation
- Emergency spill response
- Coast guard
- On-board vessels
- Off-shore oil rigs



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Basic Oil Pads								
BPO100	Heavy Wt. Pad	15"×17"	Yes, 7.5"	18	20.5	8.5	30	100/bale
BPO200	Light Wt. Pad	15"x17"	Yes, 7.5"	18	34	13.7	18	200/bale
BPO500	Light Wt. Pad	15"x17"	Yes, 7.5"	18	17	7	30	100/bale
Basic Oil Rolls								
BRO150	Heavy Wt. Roll	30"x150"	Yes, every 30"	14.5	38	19.5	18	1/bale
BRO152	Heavy Wt. Roll	15"x150"	Yes, every 30"	14.5	38	19.5	18	2/bale





MFW!

Perforations - Saving you time and money

Perforations allow you to quickly and easily select the perfect size absorbent. Choose a small for small spills, or a larger section for bigger spills. Multiple size options mean less waste since you only use what you need.





Static Resistant Oil Absorbents

For areas where static electricity is a concern.

- Oil Only pads and rolls are specially treated to resist static electricity build up
- Oil only so they do not absorb water perfect for outdoor use
- Economical single-ply construction
- Meets National Fire Protection Association (NFPA) specifications

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Oil-based Fluids

Durability: </

Linting: High Linting

Absorbencies: Heavy &

Medium Weight

Cost: \$\$\$


Recommended Applications

- Wherever static electricity is a concern
- Around fuel or other ignitable fumes
- Computer production
- Cold environments



Catalog #	Type	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Static Resistant		3126	renorateu	ractor (gi/gs)	Capacity (gai)	Wt (IDS)	Grty.	Quality
		00" 00"	N.I.	40	40	0	4.4	05/1
SR3625	Heavy Wt. Pad	30"x30"	No	13	16	9	14	25/bale
SR100	Heavy Wt. Pad	15" x19"	No	13	26	14.5	30	100/bale
SR1825	Medium Wt. Pad	15"x19"	No	15	6	3.2	90	25/bale
Static Resistant	Oil Rolls							
SR3600	Heavy Wt. Roll	30"x150'	No	15	44	22	18	1/bale

Did You Know? - Perforation Locations



Single Perf

 Featured on many SPC pads & rolls



Double Perf

 Featured on many SPC rolls



Triple Perf

 Unique to some of the High Traffic Universal rolls







Re-Form™ Oil Only Absorbents

Repels water and floats making it ideal for outdoor applications.

- Absorbs more than 34 times its weight in liquid
- 40% higher absorption ratio than the next leading absorbent
- Spunbond coverstock adds durability and reduces linting
- Made from 80% all natural cotton fibers
- Perforated to help you reduce waste using only what you need
- Supports corporate sustainability and LEED initiatives

Product Summary

Liquids Absorbed: Oils, Coolants,

Oils, Coolants, Solvents and

Water-based Fluids

Durability: 🗸 🗸

Linting: Low Linting
Absorbencies: Heavy Weight

Cost: \$\$\$

Recommended Applications

- For drips, spills and wiping applications
- Paper industries
- High tech industries
- Pharmaceutical
- Machining of small parts
- Food processing
- Precision engineering
- Marine and environmental spills



Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Re-Form Oil O	nly Pads							
RFODP100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	30	39	12	24	100/case
Re-Form Oil O	nly Rolls							
RFOP28-DP	Heavy Wt. Roll	28.5"x150'	Yes, 14.25" and every 19"	30	74	21	12	1/case
RFOP14P	Heavy Wt. Roll	14.25"x150'	Yes, every 19"	30	37	10.5	24	1/case

^{*}Re-Form™ Absorbents are not intended for use with highly aggressive chemicals.




See Re-Form™ Absorbents In Action!

Re-Form[™] absorbents have been tested to be up to 50% more absorbent than oil-based polypropylene absorbents, so you'll use less product to get the job done.

Watch the online videos at **www.BradyID.com/SPC** to see for yourself!





Alert your employees to the presence of hazardous fluids with green and yellow chemical absorbents from Brady SPC. These surfactant-treated polypropylene pads and rolls can be used on a wide range of chemicals and are chemically inert, so they will not react with aggressive fluids.

The Technology:

The technology or structure behind each of the chemical products helps determine the relative strength and absorbency. This information along with the product's characteristics (grade, perforations, etc.) will help you decide which absorbent is best for your application.

Common Liquids Absorbed:

- Acids and bases
- Aggressive chemicals
- Oils
- Solvents
- Citric acid
- Water-based fluids
- Sodium hydroxide
- Other unknown chemicals



View Products Online

To view these Chemical Absorbents online, visit: www.BradylD.com/SPC



Chemical Absorbent Family:

All of these pads and rolls start with a highly absorbent polypropylene core - the difference is what happens from there. Features including durability, absorbency grades and coverstock give you versatile absorbent options for your specific application.

	Applications	Durabi	lity Linting	Cost	Ab ^s Grades	Construction	CUID
High Visibility Safety & Chemical Absorbents	Durable all- purpose and hazardous chemical absorbency. Ideal for areas with a high risk of slips trips and falls	///	Low Linting	\$\$\$	Heavy, Medium & Light Weights	3-ply SMM construction (spunbond coverstock 2 layers meltblown polypropylene)	CHUTTO
Universal Plus Pads & Rolls	For industrial applications where greater durability is needed with hazardous chemicals	/ /	Medium Linting	\$\$\$	Medium Weight	3-ply Meltblown Polypropylene, spunbond coverstock on both sides	
Spill Response Plus Pads & Rolls	For industrial small spill applications where greater durability is needed with hazardous chemicals	/ /	Medium Linting	\$\$	Heavy Weight	3-ply Meltblown Polypropylene, spunbond coverstock on both sides	٥

Increase Safety and Save: Color Coded Waste Stream

Save on disposal costs by using different colored absorbents in specific parts of you facility and throughout your waste streams.

For example: a facility might use yellow absorbents in radioactive areas and green absorbents in their chlorine areas. Then the facility would use gray universal absorbents for the rest of their facility.

A color coded system benefits your employees' understanding of the waste stream because they will assume yellow absorbents are saturated with radioactive waste and green absorbents are saturated with chlorine.





High Visibility Safety & Chemical Mat

Get the benefits of a sign and an absorbent in one unique product.

- High visibility, safety mat for all-purpose fluid pick-up
- Extremely durable: 3ply SMM construction (spunbond coverstock 2 layers meltblown polypropylene)
- Color-coded for safety and easy separation of hazardous waste
- Product will not react with aggressive fluids

Product Summary

Liquids Absorbed: Acids, Bases, Oils,

Acids, Bases, Oils, Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals

Durability: </

Linting: Low Linting

Absorbencies: Medium Weight

Cost: \$\$\$

Recommended Applications

- For use where hazardous chemicals and acids are involved
- Nuclear power facilities
- Chemical spill response units
- · Labs and hospitals
- Any industrial application utilizing aggressive fluids
- Applications with higher risk of slips, trips and falls
- Foot traffic areas or where extra durability is needed



	Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
	High Visibility S	afety & Chemical Mat	Pads						
NEW!	CH100	Heavy Wt. Pad	15"x19"	Yes, 7.5"	18	22	16	30	100/case
	CH1212	Medium Wt. Pad*	12"x12"	Yes, 6"	18	30	14.5	30	200/case
	CH1212-50	Medium Wt. Pad*	12"x12"	Yes, 6"	12.5	15	4	120	50/case
NEW!	CH200	Light Wt. Pad	15"x19"	Yes, 7.5"	18	28	16	24	200/case
	High Visibility S	afety & Chemical Mat	Rolls						
NEW!	CH30DP	Heavy Wt. Roll	30"x150'	Yes, every 15" and up center	12.5	40	25	12	1/case
NEW!		Medium Wt. Roll	15"x150'	Yes, every 18"	12.5	20	14	30	1/bale
NEW!	CH303	Light Wt. Roll	30"x300'	yes, 15' every 15'	12.5	80	40	12	1/bale

^{*} Absorbent does not have print.





Universal Plus Absorbents

Green color (the universal symbol for safety) indicates that it is intended for use on hazardous materials

- Absorbs any liquids including oil, hazardous chemicals and acids
- Dimpled for added durability and reduced linting
- 3-ply construction makes it stronger, more durable and reduces lint
- Perforated to help you reduce waste using only what you need
- Chemically inert making it ideal for use with aggressive fluids

Product Summary

Liquids Absorbed: Acids, Bases, Oils, Chemicals, Solvents

Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals

Durability: </

Linting: Medium Linting **Absorbencies:** Medium Weight

Cost: \$\$\$

Applications

- Where hazardous chemicals and acids are involved
- Laboratories
- Hospitals
- Research institutes
- Pharmaceutical
- · Chemical plants

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Universal Plus Pads								
SPCUN1719	Medium Wt. Pad	15"x19"	Yes, 7.5"	12.5	20.5	14.5	30	100/case
SPCUN1113	Medium Wt. Pad	12"x12"	No	12.5	20	16	30	200/case
SPCUN1113-50	Medium Wt. Pad	12"X12"	No	12.5	5.5	4	120	50/case
Universal Plus Rolls								
SPCUN3800	Medium Wt. Roll	30"x150'	Yes, 15" and every 15"	12.5	39	27	12	1/case
SPCUN1019	Medium Wt. Roll	15"x150'	Yes, 15" and every 15"	12.5	39	24	15	2/case



NEW

Spill Response Plus Universal Plus Absorbents

Best for small spill applications.

- Small convenient size for employees to fold and carry in pockets for quick response time
- Ideal for small spills and janitorial applications
- Highly absorbent, multi-purpose absorbents made to handle water-based liquids and oils
- Dimpled for added durability and reduced linting

Product Summary

Liquids Absorbed: Acids, Bases, Oils, Chemicals, Solvents

Chemicals, Solvents, Water-based Fluids, and Unknown Chemicals

Durability: ✓✓


Linting: Medium Linting **Absorbencies:** Heavy Weight

Cost: \$\$

Applications

- Where hazardous chemicals and acids are involved
- Laboratories
- Hospitals
- Research institutes
- Pharmaceutical
- Chemical plants

	Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
	Spill Response	Plus Universal Pads							
Mi	SRPH100	Heavy Wt. Pad	7.5"x10"	No	12.5	5.5	4	96	100/case
Mi	SRPH200	Heavy Wt. Pad	7.5"x10"	No	12.5	11.1	7.5	96	200/case
	Spill Response	Plus Universal Rolls							
Mi	SRPH75P	Heavy Wt. Roll*	7.5" x 50'	Yes, 10"	12.5	3.3	1.85	96	1/bale



VENDSORB™ ABSORBENTS

VENDING FRIENDLY & PORTABLE ABSORBENTS

VENDSORB™ Absorbents

Brady SPC offers contractor grade absorbent rolls and 2-gallon spill kits that are ideal for vending programs. These products offer greater control and monitoring of product usage while creating a safe, productive work environment. Their small size makes them extremely portable and can be taken with you no matter where the spill occurs.

VENDSORB™ absorbents meet a wide range of applications, including absorbing universal, oil only and chemical spill.

The Technology

The technology behind each of the VENDSORB™ absorbent products helps determine the relative strength and absorbency. This information along with the product's characteristics will help you decide which absorbent is best for your application.

Recommended For:

- Reducing waste by controlling the flow of product to the point of use
- Small portable size for when you need to simply 'pickup-n-go'
- Clean-up oils, coolants, water-based fluids and hazardous fluids
- Deterring misuse and theft of product



View Products Online

To view these VENDSORB™ Absorbents online, visit: www.BradyID.com/SPC



VENDSORB™ Absorbents



VENDSORB™ Universal Absorbents

Ideal for vending programs and for small spills.

- Absorbs all water-based industrial liquids, oils and petroleumbased fluids
- Highly absorbent, multi-purpose absorbents designed to handle water-based liquids and oils
- Pocket sized for portability
- Reduce waste by using only what you need, dimpled for added durability

	Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
NEW!	VS75P	Heavy Wt. Roll	7.5"x50"	Yes, 10"	12.5	5.5	4.27	40	20/case
NEW!	VS12P	Heavy Wt. Roll	12"x60"	Yes, 12"	12.5	10.7	9.5	30	20/case



VENDSORB™ Oil Only Absorbents

Ideal for vending programs and for small spills.

- Designed to absorb petroleum-based oils, solvents and other non-water liquids
- Floats indefinitely even when saturated with oil
- Pocket sized for portability
- Reduce waste by using only what you need, dimpled for added durability

					Absorbency	Absorbency	Shipping	Pallet	
	Catalog #	Туре	Size	Perforated	Factor (gl/gs)	Capacity (gal)	Wt (lbs)	Qty.	Quantity
NEW!	VSO75P	Heavy Wt. Roll	7.5"x50"	Yes, 10"	12.5	5.5	4.27	40	20/case
NFW!	VSO12P	Heavy Wt. Roll	12"x60"	Yes, 12"	12.5	10.7	9.5	30	20/case



VENDSORB™ Chemical Absorbents

Ideal for vending programs and for small spills.

- Designed to absorb any liquids including oil and hazardous chemicals and acids
- Chemically inert making it ideal for use with aggressive fluids
- Pocket sized for portability
- Reduce waste by using only what you need, dimpled for added durability

	Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
NEW!	VSH75P	Heavy Wt. Roll	7.5"x50"	Yes, 10"	12.5	5.5	4.27	40	20/case
NEW!	VSH12P	Heavy Wt. Roll	12"x60"	Yes, 12"	12.5	10.7	9.5	30	20/case



May We Also Suggest:

Brady SPC also offers a 2-gallon spill kit that is specially designed to fit in storage locker vending programs.

View all spill kits on page 58.





FOR ABSORBING LEAKS AND SPILLS AROUND MACHINES

SOCs, Pillows & Drum Covers

Specialty absorbent products including SOCs, pillows and drum covers can be used around a facility when a pad or roll may not be sufficient. These flexible absorbents allow you to place the absorbent exactly where you need it.

Absorbent SOCs are dependable, flexible tubes that contain and absorb liquids. SOCs mold around corners and conform to uneven surfaces to soak up spills and drips, preventing fluid from escaping to other areas.

Absorbent pillows are ideal for use under spill pallets or machines that are known to drip or leak. Pillows are easy to retrieve, and can soak up oil and water-based fluids in hard-to-reach areas including sumps, catch basins and outdoor ponds.

Absorbent drum covers eliminate the messy drips and overflow when mixing or pumping liquids from the drum barrel. Brady SPC drum covers keep drums, the floor and surrounding storage areas dry and clean.

Recommended for:

- Wrap a SOC around your machine to stop leaks from reaching the floor
- Place a pillow in a tight space between machines to catch splashes or overspray
- Keep drum storage areas clean and dry with pre-cut drum covers



View Products Online

To view these Absorbents online, visit: www.BradylD.com/SPC



SOCs, Pillows & Drum Cover Absorbents:

Keep your work areas clean and dry with a variety of highly absorbent products. Use the following table to quickly compare which SOC, pillow or drum cover works best for your application.

	Liquids Absorbed	Construction	Available Products
Universal SOCs, Pillows & Drum Covers	Water-based Liquids Oil-based Liquids	Vermiculite, Polypropylene, Corn Cob or Cellulose Filled	ALLWIK® SOCs, Pillows & Drum Covers SLIKWIK® SOCs Cobra Coil® SOCs BASIC SOCs Re-Form™ Universal SOCs
Oil Only SOCs, Pillows & Drum Covers	Oil-based Liquids	Polypropylene or Cellulose Filled	Oil Only SOCS, Pillows & Drum Covers Re-Form™ Oil Only SOCs
Chemical SOCs & Pillows	Water-based Liquids Oil-based Liquids Aggressive Chemicals	Polypropylene Filled	HAZWIK® SOCS & Pillows





Universal Absorbency

Use these all-purpose absorbents to clean-up oils, coolants, solvents and water-based fluids throughout your facility. Their gray color masks spills and stains – helping you resist the urge to pick up the absorbent before it is fully saturated.

Re-Form[™] Universal SOCs are up to 50% more absorbent than polypropylene SOCs meaning you can soak up more with less.

ALLWIK® Universal SOCs

- All-purpose polypropylene SOC
- Suitable for most industrial applications
- Wringable and can be incinerated



Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
AW124	SOC	3"x12'	9	12	12	40	4/case
AW806	SOC	3"x8'	9	12	12	40	6/case
AW430	SOC	3"x4'	9	30	26	20	30/case
AW412	SOC	3"x4'	9	12	12	40	12/case

SLIKWIK® Universal SOCs

- All-purpose corn cob-filled SOC
- Cost-effective option for picking up of all non-aggressive liquids



Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
SW46	SOC	3"x42"	3	20	50	16	40/case

Cobra Coil® Universal SOCs

- All-purpose vermiculite-filled SOC
- Excellent for diking applications
- Suitable for all liquids including aggressive chemicals




Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
CC440V	SOC	3"x4'	8.5	56	30	16	40/case
CC400	SOC	3"x4'	8.5	8.5	29	32	12/case



BASIC Universal SOCs

- All-purpose cellulose-filled SOC
- Suitable for most non-aggressive fluids



Re-Form[™] Universal SOCs

- Made from recycled newsprint and other cellulose
- Absorbs oils, coolants, solvents and water-based fluid

			Absorbency	Absorbency			
Catalog #	Type	Size	Factor (gl/gs)	Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
MS124	SOC	3"x12'	8.5	12	12	42	4/case
MS806	SOC	3"x8'	8.5	12	12	42	6/case
MS50	SOC	3"x4'	7	40	43	15	40/case
MS412	SOC	3"x4'	8.5	12	12	42	12/case

ALLWIK® Universal Pillows

- All-purpose polypropylene pillow
- Suitable for most industrial applications
- Ideal for under valves and other dripping applications



Re-Form


Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
AW1818	Pillow	18"x18"	12.5	28	19	20	16/case
AW1818-2	Pillow	18"x18"	12.5	14	9.5	40	8/case
AW99	Pillow	9"x9"	12.5	14	10	40	32/case

ALLWIK® Universal Drum Covers

- All-purpose polypropylene drum cover
- Fits 55-gallon drums either with 1 or 2 bungholes
- Creates a clean and safe work floor by helping to prevent pump drips from reaching the floor

Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
DTA25	Medium Wt. Drum Cover	22" dia.	12.5	6	6	48	25/case





Oil Only Absorbency

Specialized for oil and other petroleumbased spills, Oil Only SOCs, pillows and drum covers will not absorb water making them idea for outdoor use.

These absorbents are unaffected by temperature and impervious to rot and mildew. Ideal for soaking up petroleumbased solvents and paints, vegetable oils and other non-water soluble oil based fluids.

Oil Only SOCs

- Oil only polypropylene SOC absorbs oil and petroleum based liquids while repelling water
- Wringable and can be incinerated
- Strong wicking action: adsorption begins instantly after contact with the spilled liquid, no need to turn the SOC

Contact	with the spi	ilea ilquia, no n	eed to turn the SOC	,	433			
Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity	
OIL124	SOC	3"x12'	9	12	11	40	4/case	
OIL806	SOC	3"x8'	9	12	11	40	6/case	
OIL430	SOC	3"x4'	9	28	30	20	30/case	
OII 412	SOC	3"∨//'	Q	12	11	40	12/0200	

Re-Form™ Oil Only SOCs

- Made from 80% all natural cotton fibers
- Absorbs oil, grease, transmission fluid, coolant and other liquids.
- Repels water and floats for outdoor applications

Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
RFO412	SOC	3"x4'	13.5	15	10.5	40	12/case

Oil Only Pillows

- Specialized oil only polypropylene pillow will not absorb water or water-based solutions
- Oil only pillows are ideal for use in waste troughs, coolant tanks, fluid reservoirs and sump wells

Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
OIL1818	Pillow	18"x18"	12.5	28	19	20	16/case
OIL1818-2	Pillow	18"x18"	12.5	14	9.5	40	8/case
OIL99	Pillow	9"x9"	12.5	14	10	40	32/case

Oil Only Drum Covers

- Oil only polypropylene drum cover
- Fits 55-gallon drums either with 1 or 2 bungholes
- Creates a clean and safe work floor by helping to prevent pump drips from reaching the floor

Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
DTO25	Medium Wt. Drum Cover	22" dia.	12.5	6	6	48	25/case





Pre-cut holes fit 1-2 bungholes.



Chemical Absorbency

These surfactant-treated polypropylene SOCs and pillows can be used on a wide range of chemicals, including hydrofluoric acid. They are chemically inert, so they will not react with aggressive fluids.

HAZWIK® SOCs

- Absorbs chemicals, acids and bases
- Flexible design is easily molded around spills

Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
HAZ124	SOC	3"x12'	9	12	12	40	4/case
HAZ412	SOC	3"x4'	9	12	12	40	12/case

HAZWIK® Pillows

- Absorbs chemicals, acids and bases
- Ideal for extra protection during packaging and transport

Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
HAZ1818	Pillow	18"x18"	12.5	14	9.5	20	16/case
HAZ1818-2	Pillow	18"x18"	12.5	14	9.5	40	8/case
HAZ99	Pillow	9"x9"	12.5	10	14	40	32/case



SOC Usage Tips:

Use these tips to help ensure that you get the most out of your SOCs:

- Clean-up all loose materials, rags and other debris around the spill
- SOCs work best when they lay flat against the floor
- Replace your SOC when liquid begins pooling or seeping underneath
- When installing your SOC, shake vigorously to evenly distribute absorbent within the SOC
- Overlap the ends of your SOC approximately 5" to extend your spill protection





High Performance Mats and Rugs

Brady SPC absorbent mats and rugs keep aisles and walkways slip-free by absorbing and containing oils, liquids or other spills. They are designed to hold up under the toughest conditions and are ideal for high traffic areas and workstations. Compared to an entrance mat, absorbent mats and rugs offer better traction and reduce the tracking of liquids from one area to another.

The Technology:

Brady SPC absorbent mats and rugs are constructed from durable, needle-punched, polypropylene fibers - a more durable material with a larger fiber diameter than meltblown fibers. This technology means that fibers or absorbent materials will not come loose around high traffic areas or workstations.

Common Liquids Absorbed:

- Bases
- Solvents
- Oils
- Water-based
- Chemicals
- fluids



View Products Online

To view these Mats & Rugs online, visit: www.BradylD.com/SPC



Mats & Rugs Absorbent Family:

All of these mats and rugs start with a highly absorbent core - the difference is what happens from there... Features including durability, absorbency grades and construction give you versatile absorbent options for your specific application. Use the table below to help you choose the appropriate mat or rug for your applications.

			, ,			3 7 11	
	Applications	Dura	diffty Linting	cost	Absorbency Grades	Construction	RUGS
TrackMat Absorbent Rolls	The ultimate oil only barrier mat for high volume spills. Ideal for all high traffic applications indoors or outdoors.	111	Low Linting	\$\$\$	Heavy Weight	3-ply construction with UV-resistant top layer and highly absorbent polypropylene core	MATS & RUGS
BSM Barrier Spill Matting Rolls	Barrier backed for heavy foot or forklift traffic in aisles and walkways. Excellent wear resistance.	J JJ	Low Linting	\$\$\$	Medium Weight	Needle-punched polypropylene and non-stick backing	
SIR Sorbent Industrial Rug Rolls	Economical rug for use in high traffic areas including aisles and walkways.	/ //	Low Linting	\$\$	Heavy Weight	Needle-punched polypropylene	
Rag Rug Pads & Rolls	Eco-friendly economical rug for use in high traffic areas including aisles and walkways.	I I	Medium Linting	\$	Heavy Weight	Economy rug made from recycled cotton and polyester fibers	

Mats & Rugs



TrackMat Matting

The ultimate barrier absorbent for high volume petroleum spills.

- Extremely strong and durable 3-ply construction features
 UV-resistant top layer making it ideal for outdoor applications and suitable for heavy foot or vehicle traffic
- Highly absorbent polypropylene core
- Non-slip and non-leak barrier backing prevents liquids from penetrating into the ground
- Dimpled for added durability and reduced linting

Product Summary

Liquids Absorbed: Oils, Coolants, Solvents and

Water-based Fluids

Durability: </

Linting: Low Linting **Absorbencies:** Heavy Weight

Cost: \$\$\$

Applications

- Where strength, absorbency and impermeability is needed
- Transportation companies
- Refineries and Steel Mills
- · Railway or Military

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
TrackMat Pads								
TM30	Heavy Wt. Pad	29"x29"	No	9	25	15	15	30/bale
TrackMat Rolls								
TM58	Heavy Wt. Roll	58"x80'	No	9	55	34	9	1/bale
TM29	Heavy Wt. Roll	29"x80'	No	9	20	24	32	1/bale
TM19	Heavy Wt. Roll	19"x80'	No	9	26	32	18	2/bale



BSM - Barrier Spill Matting

Industrial rug with non-slip and leak-proof barrier backing for use in high-traffic areas and around workstations.

- Needle-punched polypropylene is durable for high traffic areas and eliminates slippery areas and unsightly tracking
- Tear resistant and will not curl or buckle
- Absorbs water, oil or chemicals

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Water-based Fluids

Durability: 🗸

Linting: Low Linting

Absorbencies: Medium Weight

Cost: \$\$\$

Applications

- Ideal for high traffic industrial applications and in workstations
- Premium surface protection during renovation work

Catalog # Barrier Spill Re	Type olls	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
BSM300	Medium Wt. Rug	36"x300'	No	8	74	67	12	1/bale
BSM100	Medium Wt. Rug	36"x100'	No	8	25	24	40	1/bale
BSM3650	Medium Wt. Rug	36"x50'	No	8	12	12	40	1/case





SIR - Sorbent Industrial Rug

Designed for high traffic areas and workstations where there's a need for clean and safe work floors and walkways.

- Made of durable, needle-punched polypropylene fibers for high traffic areas
- Universal absorbent roll for water-based chemicals or oil
- Eliminates slippery areas and unsightly tracking between the plant and office areas
- Can stand up to most aggressive fluids

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Water-based Fluids

Durability: </

Linting: Low Linting **Absorbencies:** Heavy Weight

Cost: \$\$

Applications

- Vehicles repair and service
- Warehouse and container terminal
- Surface protection during renovation work
- Marine spills/wildlife preservation

Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Sorbent Indus	strial Rolls							
SIR36	Heavy Wt. Rug	36"x300'	No	8.5	59	50	12	1/bale
SIR36150	Heavy Wt. Rug	36"x150'	No	12.5	45	25	24	1/bale
SIR72	Heavy Wt. Rug	72"x150'	No	8.5	59	50	12	1/bale



Rag Rug Matting

Newly updated for great absorbency and added durability! Eco-friendly highly absorbent matting made from recycled materials

- Economy rug made from recycled cotton and polyester fibers
- Provides good footing, masks dirt and absorbs spills
- Soaks up oil, water-based and solvent-based liquids
- Ideal for maintenance, repair and industrial environments

Product Summary

Liquids Absorbed: Oils, Coolants,

Solvents and Water-based Fluids

Durability: ✓✓

Linting: Low Linting

Absorbencies: Heavy Weight

Cost: \$

Applications

- Ideal for high traffic industrial applications and in workstations
- Premium surface protection during renovation work

	Catalog #	Туре	Size	Perforated	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
	Rag Rug Rolls								
NEW!	RAG36150	Heavy Wt. Rug	36"x150'	No	9	55	47	12	1/bale
NEW!	RAG24150	Heavy Wt. Rug	24"X150	No	9	37	52	10	1/bale
NEW!	RAG1818	Heavy Wt. Rug	18"x18"	No	9	38	32	18	50/case

Marine Absorbents

Brady SPC marine absorbents are specially designed to float on water and contain or absorb a wide variety of marine fuels and oils. From containment to booming and skimming operations, these absorbents will soak up unwanted fluids on lakes, rivers, streams and coastal shorelines. Marine absorbent products are made for high absorbency and rapid deployment in demanding emergency situations.

The Technology:

Brady SPC absorbent booms are constructed of highly absorbent polypropylene fibers encased in a durable skin that is lined with a heavy duty tow rope. The booms are fastened with three stainless steel connectors to allow for linkage and aid in fast retrieval. This is extremely important when towing heavy booms are saturated with oil.

Recommended For:

- Marinas
- On Boats & ships
- Loading docks
- Affluent pipes
- Outdoor liquid transfer points
- Fuel storage tanks



View Products Online

To view these Marine Absorbents online, visit: www.BradylD.com/SPC



Marine Absorbents



Absorbent Booms

- Premium SPC® Booms are lint free and easy to handle
- Economical ENV® booms feature a lint-free blue sleeve

Catalog #	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
ENV810	ENV Boom	8"x10'	13	65	38	10	4/bale
ENV510	ENV Boom	5"x10'	12.6	32	19	20	4/bale
SPC810	SPC Boom	8"x10'	13.3	71	40	10	4/bale
SPC510	SPC Boom	5"x10'	12.6	32	19	16	4/bale
SPC5510	SPC Boom*	5"x10'	12.1	61	38	12	4/bale
SPC818	SPC Boom	8"x18"	12.5	28	17	16	10/bale
SPC518	SPC Boom	5"x18"	12.6	12	8	40	10/case
SPC318	SPC Boom	3"x18"	9.5	14	10	40	25/case

*SPC5510 features two 5"x10' booms attached side by side.



Containment Booms

- Cost-effective solution for containment of oil spills on water
- Also used as barriers in holding ponds to retain waste and debris

Catalog #	Туре	Size	Shipping Wt (lbs)		Quantity
CB612	Boom	6" Float, 12" Skirt, 100' Sections	200	3	1/case
CB305	Boom	3" Float, 4.5" Skirt, 25' Sections	22.5	11	1/case



Sweeps & Pillows

- Features a 2-ply construction, and durable blue coverstock for extra strength (for use with oil and petroleum-based fluids)
- "Sweep" the water to remove surface oil
- 100' sections are ideal for dragging behind or connecting between two ships

Catalog #	Туре	Size		Absorbency Capacity (gal)		Pallet Qty.	Quantity
SPC1900	Sweep	19"X100'	15	26	13	36	1/bale
SPC10	Pillow	14"x25"	12.5	52	30	10	10/bale



- Flat, chemical-resistant filaments in half-pound units float in water and entrap heavy oil
- Reusable after draining or dousing with #1 or #2 weight oils;
 extracted oil can be recycled or downgraded as fuel oil
- Use the Drag Net as a sweep between two boats or deployed along a shoreline

Catalog #	Туре	Size		Absorbency Capacity (gal)			Qty.
ODN08	Oil Only	30 nets on 50' rope	15	15	16	24	1/bale
ONO30	Oil Only	30 nets (no rope)	15	15	17	24	1/bale





Granular & Neutralizer Absorbents

Granular absorbents are loose, multi-purpose absorbents that are ideal for liquid spill clean-up, lab packing and stabilization of free liquids. These absorbents are ideal for facilities that prefer or require the use of traditional granular absorbents.

Neutralizing polymers provide safe spill control for most acids, including battery spills. Color change indicates when neutralization has taken place.

The Technology:

The small, loose particles of a granular absorbent make it ideal for applications where a pad or roll would not offer a proper fit. Liquids don't always spill on a smooth surface, and when they do, a granular absorbent can absorb liquids from the cracks and crevices of a variety of surfaces.

Recommended For:

- Absorbing oils, solvents, lubricants, coolant and water on uneven surfaces including on roads or parking lots
- Acid or base spills requiring neutralization prior to spill cleanup



View Products Online

To view these Granular Absorbents online, visit: www.BradylD.com/SPC



Granular Absorbents











AARC

Re-Form™ Granular

- 100% recycled material safe for the environment and employee use
- Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact
- 1:1 absorbency ratio absorbs its own weight in oil

Catalog #	Туре	Size		Absorbency Capacity (gal)			Quantity
RFGRANULAR	Re-Form Granular	30 lbs	1	16.7	1950	65	1 pallet

SPC Granular Absorbent

- All natural corn cob product for oil, grease, water and other liquids.
 (Not for use with aggressive fluids)
- Ideal for use in aircraft maintenance, machine shops, food processing, filling lines and bulk liquid transfer stations

Catalog #	Туре	Size		Absorbency Capacity (gal)			Quantity
DZ100	Universal Granular	40 lbs	1.5	8.5	1600	40	1 pallet

Cansorb Oil Only Granular Absorbent

- All-organic oil only absorbent, manufactured from high quality fiber sphagnum peat moss
- Ideal for oil only clean-up on open water and land applications
- Absorbs 8 times its weight

Catalog #	Туре	Size		Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
CS-CB18	Oil Only Granular	18 lbs	8	18/bag	1000	50	1 pallet
CS-LFB10	Oil Only Granular	10 lbs	8	10/bag	640	64	1 pallet

Oil Gator Granular

- All natural biodegradable absorbent captures 2-6 times its weight in oil
- Will not harm environment and stops leaching of contaminants into the soil and groundwater

Catalog #	Туре	Size		Absorbency Capacity (gal)			Quantity
GS-10	Oil Only Granular	30 lbs	2 to 6	23	1800	60	1 pallet

Acid & Base Neutralizing Polymer

- Acid neutralizer provides safe spill control for most acids, including battery spills
- Base neutralizer used for lab equipment and most bases
- Color change indicates neutralization
- Non-toxic, non-corrosive and non-hazardous

Catalog #	Туре	Size			Shipping Wt (lbs)		Quantity
SPC-ACID	Acid Neutralizer	2lb	n/a	0.65	2	1200	1/each
SPC-BASE	Base Neutralizer	2lb	n/a	0.65	2	1200	1/each



Spill Containment

A proper spill containment plan can help create a safe and productive work environment for your employees. Brady SPC spill containment products help to prepare and protect any facility with solutions for unexpected accidents. Absorbent storage centers and spill kits provide fast-response solutions for unplanned spills of oils, solvents, coolants and other fluids. Brady SPC drains, spill decks, berms, pans and pallets also ensure facility safety by catching, controlling and containing unexpected leaks, drips and spills.

Common Liquids Absorbed:

- Accidental or unexpected spills
- Indoor and outdoor drain applications
- Drain pans for dripping valves or facets
- Storing absorbent products at the point of need



View Products Online

To view these Spill Containment Products online, visit: www.BradylD.com/SPC







- Durable, low profile, polyethylene drip pans easily fit under leaky drum spigots and other problem areas
- Pan and universal fill captures up to 3/4 of a gallon of liquid
- Wide base prevents tipping

Catalog #	Туре	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
DPA24	Drip Pan	10" x 10"	6	20	24/case



Drain Plugs

 Conical-shaped drain plugs made from chemical-resistant PVC keep spills from entering the drainage system and features a "metal eye" for easy insertion or removal. Then just rinse and re-use when finished

Catalog #	Туре	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
PLUG6	Drain Plug	6" Plug	6	250	1/case
PLUG4	Drain Plug	4" Plug	4	250	1/case
PLUG3	Drain Plug	3" Plug	3	250	1/case
PLUG2	Drain Plug	2" Plug	2	250	1/case



Oil Skimming System

- Compact oil skimming system for industrial applications requiring up to 30 ft. mop and up to 100 gallon/hour recovery rates
- Designed for vertical recovery of floating oils in settling ponds, sumps, or any quiescent zone where hydrocarbons collect on the water surface.
- Speed: 0-22 RPM

Power: 1/8 H.P., 90 V. DC (Variable Speed Controller is 115V., 60 Hz.)

	Catalog #	Туре	Size	Shipping Wt (lbs)	Quantity
NEW!	MW-13	Stainless Steel Oil Skimming System	13" x 14" x 22"	50	1/each

SLIKSTOPPER PVC Drain Seal


Spill Magnet™

Drain Seals

- Resists water, oil and most aggressive fluids
- Easy application; soap and water cleanup for re-use
- SLIKSTOPPER Drain Seals' flexible, chemical-resistant PVC seals drains to prevent spills from flowing into the drainage system
- Spill Magnet Seals are backed with a strong magnet to tightly seal drains

	Catalog #	Туре	Size	Shipping Wt (lbs)	Pallet Qty.	Quantity
NEW!	PVC42	Slikstopper	42" x 42"	46	20	1/case
	PVC36	Slikstopper	36" x 36"	34	25	1/case
	PVC24	Slikstopper	24" x 24"	14	30	1/case
	PVC18	Slikstopper	18" x 18"	9	100	1/case
	96229	Spill Magnet	12" dia.	1	100	1/each





- Holds up to 40 lbs of sediment; flow rate is 500 gpm (new) and 700 gpm bypass
- DGUARD14 and DGUARD1410 feature X-TEX filter strips which increase absorbency

Catalog #	Туре	Size	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
DGUARD14	Drain Guard	36" X 48" X 18"	1.4	2	36	1/case
DGUARD1410	Drain Guard	36" X 48" X 18"	14	20	20	10/case
DGUARD9	Drain Guard	36" X 48" X 18"	0.9	1	36	1/case
DGUARD910	Drain Guard	36" X 48" X 18"	9	10	20	10/case



Spill Containment

SPC spill containment products are designed with your efficiency in mind - keeping your employees and work environment safe from unexpected drum spills or leaks.

Spill Containment decks and pallets feature:

- **Solid Construction:** Injection molding ensures exceptional durability and consistent specifications
- Standard Lip and Grate Heights: Manufactured to standard heights to allow uninhibited movement
- **Nestable:** Remove the grates and stack for storage
- **Grate Pins:** Pins keep the grates in place during use and prevent the walls from bulging
- Interchangeable Grates with Large Openings: Removable grates can be used with spill decks or spill pallets (even between two and four drum pallets)
- Forklift Friendly: Easily use your forklift to re-locate your decks or pallets and drums



Spill Decks

- Low profile, 21.2 gallon capacity, 2-drum spill decks
- Contain hazardous leaks in your drum storage and dispensing areas
- Built-in clips easily connect multiple decks
 - creating a 4, 6, 8 or more drum storage platform

Catalog #	Туре	Size	Absorbency Capacity (gal)		Shipping Wt (lbs)		Quantity
SC-SD2	2 Drum Spill Deck	2,500	31	15	1/each		
SC-DK	Sump Drain Kit to s	hare capacity across		2	100	1/case	



Easy loading ramp works with both the 2-drum and 4-drum spill pallets. (sold separately)

Spill Pallets

- Comply with governmental secondary containment regulations
- Capacity up to 128.9 gallons
- 2-drum or 4-drum configuration

			Wt (lbs)	Qty.	Quantity
V X 52"L X 17"H 1	128.9	5,000	89	10	1/each
V X 52"L X 17"H 6	68.7	2,500	46.5	10	1/each
"W X 70"I n	n/a	650	47.5	3	1/each

Spill Berms



- Standard and lightweight available
- Self-contained berms feature single piece construction for enhanced durability
- Requires no assembly, tools or inflation

Туре	Size	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Quantity
Standard Spill Berm	12'x36'x1'	n/a	149	1	1/each
Standard Spill Berm	12'x26'x1'	n/a	112	1	1/each
Standard Spill Berm	12'x12'x1'	1,077	60	1	1/each
Standard Spill Berm	10'x10'x1'	748	47	1	1/each
Lightweight Spill Berm	4'x6'x8"	119	8	10	1/each
Lightweight Spill Berm	4'x4'x8"	79	6	20	1/each
	Standard Spill Berm Standard Spill Berm Standard Spill Berm Standard Spill Berm Lightweight Spill Berm	Standard Spill Berm 12'x36'x1' Standard Spill Berm 12'x26'x1' Standard Spill Berm 12'x12'x1' Standard Spill Berm 10'x10'x1' Lightweight Spill Berm 4'x6'x8"	Type Size Capacity (gal) Standard Spill Berm 12'x36'x1' n/a Standard Spill Berm 12'x26'x1' n/a Standard Spill Berm 12'x12'x1' 1,077 Standard Spill Berm 10'x10'x1' 748 Lightweight Spill Berm 4'x6'x8" 119	Type Size Capacity (gal) Wt (lbs) Standard Spill Berm 12'x36'x1' n/a 149 Standard Spill Berm 12'x26'x1' n/a 112 Standard Spill Berm 12'x12'x1' 1,077 60 Standard Spill Berm 10'x10'x1' 748 47 Lightweight Spill Berm 4'x6'x8" 119 8	Type Size Capacity (gal) Wt (lbs) Qty. Standard Spill Berm 12'x36'x1' n/a 149 1 Standard Spill Berm 12'x26'x1' n/a 112 1 Standard Spill Berm 12'x12'x1' 1,077 60 1 Standard Spill Berm 10'x10'x1' 748 47 1 Lightweight Spill Berm 4'x6'x8" 119 8 10



Quantity

1/each

1 pack

1 rod

1 rod

1 pack

1 each

n/a

n/a

n/a

Spill Control & Containment

Spill Containment and Storage

A proper spill containment plan can help create a safe and productive work environment for your employees SPC spill containment products help to prepare and protect any facility with solutions for unexpected, critical accidents. Absorbent storage centers and SPC spill kits provide fast-response solutions for unplanned spills of oils, solvents, coolants and other fluids. SPC drains, spill decks, berms, pans and pallets also ensure facility safety by catching, controlling and containing unexpected leaks, drips and spills.

This absorbent center's modular cabinet is designed to hold all of your essential absorbents for storage and easy access so your spill response team can quickly grab the right absorbent for the job. With the ability to hold full cases of SPC absorbent products, there is no special refill required for restocking. Also, because it's modular, customizable and mobile, the size of your absorbent storage is entirely up to you.



Absorbent Centers

- Fill with just about any Brady SPC absorbent
- Use as an absorbent deployment station or mobile spill control unit
- Holds up to a 38" roll and full bales of product no special refills required!
- Stack two or three to make a cabinet, hang it on the wall, or place it under your workbench
- Optional casters, wall mounting bracket, dowel rods and an accessory pack also available









* Absorbents sold separately.

Spill Control Cart

- Secure storage with locking handle (2 keys included)
- Convenient sturdy work surface with one fixed interior shelf
- 3" backstop on top surface
- Tubular handle and wheels for ease of mobility
- Extremely durable 16 gauge all welded steel

Catalog #	Туре	Size	Shipping Wt (lbs)	Pallet Qty.	
SC-Cart	Spill Control Cart	36 x 18 x 38-3/8	180	1	1/each

Spill Control Cabinet

- Allows easy access for emergency situations
- 2 fully adjustable shelves
- Durable construction and keyhole slots for wall hanging
- Plexiglas window allows for easy content inventory

Catalog #	Туре	Size	Shipping Wt (lbs)	Pallet Qty.	Qty.
SC-Cabinet	Spill Control Cabinet	19-7/8 x 14-1/4x 32-3/4	45	9	1/each

Spill Kits

A range of emergency response kits to handle any type of spill.

Accidents happen, so it's better to be prepared. Brady SPC offers a complete selection of spill kits in a variety of types and sizes to equip you with everything you need to clean-up accidents when they happen. Quickly and easily clean-up spills of oils, solvents, coolants and other fluids. They are ideal for fast response to critical accidents.

Many of our kits are available in the following types:

- Universal/Maintenance Kits
 For oil, water-based and chemical liquids
- Oil Only Spill Kits
 For oil and petroleum-based liquids
- Mixed Oil Only and Universal Spill Kits
 For indoor and outdoor applications. Kit contains both all-purpose universal absorbents and water-repellent oil only absorbents for petroleum and oil-based liquids
- Chemical Spill Kits
 For aggressive and hazardous liquids
- Re-Form[™] Spill Kits
 Universal absorbents that are eco-friendly
- TAA Compliant Spill Kits
 Complies with the Trade Agreements Act

Spill Kits Increase Efficiency

Worker productivity and efficiencies can be improved dramatically by strategically placing spill kits or absorbent storage centers around the facility, closer to the areas of need. For both emergency response and routine maintenance and safety, employees should not be wandering away from their workstation to the other side of the plant or tool room to find the absorbent materials they need.



Trade Agreement (TAA) Compliant Kits

GSA Schedule Contracts are subject to the Trade Agreements Act (TAA), meaning all products listed on the GSA Schedule Contract must be manufactured or "substantially transformed" in a "designated country." The designated countries are comprised of:

- World Trade Organization government procurement agreement countries
- Free trade agreement countries
- Least developed countries
- Caribbean basin countries



View Products Online

To view these Spill Kits online, visit: www.BradylD.com/SPC

Be prepared: make sure you have spill kits on hand throughout your facility!







Shipping Docks

Freight Vehicles

Plant Floor

Maintenance Areas



?

Spill Procedure Guide: What To Do When A Spill Occurs

When a spill occurs, time is of the essence to make sure a quick and safe clean-up occurs. Here are some helpful hints to make sure you, your employees and the environment are protected.

1. Risk Assessment

Evaluate the type of material spilled and identify the source. If you are NOT familiar with the liquid and its chemical properties, vacate the area and contact proper authorities.

2. Protective Clothing

Wear the appropriate protective gear for the situation. If the source or the material is not identifiable, assume the worst.

3. Containment

Contain the liquid and seal drains.

4. Stop the Source

Close valves, rotate punctured drums and plug leaks where it is possible and safe to do so.

5. Begin Clean Up

Use Brady SPC absorbents to absorb spilled liquids.





6. Contact Authorities

Report the spill to proper legal authorities in your community. Be sure to fill out all necessary reports in accordance with local laws.

7. Disposal of Used Material

Absorbent materials take on the characteristics of whatever they absorb. Be sure to dispose of used absorbents and spilled liquids in accordance with local laws.

8. Decontaminate

Clean all tools and reusable materials properly before reuse.

9. Restock Materials

Replace absorbent materials and safety equipment used in any clean-up operation.

10. Review Contingency Plans and Procedures!

PLEASE NOTE: THE SPC SPILL KIT IS A STOP-GAP MEASURE FOR MINOR SPILL CLEAN-UP. IF A SERIOUS SPILL OCCURS, CONTACT LOCAL AUTHORITIES FOR DIRECTION AND ASSISTANCE FOR THE PROBLEM. DUE TO THE POSSIBLE TOXIC AND HAZARDOUS FLUID ABSORBED, BRADY DOES NOT RECOMMEND DISPOSAL PROCEDURES.



MAXX® Packs

- Mini-packs in re-sealable zipper bags
- 20 economic, single ply pads
- Kit dimensions: 15.5"L x 19.5"W x 20.5"H

Contents:

• 20 pads (15" x 19")

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
MXP-U20	Universal	30	14.4	18	5/case
MXP-O20	Oil Only	35	15	18	5/case
MXP-C20	Chemical	30	14	18	5/case



Economy Spill Kit

- Highly visible, yellow PVC bag for small spills; the right price, the right size and the right value
- Absorbs up to 5 gallons per kit
- Kit dimensions: 20"L X 16"W X 4"H

Contents:

- 10 pads (15" x 19")
- 2 SOCs (3" x 4')
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-PP	Universal	5	24	20	4/case
SKA-PP-TAA	Universal	5	24	20	4/case
SKH-PP	Chemical	5	24	20	4/case
SKO-PP	Oil Only	5	24	20	4/case
SKR-PP	Re-Form	5	24	20	4/case



Attack Pac Spill Kit

- Space saving, single use kit, packed in puncture and UV resistant foil bag (includes grommet for hanging)
- Absorbs up to 7 gallons per kit
- Kit dimensions: 20"L X 16"W X 4"H

Contents:

- 15 pads (15" x 19")
- 3 SOCs (3" x 4')
- 1 disposal bag
- 1 pair goggles
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-ATK	Universal	7	36.5	24	4/case
SKA-ATK-TAA	Universal	7	36.5	24	4/case
SKO-ATK	Oil Only	7	23	24	4/case
SKH-ATK	Chemical	7	25	24	4/case
SKR-ATK	Re-Form	7	36.5	24	4/case



Emergency Response Kit

- Quickly assess the absorbents you have through the clear shoulder bag when you respond to the spill
- Absorbs up to 15 gallons per kit

Chemical

Kit Dimensions: 25.5"L x 17"W x 21.5"H

Contents:

SKH-CFB

- 32 pads (15" x 19")
- 5 SOCs (3" x 12')
- 1 pillow (17" x 19")
- · 2 disposal bags
- 1 pair goggles

25

20

1/case

- · 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-CFB	Universal	15	25	20	1/case
SKO-CFB	Oil Only	15	25	20	1/case

15





Emergency Spill Sak

- Easily portable economy spill kit packed in a reusable sack
- Absorbs up to 10.75 gallons per kit
- Kit dimensions: 32"L X 20"W X 12"H

Contents:

- 10 pads (15" x 19")
- 2 SOCs (3" x 12')
- 1 pillow (17" x 19")
- 1 disposal bag
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-SAK	Universal	10.75	10	20	1/each
SKO-SAK	Oil Only	10.75	10	20	1/each
SKH-SAK	Chemical	10.75	10	20	1/each



Basic Vehicle Spill Kits

- Mobile, compact emergency kit for fast spill response
- Designed in your truck, cab or storage cubby
- Universal and oil only products allow kit to be used for mixed fluid applications
- Absorbs up to 7.75 gallons per kit

Contents:

- 10 oil only pads (15" x 19")
- 10 universal pads (15" x 19")
- 2 SOCs (3"x 42")
- 1 putty pat

- · 1 set of nine plugs
- 2 disposable bags
- 1 pair of goggles
- 1 pair of nitrile gloves

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
BSCSK-CB	BASIC Vehicle Spill Kit	7.75	7	50	1/each



Vehicle Spill Kits

- Mobile, compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil only products allow kit to be used for mixed fluid applications
- Absorbs up to 11.5 gallons per kit

Contents:

- 20 oil only pads (15" x 19")
- 10 universal pads (15" x 19")
- 3 SOCs (3"x 42")
- 1 putty pat

- 1 set of nine plugs
- · 2 disposable bags
- 1 pair of nitrile gloves
- · 1 pair of goggles

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SK-CAMO	Camouflaged Vehicle Spill Kit	11.5	9	50	1/each



Camouflaged Vehicle Spill Kit with RuptureSEAL

- Mobile, compact emergency kit for fast spill response
- Easily fits in your truck, cab or storage cubby
- Universal and oil only products allow kit to be used for mixed fluid applications
- Absorbs up to 11.5 gallons per kit

Contents:

- 20 oil only pads (15" x 19")
- 10 universal pads (15" x 19")
- 1 set of 3 RuptureSEAL
- 3 SOCs (3"x 42")
- 2 disposal bags
- 1 pair of nitrile gloves
- 1 pair of goggles

	Catalog #	Туре	Absorbency Cap. (gal)			Qty.
:W!	SK-CAMO-RS	Camouflaged Vehicle Spill Kit with RuptureSEAL	11.5	9	50	1/each



2-Gallon Spill Response Plus Kit

- Small sized absorbents are highly absorbent, durable and low linting
- Ideal for hospitality, retail, restaurants or anywhere that requires a small pad
- Absorbs up to 4.5 gallons per kit
- Kit Dimensions: 9.75"Dia. X 10.5"

Contents:

NEW!

- 20 pads (7.5" x 10")
- · 1 disposable bag
- · 1 pair of nitrile gloves
- 1 pair of goggles
- · 1 instruction sheet

	Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
ļ	SKA-SRP	Universal	4.5	2.5	90	1/each
ļ	SKO-SRP	Oil Only	4.5	2.5	90	1/each
Ņ	SKH-SRP	Chemical	4.5	2.5	90	1/each




6.5 Gallon Acid Neutralizer Spill Kit

- Used to solidify a wide range of acid spills
- Polymers will neutralize and change to a purple color to let you know neutralization has taken place
- Absorbs up to 4.5 gallons per kit
- Kit Dimensions: 14"Dia. X 18"H

Contents:

- 1.5 gallon bucket
- 1 shaker of acid neutralizer (2 lb.)
- 10 pads (15" x 19")
- 2 SOCs (3" x 4')
- · 2 disposal bags
- 1 pair goggles
- · 1 pair nitrile gloves
- 1 Tyvek Suit
- 1 small scoop

	Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
NEW!	SKA-BKTACID	Acid Neutralizing Spill Kit	4.5	16.5	60	1/each
NEW!	SPC-ACID	2lb Acid Neutralizing Polymer Shaker	0.65	2	1200	1/each*





Mobile Spill Kaddie

- Mobile, compact emergency kit for fast spill response anywhere in the plant
- Absorbs up to 22 gallons per kit
- Kit Dimensions: 18"L X 17"W X 39"H

Contents:

- 1 roll (15" x 73")
- 5 SOCs (3" x 4")
- 8 pillows (10" x 10")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- · Emer. Response Guidebook
- **Pallet** Absorbency Shipping Catalog # Туре Cap. (gal) Wt (lbs) Qty. SKA-K2 Universal 22 42 10 1/each SKH-K2 Chemical 42 1/each SKO-K2 Oil Only 42 1/each



6.5 Gallon Base Neutralizing Spill Kit

- Used to solidify a wide range of base spills
- Polymers will neutralize and change to an orange color to let you know neutralization has taken place
- Absorbs up to 4.5 gallons per kit
- Kit Dimensions: 14"Dia. X 18"H

Contents:

- 6.5 gallon bucket
- 1 shaker of acid neutralizer (2 lb.)
- 10 pads (15" x 19") 2 SOCs (3" x 4')
- · 2 disposal bags

- 1 pair goggles
- · 1 pair nitrile gloves
- 1 Tyvek Suit
- 1 small scoop

	Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
NEW!	SKA-BKTBASE	Base Neutralizer Spill Kit	4.5	16.5	60	1/each
NEW!	SPC-BASE	2lb Base Neutralizing Polymer Shaker	0.65	2	1200	1/each*

*SPC-ACID shaker minimum order of 10.





6.5-Gallon Spill Bucket

- Fast and small response with easily accessible spill kit in a reusable bucket
- Absorbs up to 9 gallons per kit
- Kit Dimensions: 14"Dia. X 18"H

Contents:

- 10 pads (15" x 19")
- 3 SOCs (3" x 4')
- · 2 disposal bags
- 1 pair nitrile gloves
- 1 instruction sheet

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-BKT	Universal	9	9	60	1/each
SKA-BKT-TAA	Universal	9	9	60	1/each
SKO-BKT	Oil Only	9	9	60	1/each
SKH-BKT	Chemical	9	8	60	1/each



20-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 15 gallons per kit
- Kit Dimensions: 21"Dia. X 18"H

Contents:

- 6 universal pads (15" x 19")
- 6 oil only pads (15" x 19")
- 1 universal pillow (18" x 18")
- 1 oil only pillow (18" x 18")
- 3 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- · Emer. Response Guidebook

	Catalog #		Absorbency Cap. (gal)			Qty.
NEW!	SKMA-20	Mixed	15	20	18	1/each



20-Gallon Lab Pack

- UN-approved water and chemical resistant polyethylene container with screw top lid for medium response
- Absorbs up to 17 gallons per kit
- Kit Dimensions: 21"Dia. X 18"H

Contents:

- 12 pads (15" x 19")
- 3 SOCs (3" x 12')
- 2 pillows (18" x 18")
- · 3 disposal bags
- 1 pair goggles
- · 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-20	Universal	17	27	18	1/each
SKA-20-TAA	Universal	17	26	18	1/each
SKH-20	Chemical	17	26	18	1/each
SKO-20	Oil Only	17	20	18	1/each
SKR-20	Ro-Form	17	27	18	1/each



20-Gallon Rescue Spill Kit

- "Caution" tape and a "Wet Floor" sign help prevent slips, trips and falls while a spill is being cleaned up
- Absorbs up to 20 gallons per kit
- Kit Dimensions: 21"Dia. X 18"H

Contents:

- 12 pads (15" x 19")
- 3 SOCs (3" x 12')
- 2 pillows (18" x 18")
- 1 pair goggles
- 3 disposal bags
- 1 pair nitrile gloves
- Emer. Response Guidebook
- 1 roll caution tape (3" x200')
- 1 wet floor sign (18")
- Emer. Response Guidebook

	Catalog #	Туре	Cap. (gal)	Wt (lbs)	Qty.	Qty.
IEW!	SKA-20-RESCUE	Universal	16	20	18	1/each
EW!	SKO-20-RESCUE	Oil Only	20	20	18	1/each
IEW!	SKH-20-RESCUE	Chemical	20	20	18	1/each



30-Gallon Spill Kit

- Tough, secure, screw-topped spill kit is reusable and ideal for medium spills
- Absorbs up to 36 gallons per kit
- Kit dimensions: 21.125"Dia. X 28.5"H

Contents:

- 25 pads (15" x 19")
- 6 SOCs (3" x 12')
- 6 pillows (9" x 9")
- 3 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emer. Response Guidebook
- Absorbency Shipping Wt (lbs) Qty. 41 1/each 41 18 1/each



30-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 29 gallons per kit
- Kit dimensions: 21.125"Dia. X 28.5"H

Contents:

- 15 universal pads (15" x 19")
- 10 oil only pads (15" x 19")
- 3 universal SOC (3" x 12') • 3 oil only SOC (3" x 12')
- 3 universal pillows (18" x 18")
- 3 oil only pillows (18" x 18")
- 3 disposal bags
- · 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Туре	Absorbency Cap. (gal)			Qty.
SKMA-30	Mixed	29	41	18	1/each

Catalog # Cap. (gal) Type SKA-30 Universal 36 SKA-30-TAA Universal 36 SKO-30 Oil Only 36 41 18 1/each SKH-30 36 Chemical 41 18 1/each

Don't See The Kit You Need? Custom Spill Kits Available Create your own Custom Spill Kits with an assortment of Brady's most popular absorbent products. accessories and containers. Choose the products you need, in the quantities you want. View page 65 or contact **Brady Customer Service** at 1-888-272-3946 for more information on creating your **Custom Spill Kits.**





55-Gallon Drum

- Lever locked 55-gallon drum meets UN specifications and is ideal for medium spills
- Absorbs up to 38 gallons per kit
- Kit Dimensions: 24"Dia. X 37"H

Contents:

- 50 pads (15" x 19")
- 4 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 5 disposal bags

•	-1	pair	goggl	es

- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-55	Universal	38	57	8	1/each
SKA-55-TAA	Universal	38	56	8	1/each
SKO-55	Oil Only	38	56	8	1/each
SKH-55	Chemical	38	52	8	1/each
SKR-55	Re-Form	38	57	8	1/each



55-Gallon Wheeled Spill Kit

- Portable wheeled spill kit is ideal for medium spills
- Absorbs up to 38 gallons per kit
- Kit Dimensions: 23"Dia, X 37"H

Contents:

- 50 pads (15" x 19")
- 4 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- · 1 pair nitrile gloves
- Emer. Response Guidebook

	Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
NEW!	SKA-55W	Universal w/Wheels	38	57	8	1/each
NEW!	SKO-55W	Oil Only w/Wheels	38	56	8	1/each
NEW!	SKH-55W	Chemical w/Wheels	38	52	8	1/each



55-Gallon Mixed Application Spill Kit

- A single spill kit to respond to spills of water based fluids AND petroleum based spills
- Absorbs up to 38 gallons per kit
- Kit Dimensions: 24"Dia. X 37"H

Contents

- 25 universal pads (15" x 19")
- 25 oil only pads (15" x 19")
- 2 universal SOC (3" x 12')
- 2 oil only SOC (3" x 12')4 universal pillows (18" x 18")
- 4 oil only pillows (18" x 18")
 - 5 disposal bags
 - 1 pair goggles
 - 1 pair nitrile gloves
 - Emer. Response Guidebook

	Catalog #	Туре	Absorbency Cap. (gal)			Qty.
į	SKMA-55	Mixed	38	52	8	1/each



55-Gallon Mixed Application Wheeled Spill Kit

- A single wheeled spill kit to respond to spills of water based fluids AND petroleum based spills
- Absorbs up to 38 gallons per kit
- Kit Dimensions: 23"Dia. X 37"H

Contents:

- 25 universal pads (15" x 19")
- 25 oil only pads (15" x 19")
- 2 universal SOC (3" x 12')
- 2 oil only SOC (3" x 12')4 universal pillows (18" x 18")
- 4 oil only pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

	Qty.
SKMA-55W Mixed w/Wheels 38 52 8	1/each



65-Gallon Spill Kit

- Tough, secure, screw-topped spill kit is reusable and ideal for larger spills
- Absorbs up to 63 gallons per kit
- Kit dimensions: 31"Dia. X 33.5"H

Contents:

- 100 pads (15" x 19")
- 7 SOCs (3" x 12')
- 7 pillows (18" x 18")
- · 5 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emer. Response Guidebook

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-65	Universal	63	100	3	1/each
SKA-65-TAA	Universal	63	100	3	1/each
SKO-65	Oil Only	63	100	3	1/each
SKH-65	Chemical	63	100	3	1/each



65-Gallon Wheeled Spill Kit

- Portable wheeled kit is ideal for larger spills
- Absorbs up to 63 gallons per kit
- Kit dimensions: 31"Dia. X 42"H

Contents:

- 100 pads (15" x 19")
- 7 SOCs (3" x 12')
- 7 pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair of nitrile gloves
- Emer. Response Guidebook
- Shipping Catalog # Cap. (gal) Wt (lbs) Type NEW! SKA-65W Universal w/Wheels 63 100 1/each NEW! SKO-65W 100 Oil Only w/Wheels 63 3 1/each NEW! SKH-65W Chemical w/Wheels 100 3 1/each



65-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 65 gallons per kit
- Kit dimensions: 31"Dia. X 33.5"H

- 50 universal pads (15" x 19")
- 50 oil only pads (15" x 19") 4 universal SOC (3" x 12')
- 3 oil only SOC (3" x 12')
- 4 universal pillows (18" x 18")
- 3 oil only pillows (18" x 18")
- · 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

	Catalog #		Absorbency Cap. (gal)			Qty.
NEW!	SKMA-65	Mixed	65	100	3	1/each



65-Gallon Mixed Application Wheeled Spill Kit

- Portable wheeled spill kit to repsond to both waterbased and petroleum-based spills
- Absorbs up to 65 gallons per kit
- Kit dimensions: 31"Dia. X 42"H

- 50 universal pads (15" x 19")
- 50 oil only pads (15" x 19")
- 4 universal SOC (3" x 12')
- 3 oil only SOC (3" x 12') • 4 universal pillows (18" x 18")
- 3 oil only pillows (18" x 18")
- 5 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves • Emer. Response Guidebook

	Catalog #	Туре	Absorbency Cap. (gal)			Qty.
N\	SKMA-65W	Mixed w/Wheels	65	100	3	1/each





95-Gallon Overpack

- Tough, secure, screw-topped overpack drum for large spills meets UN and DOT specifications
- Absorbs up to 75 gallons per kit
- Kit Dimensions: 31.5"Dia. X 35"H

Contents:

- 110 pads (15" x 19")
- 12 SOCs (3" x 4')
- 8 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 10 disposal bags
- · 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-95	Universal	75	107	3	1/each
SKO-95	Oil Only	75	107	3	1/each
SKH-95	Chemical	75	104	3	1/each
SKR-95	Re-Form	75	107	3	1/each



95-Gallon Wheeled Spill Kit

- Portable wheeled kit for large spills
- Absorbs up to 75 gallons per kit
- Kit Dimensions: 31.5"Dia. X 47"H

Contents:

- 110 pads (15" x 19")
- 12 SOCs (3" x 4')
- 8 SOCs (3" x 12')
- 8 pillows (18" x 18") · 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

	Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
NEW!	SKA-95W	Universal w/Wheels	75	107	3	1/each
NEW!	SKO-95W	Oil Only w/Wheels	75	107	3	1/each
NEW!	SKH-95W	Chemical w/Wheels	75	104	3	1/each



95-Gallon Mixed Application Spill Kit

- A single spill kit to respond to both water-based and petroleum-based spills
- Absorbs up to 77 gallons per kit
- Kit Dimensions: 31.5"Dia. X 35"H

Contents:

NEW!

- 55 universal pads (15" x 19")
- 55 oil only pads (15" x 19")
- 6 universal SOC (3" x 4')
- 6 oil only SOC (3" x 4')
- 4 universal SOC (3" x12')
- 4 oil only SOC (3" x 12')
- 4 universal pillows (18" x 18")
- 4 oil only pillows (18" x 18")
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

Catalog #	Туре	Absorbency Cap. (gal)	Shipping Wt (lbs)		Qty.
SKMA-95	Universal	77	107	3	1/each



95-Gallon Mixed Application Wheeled Spill Kit

- Portable wheeled spill kit to respond both waterbased and petroleum-based spills
- Absorbs up to 77 gallons per kit
- Kit Dimensions: 31.5"Dia. X 47"H

Contents:

- 55 universal pads (15" x 19")
- 55 oil only pads (15" x 19")
- 6 universal SOC (3" x 4')
- 6 oil only SOC (3" x 4')
- 4 universal SOC (3" x12') 4 oil only SOC (3" x 12')
- 4 universal pillows (18" x 18")
- 4 oil only pillows (18" x 18")
- 10 disposal bags
- 1 pair goggles
- 1 pair nitrile gloves
- Emer. Response Guidebook

	Catalog #	Туре	Absorbency Cap. (gal)			
NEW!	SKMA-95W	Universal w/Wheels	77	107	3	1/each





Mobile Spill Truck - Large

- Wheel mounted polyethylene bins are chemical and water resistant. Spill trucks provide the highest level of readiness
- Absorbs up to 169 gallons per kit.
- Kit Dimensions: 47"L X 34"W X 43"H

Contents of SKA-LT, SKH-LT and SKO-LT:

- 200 pads (15" x 19")
- 24 SOCs (3" x 4')
- 12 SOCs (3" x 12')
- 8 pillows (17" x 19")
- 15 disposal bags
- 1 pair goggles
- 3 pair nitrile gloves
- Emer. Response Guidebook

Contents of SKM-LT Marine Kit:

- 400 pads (15" x 19")
- 4 booms (5" x 10')
- 1 sweep (19" x 100')
- 15 disposal bags
- 6 pairs of nitrile gloves • 1 pair goggles
- Emer. Response Guidebook

Mobile Spill Truck - X-Large

- Mobile spill response kit in water/chemical resistant large bin
- Absorbs up to 282 gallons per kit
- Kit Dimensions: 57.5"L X 40.5"W X 47"H

Contents of SKA-XLT, SKH-XLT and SKO-XLT:

- 250 pads (15" x 19")
- 36 SOCs (3" x 4')
- 20 SOCs (3" x 12')
- 8 pillows (18" x 18")
- 30 disposal bags
- 3 pairs of nitrile gloves
- 1 pair goggles
- Emer. Response Guidebook

Contents of SKM-XLT Marine Kit:

- 600 pads (15" x 19")
- 8 booms (5" x 10')
- 1 sweeps (19" x 100')
- 15 disposal bags
- 6 pairs of nitrile gloves
- 1 pair goggles
- Emer. Response Guidebook

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-LT	Universal	134	164	1	1/each
SKO-LT	Oil Only	126	185	1	1/each
SKH-LT	Chemical	115	158	1	1/each
SKM-LT	Marine	169	164	1	1/each

Catalog #	Туре	Absorbency Capacity (gal)	Shipping Wt (lbs)	Pallet Qty.	Qty.
SKA-XLT	Universal	184	221	1	1/each
SKO-XLT	Oil Only	174	221	1	1/each
SKH-XLT	Chemical	160	221	1	1/each
SKM-XLT	Marine	282	258	1	1/each



Custom Spill Kit Program

Only the products you need - in the quantities you want.

Brady also offers customers the opportunity to create their own Custom Spill Kits with an assortment of Brady's most popular pads, SOCs, booms, pillows and safety accessories.

With no minimum requirements, these Custom Spill Kits give you the flexibility to pick only the products you need without the extra cost.

Create a safer work environment and save time, money and space with a Brady SPC Custom Spill Kit.

Create your Custom Spill Kit and start eliminating waste and extra cost!

Simply follow these 3 easy steps...

- 1) Select your kit contents
- 2) Contact your authorized Brady Distributor for quotation and recommended spill container size
- 3) Receive your prices and quotation number, then place your order



No minimums mean you can create your spill kit as large or small as you need!



Create Your Kit Now

Contact Brady Customer Service at **1-888-272-3946** for more information or to create your Custom Spill Kit.

Available Custom Spill Kit Contents Include:



Absorbent Pads



Absorbent SOCs & Pillows



Marine Booms



Granular



Accessories & Personal Protection Equipment



Spill Kit Storage & Containment

Facility Safety Products

Facility Safety Products

Brady offers a complete line of products and solutions to keep your facility safe, productive and compliant. Products including cones, warning tapes and signs help to communicate important safety and facility messages to individuals.



Handy Cone™ Floor Signs

- Collapsible, spring-loaded, pyramid-shaped sign sets up in seconds
- Stored in a 2" diameter tube

Catalog #	Description
47380	31" Warning - People Working
47382	31" Caution - Wet Floor/Piso Mojado
47372	18" Caution - Wet Floor



Safety, Facility & Equipment ID Catalog

Check out Brady's Safety, Facility & Equipment ID Catalog for thousands of safety products for your facility!

View the interactive catalog online at: **www.BradylD.com.**





Reversible Floor Stands

- Alert employees and visitors of potential floor hazards
- Made of lightweight corrugated polypropylene material (B-836)
- Size: 12"wide x 20"h (closed)

Catalog #	Description
92280	Caution - Slippery When Wet/Wet Floor



Traffic Cones and Snap-On Signs

- Flexible, yet durable warning cone in a high visibility fluorescent orange color
- Plastic snap-on signs are designed to fit on top of traffic cone like a paperclip

Catalog #	Description
80111	18" Orange Vinyl Cone
80118	10 1/2" H x 12 3/4" W Black on Orange WET FLOOR Snap-On Sign



Reinforced Barricade Tape

- Provides fast on the spot warning
- 250 lbs tensile strength

Catalog #	Legend	Size	Qty.
91100	▲ CAUTION	3" x 500'	1 roll
91102	CAUTION DO NOT ENTER	3" x 500'	1 roll
91104		3" x 500'	1 roll



BradyLink Warning Posts

- Non-conductive, Non-rusting, Fillable domed base
- Post dimension:3" O.D., 41" high, 16"dia. base

Catalog #	Description	Color
92116	Black Large Post	Black
92117	White Large Post	White
92118	Yellow Large Post	Yellow



BradyLink Warning Chain & Links

- Polyethylene chain designed to prevent kinking
- Chain links used to permanently attach or repair lengths of chain

Catalog #	Description
78241	100' Orange Chain
78239	100' White Chain
78238	100' Yellow Chain
78246	2" Chain Links (36/package)



Facility Safety Products

Safety Signs

Brady signs feature bright colors, bold text and intuitive pictographs and are designed to withstand even the harshest industrial environments.

Materials available: aluminum (AL), plastic (PL) and self-sticking polyester (SS)



Custom Signs at www.BradyID.com

Create made-to-order signs online, 24 hours a day and avoid paying any set-up charges.



AL 10x14 30671 SS 7x10 30674

SPILL CONTROL STATION

SS 7x10 43979



AL 10x14 46674



AL 10x14 43178 PI 10x14 25601

NFPA Format




AL 10x14 46758



V-Style 8"Hx15"Wx6"D V2SS24A



















Write-On Right-To-Know Labels

- Blank R-T-K Labels allow you to write your own message
- 50 per package

Catalog #	Format	Material	Size
121056	NFPA	Vinyl	3" x 5"
121446	Color Bar	Vinyl	3" x 5"

5" x 3" Container Labels

- Economical option for secondary container labeling
- 500 labels per roll

Catalog #	Format	Material	Size
58261	HMIG Color Bar	Vinyl	5" x 3"
58263	NFPA	Vinyl	5" x 3"

Hazardous Waste Labels

- Complies with current federal regulations for transportation off-site
- 100 per package

Catalog #	Format	Material	Size
60448	Hazardous Waste	Vinyl	6" x 6"
60452	Non-Regulated Waste	Vinyl	6" x 6"
60453	Non-Hazardous Waste	Vinyl	6" x 6"
60451	Hazardous Waste	Vinyl	4" x 6"

ToughStripe® Floor Marking Tape

ToughStripe® floor marking products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths.

- Exceeds safety standards for clean, dry non-slip surfaces per ANSI A1264.2-2006 and OSHA 1910.22
- 2 mil thickness, resists harsh chemicals
- Service temperature range of 0°F 129°F
- Variety of die-cut shapes also available

Solid Tape

	Black	White	Red	Green	Blue	Orange	Yellow	Black/Yellow Striped	Red/White Striped	Black/White Striped
2" x 100'	104310	104311	104313	104315	104314	104316	104312	104317	104318	104319
3" x 100'	104340	104341	104343	104345	104344	104346	104342	104347	104348	104349
4" x 100'	104370	104371	104373	104375	104374	104376	104372	104377	104378	104379

Chemical Application Guide

Chemical Application Guide

Use the following guide to determine the compatibility of SPC absorbents with common chemicals.

Polypropylene Products:

- Battlemat® Absorbents
- UXT Absorbents
- HT Absorbents
- MRO Plus® Absorbents
- GP Absorbents
- Basic Universal Absorbents
- SIR & BSM Mats
- AllWIK® SOCs & Pillows
- Cohra Coil® SOC

Polypropylene Products:

- Oil Only SOCs & Pillows
- Trackmat Absorbents
- SXT® Oil Absorbents
- Oil Plus Absorbents
- SPC® Oil Absorbents
- ENV® Oil Absorbents
- Basic Oil Only Absorbents Static Resistant Absorbents

Polypropylene Products:

- · Chemical Absorbents
- Universal Plus Absorbents
- HAZWIK SOC's & Pillows

Products:

- Re-Form[™] Absorbents
- Re-Form[™] Plus Absorbents
- Re-Form™ XPlus Absorbents
 Re-Form™ Oil Only Absorbents
- MULTIWIK® & SLIKWIK® SOCs
- Dri-zorb Granular
- Re-Form™ Granular
- Rag Rug Absorbents

Cobra Coil® SOC				
Chemical	Universal	Oil Only	Chemical	Organic
Acetaldehyde	Χ		Χ	Χ
Acetic Acid	Χ		Χ	
Acetic Anhydride	Χ		Χ	
Acetone	Χ	Χ	Χ	X
Acetyl Chloride	Χ		Χ	
Acrolein	X	Χ	Χ	
Acrylonitrile	Χ		Χ	Χ
Allyl Alcohol	Χ		Χ	X
Aminobenzoic Acid	Χ		Χ	
Ammonia (Anhydrous)	Χ	Χ	Χ	Χ
Ammonium Hydroxide	X	X	X	X
Amyl Acetate	X	X	X	
Amyl Alcohol	X		X	X
Aniline	X		X	X
Antifreeze	X		X	X
Aqua Regia	X		X	
Aviation Fuel	X	X	X	Χ
Benzene	X	X	X	X
Benzoic Acid	X		X	
Benzonitrile	X		X	
Benzoyl Chloride	X		X	
Benzyl Alcohol	X		X	X
Boric Acid	X		X	^
Brake Fluid	X	Χ	X	X
Bromine	X	^	X	^
Butyl Acetate	X	X	X	
Butyl Alcohol	X	X	X	X
Butyric Acid	X	X	X	^
Butylamine	X	^	X	X
Butyric Acid	X	Χ	X	^
Calcium Hydroxide	X	^	X	
	X		X	
Carbolic Acid Carbon Disulfide	X		X	
Carbon Disuilide Carbon Tetrachloride	X	X	X	X
		* *		X
Castor Oil	X	X	X	X
Chlorine Water	X		X	
Chloroacetic Acid	_		X	
Chlorobenzene	X	V	X	V
Chloroform	X	Χ	X	Χ
Chromic Acid (50%)	X		X	
Chlorosulfonic Acid	X		X	
Citric Acid	X		X	\ <u> </u>
Clorox (Full Strength)	X		X	X
Corn Oil	X	X	X	X
Cottonseed Oil	X	X	X	X
Cresol	X	X	X	X
Cyclohexane	X	Χ	Χ	Χ

Ohamiaal	Inivers	ii Only	;hemica	rganic
Chemical	X	U	Х	Х
Detergents	X	Χ	X	^
Dichlorobenzene	X	X	X	
Diethylamine	X	X	X	X
Diethyl Ether	X			
Discoctyl Phthalate	X	X	X	Χ
Dinitrobenezene Dioxan	X	٨	X	Χ
Ether	X	Χ	X	X
Ethyl Acetate	X	X	X	X
	X	X	X	X
Ethyl Alcohol	X			Χ
Ethyl Benzene	X	X	X	
Ethyl Chloride	X	X		Χ
Ethyl Ether	X	X	X	
Ethyl Propionate		Χ	X	X
Ethylene Glycol	X		X	X
Formaldehyde	X		X	Χ
Formic Acid	X		X	
Fuel Oil	X	X	X	X
Gasoline	X	X	X	X
Gearbox Oil	X	Χ	X	Χ
Glacial Acetic Acid	Χ		Χ	
Glycerol	Χ		Χ	Χ
Heptane	Χ	Χ	Χ	Χ
Hexane	Χ	Χ	Χ	Χ
Hydrazine	Χ		Χ	
Hydrochloric Acid	Χ		Χ	
Hydrofluoric Acid	Χ		Χ	
Hydrogen Cyanide	Χ	Χ	Χ	
Hydrogen Peroxide	Χ		Χ	Χ
Isobutyl Alcohol	Χ	Χ	Χ	Χ
Isobutyric Acid	Χ	Χ	Χ	
Isopropyl Acetate	Χ	Χ	Χ	Χ
Isopropyl Alcohol	Χ	Χ	Χ	Χ
Kerosene	Χ	Χ	Χ	Χ
Keytones	Χ	Χ	Χ	Χ
Linseed Oil	Χ	Χ	Χ	Χ
Lubricating Oil	Χ	Χ	Χ	Χ
Magnesium Hydroxide	Χ		Χ	
Methyl Alcohol	Χ	Χ	Χ	Χ
Methyl Chloride	Χ	Χ	Χ	
Methyl Ether	Χ	Χ	Χ	Χ
Methyl Ethyl Ketone	Χ	Χ	Χ	Χ
Methyl Propionate	Χ	Χ	Χ	Χ
Mineral Oil	Χ	Χ	Χ	Χ
Motor Oil	Χ	Χ	Χ	Χ
Naphthalene	Χ	Χ	Χ	Χ
Nitric Acid	Χ		Χ	

	niversal	il Only	hemical	rganic
Chemical		0	O	0
Nitrobenzene	X		X	
Nitrobenzoic Acid	X		X	
Nitrotoluene	X	X	X	X
Octane	X	X	X	X
Oleic Acid	X	X	X	\ <u></u>
Olive Oil	X	X	X	X
Paraffin	X	X	X	X
Perchloroethylene	X	X	X	X
Petroleum Ether	X	Χ	X	X
Phenol	X		X	X
Phosphoric Acid	X		X	
Plating Solutions	X		X	
Potassium Hydroxide	X		X	
Propanol	Χ		Χ	Χ
Propionic Acid	Χ	Χ	Χ	
Propyl Alcohol	X	Χ	X	Χ
Propylene Glycol	Χ	Χ	Χ	Χ
Quinoline	Χ		Χ	
Resorcinol	Χ		Χ	
Salt Solutions (metallic)	Χ		Χ	Χ
Silicone Oil	Χ	Χ	Χ	Χ
Silver Nitrate	Χ		Χ	Χ
Soap Solution (concentrated)	X	X	Χ	X
Sodium Bicarbonate	Χ		Χ	Χ
Sodium Chloride	Χ		Χ	Χ
Sodium Hydroxide	Χ		Χ	
Sodium Hypochlorite	Χ		Χ	Χ
Sodium Nitrate	Χ		Χ	Χ
Stannic Chloride	Χ		Χ	
Starch	Χ		Χ	Χ
Styrene	Χ	Χ	Χ	Χ
Sucrose	Χ		Χ	Χ
Sulfuric Acid	Χ		Χ	
Synthetic Motor Oil	Χ	Χ	Χ	Χ
Tannic Acid	Χ		Χ	
Toluene	Χ	Χ	Χ	Χ
Transformer Oil	Χ	Χ	Χ	Χ
Trichloroethylene	Χ	Χ	Χ	Χ
Triethylene Glycol	Χ	Χ	Χ	Χ
Turpentine	Χ	Χ	Χ	Χ
Urine	Χ		Χ	Χ
Vinyl Acetate	Χ	Χ	Χ	Χ
Vinegar	Χ		Χ	Χ
Xylene	Χ	Χ	Χ	Χ

Disclaimer: The above information is provided as a guide only. No claims or warranties are expressed or implied as to the absolute accuracy of the data supplied. In all cases it is assumed chemicals in question are at ambient temperatures and pressure and are used in basic state, not in combination or mixtures. Small test samplings by user is always recommended to ensure safe application.



Part Number Index

			Absorbency	Absorbency	Shipping Wt.	Pallet		Page
Catalog Numbers	Туре	Size	Factor (gl/gs)	Capacity (gal)	(lbs)	Qty.	Quantity	#
96229	Spill Magnet	12" dia.	n/a	n/a	1	100	1/each	51
AW99	Universal Pillows	9"x9"	12.5	14	10	40	32/case	39
AW124	Universal SOCs	3"x12'	9	12	12	40	4/case	38
AW412	Universal SOCs	3"x4'	9	12	12	40	12/case	38
AW430	Universal SOCs	3"x4'	9	30	26	20	30/case	38
AW806	Universal SOCs	3"x8'	9	12	12	40	6/case	38
AW1818	Universal Pillows	18"x18"	12.5	28	19	20	16/case	39
AW1818-2	Universal Pillows	18"x18"	12.5	14	9.5	40	8/case	39
BM15	Heavy Wt. Roll	15"x150'	12.5	26	17	30	1/case	10
BM30	Heavy Wt. Roll	30"x150'	12.5	53	34.5	12	1/case	10
BM30X	Heavy Wt. Roll	30"x150'	12.5	53	34.5	12	1/case	10
BM100	Heavy Wt. Pad	15"x19"	12.5	28	16.5	40	100/bale	10
BPO100	Heavy Wt. Pad	15"x17"	18	20.5	8.5	30	100/bale	27
BRO152	Heavy Wt. Roll	15"x150'	14.5	38	19.5	18	2/bale	27
BPO200	Light Wt. Pad	15"x17"	18	34	13.7	18	200/bale	27
BPO500	Light Wt. Pad	15"x17"	18	17	7	30	100/bale	27
BPU100			18	20.5	8.5	30		16
	Heavy Wt. Pad	15"x17"					100/bale	
BRU152	Heavy Wt. Roll	15"x150'	14.5	38	19.5	18	2/bale	16
BPU200	Light Wt. Pad	15"x17"	18	34	13.7	18	200/bale	16
BPU500	Light Wt. Pad	15"x17"	18	17	7	30	100/bale	16
BRO150	Heavy Wt. Roll	30"x150'	14.5	38	19.5	18	1/bale	27
BRU150	Heavy Wt. Roll	30"x150'	14.5	38	19.5	18	1/bale	16
BSC20	Universal SOCs	3"x42"	15	84	24	20	20/case	39
BSC40	Universal SOCs	3"x42"	15	81	47.5	16	40/case	39
BSCSK-CB	BASIC Vehicle Spill Kit	n/a	n/a	7.75	7	50	1/each	57
BSM100	Medium Wt. Rug	36"x100'	8	25	24	40	1/bale	44
BSM300	Medium Wt. Rug	36"x300'	8	74	67	12	1/bale	44
BSM3650	Medium Wt. Rug	36"x50'	8	12	12	40	1/case	44
CB305	Boom	3" Float, 4.5" Skirt, 25' Sections	n/a	n/a	22.5	11	1/case	47
CB612	Boom	6" Float, 12" Skirt, 100' Sections	n/a	n/a	200	3	1/case	47
CC400	Universal SOCs	3"x4'	8.5	8.5	29	32	12/case	38
CC440V	Universal SOCs	3"x4'	8.5	56	30	16	40/case	38
CH15P	Heavy Wt. Roll	15"x150'	12.5	20	14	30	1/bale	32
CH30DP	Heavy Wt. Roll	30"x150'	12.5	40	25	12	1/case	32
CH100	Heavy Wt. Pad	15"x19"	18	22	16	30	100/case	32
CH1212	Medium Wt. Pad	12"x12"	18	30	14.5	30	200/case	32
CH1212-50	Medium Wt. Pad	12"X12"	12.5	15	4	120	50/case	32
CH200	Light Wt. Pad	15"x19"	18	28	16	24	200/case	32
CH303	Light Wt. Roll	30"x300'	12.5	80	40	12	1/bale	32
CS-CB18	Oil Only Granular	18 lbs	8	18	1000	50	1 pallet	49
CS-LFB10	Oil Only Granular		8	10			1 pallet	
		10 lbs			640	64		49
DGUARD9	Drain Guard	36" X 48" X 18"	n/a	0.9	1	36	1/case	51
DGUARD14	Drain Guard	36" X 48" X 18"	n/a	1.4	2	36	1/case	51
DGUARD910	Drain Guard	36" X 48" X 18"	n/a	9	10	20	10/case	51
DGUARD1410	Drain Guard	36" X 48" X 18"	n/a	14	20	20	10/case	51
DPA24	Drip Pan	10"x10"	n/a	n/a	6	20	24/case	51
DTA25	Medium Wt. Universal Drum Cover	22" dia.	12.5	6	6	48	25/case	39
DTO25	Medium Wt. Oil Only Drum Cover	22" dia.	12.5	6	6	48	25/case	40
DZ100	Universal Granular	40 lbs	1.5	8.5	1600	40	1 pallet	49
ENV50	Medium Wt. Pad	30"x30"	20	50	19	7	50/bale	26
ENV100	Heavy Wt. Pad	15"x19"	20	33	12.5	24	100/bale	26
ENV150	Medium Wt. Roll	30"x150'	15	44	22	18	1/bale	26
ENV200	Light Wt. Pad	15"x19"	23	51	16	18	200/bale	26

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

			Absorbency	Absorbency	Shipping Wt.	Pallet		Page
Catalog Numbers	Туре	Size	Factor (gl/gs)	Capacity (gal)	(lbs)	Qty.	Quantity	#
ENV300	Medium Wt. Pad	15"x19"	18	23.2	10	24	100/bale	26
ENV500	Light Wt. Pad	15"x19"	23	24.5	8	30	100/bale	26
ENV510	ENV Boom	5"x10'	12.6	32	19	20	4/bale	47
ENV810	ENV Boom	8"x10'	13	65	38	10	4/bale	47
GP30	Heavy Wt. Roll	30"x150'	13	48	28	18	1/bale	15
GP100	Heavy Wt. Pad	15"x19"	18	30	11.5	24	100/case	15
GP100-B	Heavy Wt. Pad (bagged)	15"×19"	18	30	12	24	100/bale	15
GP200-B	Light Wt. Pad (bagged)	15"×19"	20	44	16	18	200/bale	15
GP300	Medium Wt. Pad	15"×19"	20	25	10	30	100/bale	15
GP500	Light Wt. Pad	15"×19"	20	22	8.2	30	100/bale	15
GS-10	Oil Only Granular	30 lbs	2 to 6	23	1800	60	1 pallet	49
HAZ99	Chemical Pillows	9"x9"	12.5	10	14	40	32/case	41
HAZ124	Chemical SOCs	3"x12'	9	12	12	40	4/case	41
HAZ412	Chemical SOCs	3"x4'	9	12	12	40	12/case	41
HAZ1818	Chemical Pillows	18"×18"	12.5	14	9.5	20	16/case	41
HAZ1818-2	Chemical Pillows	18"×18"	12.5	14	9.5	40	8/case	41
HT15	Heavy Wt. Roll	15"×150'	12.5	23	16	30	1/case	12
HT30	Heavy Wt. Roll	30"x150'	12.5	47	32	12	1/case	12
HT153	Medium Wt. Roll	15"x300'	12.5	32	20	24	1/bale	12
HT200	Light Wt. Pad	15"x19"	12.5	38	16.5	24	200/case	12
HT215	Light Wt. Roll	15"x300'	12.5	21.5	15	18	1/bale	12
HT230	Light Wt. Roll	30"x300'	12.5	42.5	29.5	18	1/bale	12
HT303	Medium Wt. Roll	30"x300'	12	63	40	12	1/bale	12
HT303X	Medium Wt. Roll	30"x300'	12.5	65	40	12	1/bale	12
HT350	Medium Wt. Roll	30"x150"	12.5	35	20	12	1/bale	12
HT500	Light Wt. Pad	15"x19"	12.5	13.5	8.5	30	100/case	12
HT550	Heavy Wt. Roll	15"x50'	12.5	8	5	60	1/case	12
HT555	Heavy Wt. Roll	15"x150'	12.5	23	16	30	1/case	12
MRO12P	Heavy Wt. Roll	12"x150'	12.5	20	11.5	36	1/bale	13
MRO15	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	13
MRO15DP	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	13
MRO15DPS			12.5	12	8	80	1/bale	13
MRO15P	Heavy Wt. Roll	15"x73' 15"x150'	12.5	24	17.5	30	1/case	13
MRO24DP	Heavy Wt. Roll							
	Heavy Wt. Roll	24"x150'	12.5	39	22.5	27	1/bale	13
MRO30	Heavy Wt. Roll	30"x150'	12.5	49	33	12	1/case	13
MRO30DP	Heavy Wt. Roll	30"x150'	12.5	49	32	12	1/case	13
MRO30P	Heavy Wt. Roll	30"x150'	12.5	49	32	12	1/case	13
MRO50	Heavy Wt. Pad	30"x30"	12.5	41	26.5	13	50/bale	13
MRO100	Heavy Wt. Pad	15"x19"	12.5	26	17.5	30	100/case	13
MRO100-2	Heavy Wt. Pad	15"x19"	12.5	13.5	8	36	50/bale	13
MRO150DND	Heavy Wt. Pad	15"×19"	12.5	39	27	18	150/case	13
MRO300	Medium Wt. Pad	15"×19"	12.5	20.5	14	30	100/case	13
MRO315P	Medium Wt. Roll	15"×150'	12.5	20	14	30	1/case	13
MRO350	Medium Wt. Roll	30"×150'	12.5	38	26.5	12	1/case	13
MRO350DP	Medium Wt. Roll	30"×150'	12.5	38	26.5	12	1/case	13
MS50	Universal SOCs	3"x4'	7	40	43	15	40/case	39
MS124	Universal SOCs	3"x12'	8.5	12	12	42	4/case	39
MS412	Universal SOCs	3"x4'	8.5	12	12	42	12/case	39
MS806	Universal SOCs	3"x8'	8.5	12	12	42	6/case	39
MXO1000	Light Wt. Pad	15"x19"	23	26	11	30	100/case	26
MXP-C20	Chemical Spill Kit	15.5"L x 19.5"W x 20.5"H	n/a	30	14	18	5/case	56
MXP-O20	Oil Only Spill Kit	15.5"L x 19.5"W x 20.5"H	n/a	35	15	18	5/case	56
MXP-U20	Universal Spill Kit	15.5"L x 19.5"W x 20.5"H	n/a	30	14.4	18	5/case	56
MXU1000	Light Wt. Pad	15"x19"	24	27	11	30	100/case	15
MW-13	Oil Skimming System	13" × 14" × 22"	n/a	n/a	50	n/a	1/each	51
ODN08	Oil Only Net	30 nets on 50' rope	15	15	16	24	1/bale	47
OIL99	Oil Only Pillows	9"x9"	12.5	14	10	40	32/case	40
OIL124	Oil Only SOCs	3"x12'	9	12	11	40	4/case	40
			9	12				
OIL412	Oil Only SOCs	3"x4'	Э	12	11	40	12/case	40



Catalog Numbers	Type	Size	Absorbency	Absorbency	Shipping Wt.		Quantity	Page #
OIL430	Type Oil Only SOCs	3"x4'	Factor (gl/gs)	Capacity (gal)	(lbs) 30	Qty. 20	30/case	40
OIL806	Oil Only SOCs	3"x8'	9	12	11	40	6/case	40
OIL1818	Oil Only Pillows	18"x18"	12.5	28	19	20	16/case	40
OIL1818-2	Oil Only Pillows	18"x18"	12.5	14	9.5	40	8/case	40
ONO30	Oil Only Net	30 nets (no rope)	15	15	17	24	1/bale	47
OP15	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	23
OP15DP	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	23
OP15DPS	Heavy Wt. Roll	15"x73'	12.5	12	7.5	80	1/bale	23
OP15P	Heavy Wt. Roll	15"x150'	12.5	24	17.5	30	1/case	23
OP30	Heavy Wt. Roll	30"x150'	12.5	49	33	15	1/case	23
	•		12.5	49	33	12		23
OP30DP OP30P	Heavy Wt. Roll	30"x150' 30"x150'	12.5	49	33	12	1/case 1/case	23
	Heavy Wt. Roll							
OP50	Heavy Wt. Pad	30"x30"	12.5	41	24	13	50/bale	23
OP100	Heavy Wt. Pad	15"x19"	12.5	26	17.5	30	100/case	23
OP150DND	Heavy Wt. Pad	15"x19"	12.5	39	27	18	150/case	23
OP300	Medium Wt. Pad	15"x19"	12.5	20.5	14	30	100/case	23
OP315P	Medium Wt. Roll	15"x150'	12.5	19	14	30	1/case	23
OP350DP	Medium Wt. Roll	30"x150'	12.5	38	26.5	12	1/case	23
OP550	Heavy Wt. Roll	15"x50'	12.5	9	5	60	1/case	23
PLUG2	Drain Plug	2" Plug	n/a	n/a	2	250	1/case	51
PLUG3	Drain Plug	3" Plug	n/a	n/a	3	250	1/case	51
PLUG4	Drain Plug	4" Plug	n/a	n/a	4	250	1/case	51
PLUG6	Drain Plug	6" Plug	n/a	n/a	6	250	1/case	51
PVC18	Slikstopper	18"x18"	n/a	n/a	9	100	1/case	51
PVC24	Slikstopper	24"x24"	n/a	n/a	14	30	1/case	51
PVC36	Slikstopper	36"x36"	n/a	n/a	34	25	1/case	51
PVC42	Slikstopper	42"x42"	n/a	n/a	46	20	1/case	51
RAG1818	Heavy Wt. Rug	18"x18"	9	38	32	18	50/case	45
RAG24150	Heavy Wt. Rug	24"X150	9	37	52	10	1/bale	45
RAG36150	Heavy Wt. Rug	36"x150'	9	55	47	12	1/bale	45
RF100	Heavy Wt. Pad	15"×19"	17.5	40	19	24	100/case	19
RF300	Medium Wt. Pad	15"×19"	17.5	32	14.8	30	100/case	19
RF500	Light Wt. Pad	15"x19"	17.5	24	12	36	100/case	19
RFDP300	Medium Wt. Pad	16"x18"	16.5	32	16.6	30	100/case	17
RFDP328-DP	Medium Wt. Roll	28.5"x150'	16.5	55	33.3	12	1/case	17
RFGRANULAR	Re-Form Granular	30 lbs	1	16.7	1950	65	1 pallet	49
RFO412	Oil Only SOCs	3"x4'	13.5	15	10.5	40	12/case	40
RFODP100	Heavy Wt. Pad	15"x19"	30	39	12	24	100/case	29
RFOP14P	Heavy Wt. Roll	14.25"x150'	30	37	10.5	24	1/case	29
RFOP28-DP	Heavy Wt. Roll	28.5"x150'	30	74	21	12	1/case	29
RFP28-DP	Heavy Wt. Roll	28.5"x150'	17	62	33	12	1/case	19
RFP100	Heavy Wt. Pad	15"x19"	17	40	19.5	24	100/case	19
RFP314P	Medium Wt. Roll	14.25"x150'	17	30	15.5	24	1/case	19
RFP328-DP	Medium Wt. Roll	28.5"x150'	17	54	30.5	12	1/case	19
RFP500	Light Wt. Pad	15"x19"	17	24	12.7	36	100/case	19
RFPP30P	Heavy Wt. Roll	30"x150'	12.5	49	32	12	1/case	18
RFPP100	Heavy Wt. Pad	15"x19"	12.5	26	17.5	30	100/case	18
	,						· · · · · · · · · · · · · · · · · · ·	
SB-1010	Standard Spill Berm	10'x10'x1'	n/a	748	47	1	1/each	52
SB-1212	Standard Spill Berm	12'x12'x1'	n/a	1,077	60	1	1/each	52
SB-1226	Standard Spill Berm	12'x26'x1'	n/a	n/a	112	1	1/each	52
SB-1236	Standard Spill Berm	12'x36'x1'	n/a	n/a	149	1	1/each	52
SB-SL44	Lightweight Spill Berm	4'x4'x8"	n/a	79	6	20	1/each	52
SB-SL46	Lightweight Spill Berm	4'x6'x8"	n/a	119	8	10	1/each	52
SC-4	Set of 4 casters	n/a	n/a	n/a	n/a	n/a	1 pack	53
SC-3000	Absorbent Center	50"W x 26"H x 21-1/2"D	n/a	n/a	50	15	1/each	53
SC-ACC	Accessory Pack	n/a	n/a	n/a	n/a	n/a	1 pack	53

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

			Absorbency	Absorbency	Shipping Wt.	Pallet		Page
Catalog Numbers	Туре	Size	Factor (gl/gs)	Capacity (gal)	(lbs)	Qty.	Quantity	#
SC-Cabinet	Spill Control Cabinet	19-7/8 x 14-1/4x 32-3/4	n/a	n/a	45	9	1/each	53
SC-Cart	Spill Control Cart	36 x 18 x 38-3/8	n/a	n/a	180	1	1/each	53
SC-D15	15" Dowel Rod	15"	n/a	n/a	n/a	n/a	1 rod	53
SC-D40	40" Dowel Rod	40"	n/a	n/a	n/a	n/a	1 rod	53
SC-DK	Sump Drain Kit	n/a	n/a	n/a	2	100	1/case	52
SC-MB	Wall Mount	n/a	n/a	n/a	n/a	n/a	1 each	53
SC-DP2	2-Drum Spill Pallet	26"W X 52"L X 17"H	68.7	2,500	46.5	10	1/each	52
SC-DP4	4-Drum Spill Pallet	52"W X 52"L X 17"H	128.9	5,000	89	10	1/each	52
SC-DPR	Spill Pallet Ramp	32.5"W X 70"L	n/a	650	47.5	3	1/each	52
SC-SD2	2 Drum Spill Deck	26"W X 52"L X 6"H	21.2	2,500	31	15	1/each	52
SIR36	Heavy Wt. Rug	36"x300'	8.5	59	50	12	1/bale	45
SIR72	Heavy Wt. Rug	72"x150'	8.5	59	50	12	1/bale	45
SIR36150	Heavy Wt. Rug	36"x150'	12.5	45	25	24	1/bale	45
SKA-20	Universal Spill Kit	21"Dia. X 18"H	n/a	16	27	18	1/each	59
SKA-20-RESCUE	Universal Spill Kit	21"Dia. X 18"H	n/a	16	20	18	1/each	59
SKA-20-TAA	Universal Spill Kit	21"Dia. X 18"H	n/a	16	26	18	1/each	59
SKA-30	Universal Spill Kit	21.125"Dia. X 28.5"H	n/a	36	41	18	1/each	60
SKA-30-TAA	Universal Spill Kit	21.125"Dia. X 28.5"H	n/a	36	41	18	1/each	60
SKA-55	Universal Spill Kit	24"Dia. X 37"H	n/a	38	57	8	1/each	61
SKA-55-TAA	Universal Spill Kit	24"Dia. X 37"H	n/a	38	56	8	1/each	61
SKA-55W	Universal Spill Kit	23"Dia. X 37"H	n/a	38	57	8	1/each	61
SKA-65	Universal Spill Kit	31"Dia. X 33.5"H	n/a	63	100	3	1/each	62
SKA-65-TAA	Universal Spill Kit	31"Dia. X 33.5"H	n/a	63	100	3	1/each	62
SKA-65W	Universal Spill Kit	31"Dia. X 42"H	n/a	63	100	3	1/each	62
SKA-95	Universal Spill Kit	31.5"Dia. X 35"H	n/a	75	107	3	1/each	63
SKA-95W	Universal Spill Kit	31.5"Dia. X 47"H	n/a	75	107	3	1/each	63
SKA-ATK	Universal Spill Kit	20"L X 16"W X 4"H	n/a	7	36.5	24	4/case	56
SKA-ATK-TAA	Universal Spill Kit	20"L X 16"W X 4"H	n/a	7	36.5	24	4/case	56
SKA-BKT	Universal Spill Kit	14"Dia. X 18"H	n/a	9	9	60	1/each	59
SKA-BKTACID	Acid Neutralizing Spill Kit	13.5" Dia. x 18"H	n/a	4.5	16.5	60	1/each	58
SKA-BKTBASE	Base Neutralizer Spill Kit	13.5" Dia. x 18"H	n/a	4.5	16.5	60	1/each	58
SKA-BKT-TAA	Universal Spill Kit	14"Dia. X 18"H	n/a	9	9	60	1/each	59
SKA-CFB	Universal Spill Kit	25.5"L x 17"W x 21.5"H	n/a	15	25	20	1 each	56
SKA-K2	Universal Spill Kit	18"L X 17"W X 39"H	n/a	22	42	10	1/each	58
SKA-LT	Universal Spill Kit	47"L X 34"W X 43"H	n/a	134	164	1	1/each	64
SKA-PP	Universal Spill Kit	20"L X 16"W X 4"H	n/a	5	24	20	4/case	56
SKA-PP-TAA	Universal Spill Kit	20"L X 16"W X 4"H	n/a	5	24	20	4/case	56
SKA-SAK	Universal Spill Kit	32"L X 20"W X 12"H	n/a	10.75	10	20	1/each	57
SKA-SRP	Universal Spill Kit	9.75"D X 10.5"H	n/a	4.5	2.5	90	1/each	58
SKA-XLT	Universal Spill Kit	57.5"L X 40.5"W X 47"H	n/a	184	221	1	1/each	64
SK-CAMO	Camouflaged Vehicle Spill Kit	n/a	n/a	11.5	9	50	1/each	57
SK-CAMO-RS	Camouflaged Vehicle Spill Kit with RuptureSEAL	n/a	n/a	11.5	9	50	1/each	57
SKH-20	Chemical Spill Kit	21"Dia. X 18"H	n/a	17	26	18	1/each	59
SKH-20-RESCUE	Chemical Spill Kit	21"Dia. X 18"H	n/a	20	20	18	1/each	59
SKH-30	Chemical Spill Kit	21.125"Dia. X 28.5"H	n/a	36	41	18	1/each	60
SKH-55	Chemical Spill Kit	24"Dia. X 37"H	n/a	38	52	8	1/each	61
SKH-55W	Chemical Spill Kit	23"Dia. X 37"H	n/a	38	52	8	1/each	61
SKH-65	Chemical Spill Kit	31"Dia. X 33.5"H	n/a	63	100	3	1/each	62
SKH-65W	Chemical Spill Kit	31"Dia. X 42"H	n/a	63	100	3	1/each	62
SKH-95	Chemical Spill Kit	31.5"Dia. X 35"H	n/a	75	104	3	1/each	63
SKH-95W	Chemical Spill Kit	31.5"Dia. X 47"H	n/a	75	104	3	1/each	63
SKH-ATK	Chemical Spill Kit	20"L X 16"W X 4"H	n/a	7	25	24	4/case	56
SKH-BKT	Chemical Spill Kit	14"Dia. X 18"H	n/a	9	8	60	1/each	59
SKH-CFB	Chemical Spill Kit	25.5"L x 17"W x 21.5"H	n/a	15	25	20	1 each	56
SKH-K2	Chemical Spill Kit	18"L X 17"W X 39"H	n/a	22	42	10	1/each	58
SKH-LT	Chemical Spill Kit	47"L X 34"W X 43"H	n/a	115	158	1	1/each	64
SKH-PP	Chemical Spill Kit	20"L X 16"W X 4"H	n/a	5	24	20	4/case	56
SKH-SAK	Chemical Spill Kit	32"L X 20"W X 12"H	n/a	10.75	10	20	1/each	57
								$\overline{}$



Outstan Namehans	T	Ol	Absorbency	Absorbency	Shipping Wt.		O	Page
Catalog Numbers SKH-SRP	Type Chemical Spill Kit	Size 9.75"D X 10.5"H	n/a	Capacity (gal)	(lbs) 2.5	Qty. 90	Quantity 1/each	# 58
SKH-XLT	Chemical Spill Kit	57.5"L X 40.5"W X 47"H	n/a	160	221	1	1/each	64
SKMA-20	Mixed Application Spill Kit	21"Dia. X 18"H	n/a	15	20	18	1/each	59
SKMA-30	Mixed Application Spill Kit	21.125"Dia. X 28.5"H	n/a	29	41	18	1/each	60
SKMA-55	Mixed Application Spill Kit	24"Dia. X 37"H	n/a	38	52	8	1/each	61
SKMA-55W	Mixed Application Spill Kit	23"Dia. X 37"H	n/a	38	52	8	1/each	61
SKMA-65	Mixed Application Spill Kit	31"Dia. X 33.5"H	n/a	65	100	3	1/each	62
SKMA-65W	Mixed Application Spill Kit	31"Dia. X 42"H	n/a	65	100	3	1/each	62
SKMA-95	Mixed Application Spill Kit	31.5"Dia. X 35"H	n/a	77	107	3	1/each	63
SKMA-95W	Mixed Application Spill Kit	31.5"Dia. X 47"H	n/a	77	107	3	1/each	63
SKM-LT	Marine Spill Kit	47"L X 34"W X 43"H	n/a	169	164	1	1/each	64
SKM-XLT	Marine Spill Kit	57.5"L X 40.5"W X 47"H	n/a	282	258	1	1/each	64
SKO-20	Oil Only Spill Kit	21"Dia. X 18"H	n/a	17	20	18	1/each	59
SKO-20-RESCUE	Oil Only Spill Kit	21"Dia. X 18"H	n/a	20	20	18	1/each	59
SKO-30	Oil Only Spill Kit	21.125"Dia. X 28.5"H	n/a	36	41	18	1/each	60
SKO-55	Oil Only Spill Kit	24"Dia. X 37"H	n/a	38	56	8	1/each	61
SKO-55W	Oil Only Spill Kit	23"Dia. X 37"H	n/a	38	56	8	1/each	61
SKO-65	Oil Only Spill Kit	31"Dia. X 33.5"H	n/a	63	100	3	1/each	62
SKO-65W	Oil Only Spill Kit	31"Dia. X 42"H	n/a	63	100	3	1/each	62
SKO-95	Oil Only Spill Kit	31.5"Dia. X 35"H	n/a	75	107	3	1/each	63
SKO-95W	Oil Only Spill Kit	31.5"Dia. X 47"H	n/a	75	107	3	1/each	63
SKO-ATK	Oil Only Spill Kit	20"L X 16"W X 4"H	n/a	7	23	24	4/case	56
SKO-BKT	Oil Only Spill Kit	14"Dia. X 18"H	n/a	9	9	60	1/each	59
SKO-CFB	Oil Only Spill Kit	25.5"L x 17"W x 21.5"H	n/a	15	25	20	1 each	56
SKO-K2	Oil Only Spill Kit	18"L X 17"W X 39"H	n/a	22	42	10	1/each	58
SKO-LT	Oil Only Spill Kit	47"L X 34"W X 43"H	n/a	126	185	1	1/each	64
SKO-PP	Oil Only Spill Kit	20"L X 16"W X 4"H	n/a	5	24	20	4/case	56
SKO-SAK	Oil Only Spill Kit	32"L X 20"W X 12"H	n/a	10.75	10	20	1/each	57
SKO-SRP	Oil Only Spill Kit	9.75"D X 10.5"H	n/a	4.5	2.5	90	1/each	58
SKO-XLT	Oil Only Spill Kit	57.5"L X 40.5"W X 47"H	n/a	174	221	1	1/each	64
SKR-20	Re-Form Spill Kit	21"Dia. X 18"H	n/a	17	27	18	1/each	59
SKR-55	Re-Form Spill Kit	24"Dia. X 37"H	n/a	38	57	8	1/each	61
SKR-95	Re-Form Spill Kit	31.5"Dia. X 35"H	n/a	75	107	3	1/each	63
SKR-ATK	Re-Form Spill Kit	20"L X 16"W X 4"H	n/a	7	36.5	24	4/case	56
SKR-PP	Re-Form Spill Kit	20"L X 16"W X 4"H	n/a	5	24	20	4/case	56
SPC10	Pillow	14"x25"	12.5	52	30	10	10/bale	47
SPC50	Heavy Wt. Pad	33"x39"	18	73	33.5	7	50/bale	25
SPC100	Heavy Wt. Pad	15"x19"	18	35	14	30	100/bale	25
SPC100B	Heavy Wt. Pad (Blue MBPP Pad)	15"x19"	18	35	14	30	100/bale	25
SPC105	Heavy Wt. Pad (1 side w/blue coverstock)	15"x19"	18	35	14	30	100/bale	25
SPC150	Heavy Wt. Roll	38"x144'	15	70	33	18	1/bale	25
SPC152	Heavy Wt. Roll	19"x144'	15	70	33	18	2/bale	25
SPC156	Medium Wt. Roll (1 side w/blue coverstock)	30"x150'	15	37	26.5	18	1/bale	25
SPC200	Light Wt. Pad	15"×19"	18	51	16	18	200/bale	25
SPC300	Medium Wt. Pad	15"x19"	18	30	11	30	100/bale	25
SPC318	SPC Boom	3"x18"	9.5	14	10	40	25/case	47
SPC500	Light Wt. Pad	15"x19"	18	20	8.2	30	100/bale	25
SPC510	SPC Boom	5"x10'	12.6	32	19	16	4/bale	47
SPC518	SPC Boom	5"x18"	12.6	12	8	40	10/case	47
SPC810	SPC Boom	8"x10'	13.3	71	40	10	4/bale	47
SPC818	SPC Boom	8"x18"	12.5	28	17	16	10/bale	47
SPC1900	Sweep	19"X100'	15	26	13	36	1/bale	47
SPC5510	SPC Boom	5"x10'	12.1	61	38	12	2/bale	47
SPC19150	Heavy Wt. Roll	19"x144'	15	35	17	36	1/bale	25

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Catalog Numbers	Туре	Size	Absorbency Factor (gl/gs)	Absorbency Capacity (gal)	Shipping Wt. (lbs)	Pallet Qty.	Quantity	Page #
SPC-ACID	Acid Neutralizing Polymer Shaker	n/a	n/a	0.65	2	1200	1/each	49
SPC-BASE	Base Neutralizing Polymer Shaker	n/a	n/a	0.65	2	1200	1/each	49
SPCUN1019	Medium Wt. Roll	15"x150'	12.5	39	24	15	2/case	33
SPCUN1113	Medium Wt. Pad	12"x12"	12.5	20	16	30	200/case	33
SPCUN1113-50	Medium Wt. Pad	12"X12"	12.5	5.5	4	120	50/case	33
SPCUN1719	Medium Wt. Pad	15"x19"	12.5	20.5	14.5	30	100/case	33
SPCUN3800	Medium Wt. Roll	30"x150'	12.5	39	27	12	1/case	33
SR100	Heavy Wt. Pad	15" x19"	13	26	14.5	30	100/bale	28
SR1825	Medium Wt. Pad	15"x19"	15	6	3.2	90	25/bale	28
SR3600	Heavy Wt. Roll	30"x150'	15	44	22	18	1/bale	29
SR3625	Heavy Wt. Pad	30"x30"	13	16	9	14	25/bale	28
SRP75P	Heavy Wt. Roll	7.5"x50'	12.5	3.3	1.85	96	1/bale	14
SRP100	Heavy Wt. Pad	7.5"x10"	12.5	5.5	4	96	100/case	14
SRP200	Heavy Wt. Pad	7.5"x10"	12.5	11.1	7.5	96	200/case	14
SRPH75P	Heavy Wt. Plus Roll	7.5"x50'	12.5	3.3	1.85	96	1/bale	33
SRPH100	Heavy Wt. Plus Pad	7.5"x10"	12.5	5.5	4	96	100/case	33
SRPH200	Heavy Wt. Plus Pad	7.5"x10"	12.5	11.1	7.5	96	200/case	33
SRPO75P	Heavy Wt. Roll	7.5"x50'	12.5	3.3	1.85	96	1/bale	24
SRPO100	Heavy Wt. Pad	7.5"x10"	12.5	5.5	4	96	100/case	24
SRPO200	Heavy Wt. Pad	7.5"x10"	12.5	11.1	7.5	96	200/case	24
SW46	Universal SOCs	3"x42"	3	20	50	16	40/case	38
SXT15P	Heavy Wt. Roll	15"x150'	12	18	14	30	1/case	22
SXT30DP	Heavy Wt. Roll	30"x150'	12	37	26.5	12	1/case	22
SXT100	Heavy Wt. Pad	15"x19"	12	19.5	14.5	30	100/case	22
SXT200	Light Wt. Pad	15"x19"	14	31.5	18	24	200/case	22
SXT300	Medium Wt. Pad	15"x19"	12	17	10	30	100/case	22
TM19	Heavy Wt. Roll	19"x80'	9	26	32	18	2/bale	44
TM29	Heavy Wt. Roll	29"x80'	9	20	24	32	1/bale	44
TM30	Heavy Wt. Pad	29"x29"	9	25	15	15	30/bale	44
TM58	Heavy Wt. Roll	58"x80'	9	55	34	9	1/bale	44
UXT15P	Heavy Wt. Roll	15"x150'	11	17	14.5	30	1/case	11
UXT30DP	Medium Wt. Roll	30"x150'	11	37	27.5	12	1/case	11
UXT100	Heavy Wt. Pad	15"x19"	11	19.5	14.5	30	100/case	11
UXT200	Light Wt. Pad	15"x19"	14	31.5	18.5	24	200/case	11
UXT300	Medium Wt. Pad	15"x19"	11	17	12	30	100/case	11
VS12P	Heavy Wt. Roll	12"x60"	12.5	10.7	9.5	30	20/case	35
VS75P	Heavy Wt. Roll	7.5"x50"	12.5	5.5	4.27	40	20/case	35
VSH12P	Heavy Wt. Roll	12"x60"	12.5	10.7	9.5	30	20/case	35
VSH75P	Heavy Wt. Roll	7.5"x50"	12.5	5.5	4.27	40	20/case	35
VSO12P	Heavy Wt. Roll	12"x60"	12.5	10.7	9.5	30	20/case	35
VSO75P	Heavy Wt. Roll	7.5"x50"	12.5	5.5	4.27	40	20/case	35

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

DISCLAIMER: The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. The "Absorbency" Spec and "SPCTM004" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Product Index

O Callan Caill Dagages Dive Caill Kit FO
2-Gallon Spill Response Plus Spill Kit58
20-Gallon Lab Pack Kit59
20-Gallon Mixed Application59
20-Gallon RESCUE™ Spill Kit59
30-Gallon Mixed Application60
30-Gallon Spill Kit60
55-Gallon Drum Kit61
55-Gallon Mixed Application61
6.5 Gallon Acid Neutralizer Spill Kit58
6.5 Gallon Base Neutralizing Spill Kit58
6.5-Gallon Spill Bucket Kit59
65-Gallon Mixed Application62
65-Gallon Spill Kit
95-Gallon Mixed Application63
95-Gallon Overpack Kit63
A
^
Absorbent Storage53
Attack Pac Spill Kit56
В
Demine Only Alexandra and
Barrier Spill Absorbents
Basic Oil Absorbents27
Basic Oil Absorbents
Basic Oil Absorbents27
Basic Oil Absorbents

ENV Oil Absorbents......26

G	
GP Universal Absorbents	
Н	
High Visibility Safety & Chemical Mat3 HT Universal Absorbents1	
М	
Marine Absorbents	7 7 6 4 4
0	
Oil Only Drum Covers	0
R	
Rag Rug Absorbents	9 8 9

S SIR Sorbent Industrial Absorbents......45 SPC Oil Absorbents......25 Spill Berms52 Spill Decks......52 Spill Pallets52 Spill Response Plus Oil Only.....24 Spill Response Plus Universal......14 Spill Response Plus Universal Plus33 Static Resistant Oil Absorbents......28 Static Resistant Oil Absorbents......29 T TrackMat Absorbents44 U Universal Drum Covers39 Universal Pillows......39 Universal Plus Chemical Absorbents.......33 Universal SOCs39 UXT Universal Absorbents11 V Vehicle Spill Kits57 VENDSORB™ Chemical Absorbents......35 VENDSORB™ Oil Only Absorbents35 VENDSORB™ Universal Absorbents35

Try SPC Absorbents Today With A Free Sample Pack!

Visit www.BradyID.com/SPC









Brady warrants only to the buyer that the products and parts set forth herein will be free from defects in material and workmanship from the date of purchase for a period of one year. Brady's sole obligation under the above warranty shall be to repair or replace the defective products or parts during the warranty period. NO OTHER WARRANTIES, EXPRESS OR IMPLIED, ARE GIVEN, AND BRADY EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, INCLUDING AND WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. All statements, technical information, or recommendations relating to the products or parts are based upon tests believed to be reliable, but do not constitute a guaranty or warranty. BRADY SHALL NOT UNDER ANY CIRCUMSTANCES WHATSOEVER BE LIABLE TO ANY PARTY FOR LOSS OF PROFITS, DIMINUTION OF GOOD WILL, OR ANY OTHER SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES WHATSOEVER WITH RESPECT TO ANY CLAIM IN CONNECTION WITH BRADY PRODUCTS AND/OR PARTS. Brady's maximum liability for warranty claims is limited to the invoice price of the product or price claimed defective.

PRICES AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE.

In an effort to reduce shipping costs for our customers, pallet quantities may vary.

USA

Customer Service: 1-888-272-3946 Inside Sales: 1-888-311-0775 www.BradyID.com

Canada

Customer Service: 1-800-263-6179 www.BradyCanada.ca

Mexico

Customer Service: 1-800-262-7777 Inside Sales: 1-800-262-7777 ext 177 www.BradyLatinAmerica.com



