

Industrial / Commercial Wet / Dry Vacuums

Contractor • Industrial • Commercial








Call or visit your local branch or go to **grainger.com/dayton** for complete product line information.

Dayton Utility Vacuums Cover Facility Maintenance From Front to Back

Dayton vacuums provide a high level of cleaning productivity, operational durability and versatility for a wide range or applications such as industrial, commercial, Jan-San and contractor.

They are custom designed and engineered using the latest technology and have innovative features to meet the demands of facility maintenance professionals. Our selection of vacuums offer different levels of cleaning performances, project minimal noise, maintain effective filtration and are easy to use.



Push Sweeper

Sweep clean hard surface floors,

aisles and sidewalks.

Portable Vacuums

Compact, lightweight, durable design that will go where you go.

Contractor/Industrial Wet/Dry Canister

Heavy duty cleaning of dirt, debris and liquid pick up for contractors and workshops.

Long Life Motor Vacuums

Brushless motor design provides increased performance and extra long life. Professional grade vacuums run service free for more than 5,000 hours.

Commercial/Industrial Wet/Dry Utility **Canister Vacuums**

Professional Heavy duty Industrial Jan-San cleaning applications.

Dayton Utility Vacuums

Cover the wide variety of tough cleaning requirements for Institutional, Government, Contractor (HVAC, Construction, Electrical, Plumbing, Etc.), Hospitality (Hotel/Motel/

Restaurant) and Hospital environments.

Commercial Stick Vacuums

Powerful, lightweight and innovative design. Reduces operator fatigue while increasing productivity. Commercial and Jan-San cleaning applications. (Carpet and hard floor dry debris pick up)

Back Pack Vacuums

Lightweight, ergonomic design, for fast commercial and Jan-San cleaning jobs.

CONTRACTOR WET/DRY VACUUMS

Contractor grade high airflow wet/dry vacuums are designed for moderate frequency use in general purpose applications.

- · Quiet operation motor housing
- · On-board tool storage
- Powerful single-stage by-pass motor
- Durable plastic tank

- Lock-On® positive connection hose system
- Convertible blower port



6, 8 & 12 Gallon Tank Vacuums

Includes:

- Deluxe 6-piece 1.25 in. dia. plastic tool set with 8 ft. Lock-On[®] hose
- Integral wide stance caster system
- Heavy duty cartridge filter
- Foam sleeve
- 12 Gal. No. 3VE20 includes tank drain

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	POWER CORD LENGTH (Ft.)
6, 8 & 12 Gall	lon Tank Vacu	ums						
3VE18	6	Poly	3.5	8.1	400	145	58	12
3VE19	8	Poly	4.5	10.8	400	185	58	12
3VE20	12	Poly	5.5	11.5	400	195	59	18



16, 22 & 32 Gallon Tank Vacuums

Includes:

- Deluxe 8-piece 2.5 in. dia. plastic tool set with 8 ft. Lock-On[®] hose.
- Large tank drain, tool storage.
- Heavy duty cartridge filter and foam sleeve.
- No. 3VE21 includes high efficiency disposable filter bag and wide stance caster system.
- No. 1UG91 includes high efficiency disposable filter bag and large rear wheel dolly with metal transport handle.
- No. 2RPD8 includes large rear wheel dolly with (2) 10 in. fully pneumatic tires and metal transport handle.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	POWER CORD LENGTH (Ft.)
16, 22 & 32 G	allon Tank Va	cuums						
3VE21	16	Poly	6.5	12.0	500	210	60	18
1UG91	22	Poly	6.5	12.0	500	210	60	18
2RPD8	32	Poly	6.5	12.0	500	210	60	20



12 & 16 Gallon Stainless Steel Tank Vacuums

Includes:

- Large tank drain.
- 22XJ47 includes deluxe 6 piece 1.25 in. plastic tool set with 8 ft. Lock-On[®] hose, wide stance platform dolly with 4 casters, heavy duty cartridge filter and foam sleeve.
- 22XJ48 includes deluxe 8 piece 2.5 in. plastic tool set with 8 ft. Lock-On® hose, large rear wheel dolly with metal transport handle, deluxe on-board tool storage, high efficiency disposable filter bag, heavy duty cartridge filter and foam sleeve.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
12 & 16 Gallo	n Stainless S	Steel Tank Va	cuums					
22XJ47	12	Stainless Steel	6.0	11.8	500	200	60	18
22XJ48	16	Stainless Steel	6.5	12.0	500	210	60	18



Long Life Brushless Motor Vacuums

Includes:

- Innovative, brushless by-pass motor design.
- Provides 5,000 hours of motor run time.
- Increased productivity and decreased downtime.
- · Large tank drain.

- Deluxe 8-piece 2.5 in. dia. plastic tool set with 8 ft. Lock-On[®] hose.
- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	AMPS @120V	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (ln.)	POWER CORD LENGTH (Ft.)
Long Life Br	ushless Moto	r Vacuums				
22XJ54	12	Poly	12.0	240	70	18
22XJ55	18	Poly	12.0	240	70	18

INDUSTRIAL WET/DRY VACUUMS

Industrial wet/dry vacuums are designed for high frequency use in heavy duty applications.

- Powerful two-stage by-pass motors (wet/dry pick up)
- Greater suction for liquids and heavier particles
- Heavy duty dollies, large tank drains (on canister models).
- Lock-On[®] positive connection hose system (on canister models).



4TB82 22XJ49

16 Gallon Plastic & 10 Gallon Stainless Steel Tank Vacuums Includes:

- Deluxe 6-piece 1.5 in. dia. metal floor cleaning kit with 10 ft. Lock-On® hose.
- Deluxe on-board tool storage.
- Heavy duty cartridge filter and foam sleeve.
- No. 22XJ49 features integral 4-wheel dolly and metal transport handle.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (ln.)	CORD LENGTH (Ft.)
16 Gallon Pla	astic & 10 Gal	lon Stainless St	eel Tank \	/acuums				
4TB82	16	Poly	2.0	8.5	750	100	80	20
22XJ49	10	Stainless Steel	2.0	8.5	750	100	80	20



22XJ46 4TB85

16 Gallon Stainless Steel & 22 Gallon Plastic Tank Vacuums Includes:

- Deluxe 6-piece 1.5 in. dia. metal floor cleaning kit with 10 ft. Lock-On[®] hose.
- Heavy duty cartridge filter and foam sleeve.
- Integral 4-wheel heavy duty vacuum cart with metal transport handle.
- Deluxe on-board tool storage.
- No. 22XJ46 features (2)10 in. fully pneumatic wheels.

NO.	TANK SIZE	TANK	PEAK	AMPS	BRUSH LIFE	@2.5 IN.	PRESSURE	LENGTH
	(Gal.)	TYPE	HP	@120V	(Hrs.)	ORIFICE	(In.)	(Ft.)
					AVERAGE	CFM	STATIC	POWER CORD

16 Gallon St	16 Gallon Stainless Steel & 22 Gallon Plastic Tank Vacuums											
22XJ46	22XJ46 16 Stainless Steel 2.0 8.5 750 100 80 50											
4TB85	22	Poly	2.0	8.5	750	100	80	20				

POWER



12 & 18 Gallon Long Life Motor Vacuums

- Long life 2 stage by-pass motor design.
 - Provides 1800 hours of motor run time.
 - Increased productivity and decreased
- Deluxe 7 piece 1.5 in dia. tool set with 12 ft. Lock-On® hose.
- · HEPA cartridge filter with foam sleeve and disposable filter bag

ITEM NO.	TANK SIZE TANK (Gal.) TYPE		AMPS @120V	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
12 & 18 Gallo	on Long Life V	/acuums				
22XJ63	12	Stainless Steel	8.0	100	80	18
22XJ64	18	Plastic	8.0	100	80	18



15 & 20 Gallon Stainless Steel Tank Vacuums

- 1.5 in. dia. tools: 7 ft. Lock-On® hose, utility nozzle with squeegee insert.
- Ultra duty cartridge filter with nanofiber media and foam sleeve.

· Side handles included on tank and motor housing.

STATIC

• Heavy duty 4-wheel dolly with 10 in. rear wheels, metal hubs, full swivel caster and integral metal transport handle.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	POWER CORD LENGTH (Ft.)
15 & 20 Gallo	on Stainless S	iteel Tank Vac	uums					
22XJ50	15	Stainless Steel	3.0	11.0	750	109	105	18
4YE62	20	Stainless Steel	4.0	11.5	800	112	107	18

AVERAGE

STATIC



Industrial Long Life Brushless Motor Vacuums Includes:

- Innovative, brushless by-pass motor design.
- Provides 5,000 hours of motor run time.
- Increased productivity and decreased downtime.
- Deluxe 10-piece commercial 1.5 in dia. tool set with 12 ft. Lock-On® hose.
- Heavy duty 4-wheel Flip-N-Pour[®] dolly, on-board tool storage, non-marking wheels.

ITEM NO.			ANK AMPS YPE @120V		PRESSURE (In.)	CORD LENGTH (Ft.)
Industrial Lo	ng Life Brush	nless Motor Vac	uums			
22XJ56	20	Stainless Steel	12.0	105	120	35
22XJ57	20	Poly	12.0	105	120	35





4YE63

Industrial Wet/Dry Vacuum Heads

Includes:

- 1.5 in. dia. tools: 7 ft. hose, utility nozzle with squeegee insert.
- Mount on 55 Gal., full remove head (FRH) drum.

Ultra duty cartridge filter with nanofiber media.

- No. 1VHG3 features Long Life Brushless Motor, provides 5,000 hours of motor run time, and 12 ft. hose.
- Nos. 4YE63 and 1VHG3 metal housing provides durability for heavy duty use.

POWER

ITEM NO.	PEAK HP	AMPS @120V	BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	CORD LENGTH (Ft.)
Industrial W	et/Dry Va	cuum He	ads			
4YE60	3.0	11.0	750	109	105	18
4YE63	4.0	11.5	800	112	107	18
1VHG3	N/A	12.0	N/A	110	125	35

AVERAGE

COMMERCIAL WET/DRY VACUUMS

Commercial wet/dry vacuums are designed for high frequency use in Commercial and Jan-San heavy duty applications. Provide routine cleaning maintenance in areas where quiet operation is preferred.

- Powerful two-stage by-pass motors (wet/dry pick up) (No. 4YE65 features a single-stage by-pass motor).
- · Greater suction for liquids and heavier particles.
- Quiet operation, deluxe tool make-ups, Lock-On[®] positive connection hose system.

AVERAGE

 Heavy duty dollies, large tank drains (12 gallon and larger canister vacuums).



6 & 10 Gallon Plastic Tank Vacuums

ncludes

- Deluxe 1.25 in. dia. tool sets: No. 4YE65 includes 8 piece set with 8 ft. Lock-On® hose and No. 4YE66 includes 7 piece set with 10 ft. Lock-On® hose.
- No. 4YE68 deluxe 10-piece Commercial 1.5 in. dia. tool set with 10 ft. Lock-On[®] hose.
- High efficiency disposable filter bag, foam sleeve and No. 4YE65 features heavy duty cartridge filter and No. 4YE66 and 4YE68 feature HEPA cartridge filter for maximum filtration efficiency.

POWER

CORD

POWER

 Heavy duty easy roll, non marking caster system. No. 4YE68 features an integral non-marking caster system with on-board tool storage caddy.

CFM

STATIC

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	LENGTH (Ft.)
6 & 10 Gallor	n Plastic Tank	Vacuums						
4YE65	6	Poly	4.5	8.0	400	180	62	18
4YE66	6	Poly	2.0	7.4	750	100	80	35
4YE68	10	Poly	2.0	7.4	750	100	80	35



12 & 16 Gallon Plastic Tank Vacuums

Includes:

- Deluxe 10-piece 1.5 in. dia. tool set with 10 ft. Lock-On[®] hose.
- Powerful convertible blower port.
- · Tank drain
- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.
- No. 6AKZ0 features integral non-marking heavy duty caster system and on-board tool storage caddy.
- Nos. 6AKZ1 and 6AKZ2 feature 4 wheel heavy duty dolly, large 10 in. non-marking rear wheels, metal transport handle and on-board tool storage basket.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	CORD LENGTH (Ft.)
12 & 16 Gallo	on Plastic Tan	k Vacuums						
6AKZ2	12	Poly	3.0	11.5	750	105	105	35
6AKZ0	16	Poly	4.0	12.0	800	107	107	35
6AKZ1	16	Poly	4.0	12.0	800	107	107	35



22XJ51 6AKY9

6 & 10 Gallon Stainless Steel Tank Vacuums

Includes:

- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.
- No. 22XJ51 deluxe 7-piece 1.25 in. dia. tool set with 10 ft. Lock-On[®] hose, heavy duty easy roll integral caster system.
- No. 6AKY9 deluxe 10-piece commercial 1.5 in dia. tool set with 10 ft. Lock-On[®] hose, 3-wheel heavy duty dolly, large 10 in. non-marking wheels.

CENT

STATIO

	ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	LENGTH (Ft.)
6 8	10 Gallon	Stainless St	eel Tank Vacuun	ns					
	22XJ51	6	Stainless Steel	2.0	7.4	750	100	80	35
	6AKY9	10	Stainless Steel	3.0	11.5	750	105	105	35

AV/EDAGE

POWER



22XJ59

Commercial Long Life Brushless Motor Vacuums

- Innovative, brushless by-pass motor design.
- Provides 5,000 hours of motor run time.
- · Increased productivity and decreased downtime.
- Deluxe 10-piece commercial 1.5 in. dia. tool set with 12 ft. Lock-On® hose.
- Nos. 22XJ58 and 22XJ60 feature heavy duty 4-wheel Flip-N-Pour® dolly, onboard tool storage basket, large 10 in. non-marking wheels.
- HEPA cartridge filter, high efficiency disposable filter bag and foam sleeve.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	AMPS @120V	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (ln.)	POWER CORD LENGTH (Ft.)
Commercial	NO. (Gal.) Commercial Long Life Brus		acuums			
22XJ59	12	Stainless Steel	12.0	105	120	35
22XJ58	16	Poly	12.0	105	120	35
22XJ60	16	Stainless Steel	12.0	105	120	35

CEM

STATIC





4 & 6 Gallon Hotel Long Life Motor Vacuums

- Long life 2 stage by-pass motor design.
- Provides 1800 hours of motor run time.
- Increased productivity and decreased downtime.
- Deluxe 8-piece commercial 1.5 in. dia. tool set with 10 ft. Lock-On® hose.

POWER

• HEPA cartridge filter, disposable filter bag and foam sleeve.

ITEM TANK SIZ NO. (Gal.)		TANK TYPE	AMPS @120V	@2.5 IN. ORIFICE	PRESSURE (In.)	CORD LENGTH (Ft.)
4 & 6 Gallon	Long Life Hot	tel Vacuums				
22XJ61	4	Stainless Steel	8.0	100	80	35
22XJ62	6	Plastic	8.0	100	80	35



Commercial Stick Vacuum

Lightweight and versatile design for added convenience and increased productivity. Adjusts to use on bare or carpeted floors. Dry pick up only.

Includes:

- Efficient and versatile 3 in 1 vacuum (converts to stick vacuum, shoulder vacuum and handheld portable vacuum).
- High efficiency disposable filter bag.
- Optional power nozzle (No. 4JMV1) attachment is available for deep down powered cleaning of carpeted floors.

ITEM NO.	CLEANING PATH (In.)	NET WEIGHT (Lbs.) (without power cord)	AMPS @120V	POWER CORD LENGTH (Ft.
Commercial	Stick & Uprig	ht Vacuums		
2YMT8	10	6	6.4	20

PORTABLE WET & DRY VACUUMS

Portable vacuums are designed to provide excellent cleaning maintenance where portability and versatility is required. For moderate frequency use in general purpose applications.

· Compact and lightweight.

• High performance, single-stage by-pass (wet/dry pick up) and "flow thru" (dry pick up only) motors.



2NYE3 2NYE4 1VHF8

1.5, 2.5 & 5 Gallon Plastic Tank Vacuums

Includes:

- Efficient by-pass motors for wet & dry pick up operation.
- No. 2NYE3 and 2NYE4 features 6 ft. x 1.25 in. hose, crevice tool, dusting brush, utility nozzle, dry disc filter, foam sleeve, on-board tool storage and 18 ft. power cord.
- No. 1VHF8 features 7 ft. x 1.5 in. Lock-On[®]
 hose, crevice tool, claw style utility nozzle, heavy
 duty cartridge filter and high efficiency disposable
 filter bag, on-board tool & cord storage, 20 ft.
 power cord.

POWER

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	CORD LENGTH (Ft.)
1.5, 2.5 and !	5 Gallon Plast	ic Tank Vacuum	ıs					
2NYE3	1.5	Poly	2.0	7.4	400	120	52	18
2NYE4	2.5	Poly	2.5	8.0	400	130	56	18
1VHF8	5.0	Poly	5.5	11.5	400	195	59	20



3 & 10 Gallon Plastic Tank & Portable Handheld Vacuums

- No. 4Z906 features lightweight, dry pick up only operation. 3 ft. x 1.25 in. hose, crevice tool, utility nozzle, removable soft snout with wide mouth for direct cleaning, disposable filter bag, adjustable shoulder strap for optional operation, 18 ft. power cord.
- No. 4YE74 features quiet operation motor housing wet/dry pick up operation. 7 ft. x 1.25 in. Lock-On[®] hose, (2) plastic extension wands, 12 in. deluxe swivel floor nozzle with brush and squeegee inserts, crevice tool, dusting brush, utility nozzle, heavy duty cartridge filter, foam sleeve and disposable filter bag. Integral cord wrap, 4 caster dolly and 18 ft. power cord.
- No. 6AKY2 features a deluxe 6-piece 1.5 in dia. plastic tool set with 12 ft. Lock-On[®] hose. Rust proof
 and dent resistant plastic tank with high performance single-stage by pass motor for wet and dry pick
 up operation. Compact and lightweight with on-board tool holder and flexible quick release 4 wheel
 dolly. Ultra duty antimicrobial cartridge filter and high efficiency disposable filter bag.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (ln.)	POWER CORD LENGTH (Ft.)
3 & 10 Gallo	n Plastic Tank	& Portable Han	d Vacuun	าร				
4 Z 906	N/A	Poly	1.5	6.8	400	105	54	18
4YE74	3.0	Poly	4.5	8.0	400	180	62	18
6AKY2	10	Poly	6.5	12.0	500	195	60	20
Filters and	Bags							
5X879	Foam sleeve f	or Nos. 4TB90, 2	NYE3, 2N	/E4, 6AKY	/2 and 4UAC7			
6H008	Dry disc filter	for Nos. 2NYE3 a	nd 2NYE4					
4TB95	Portable vacu 1TFX2	um cartridge filte	& foam sl	eeve pack	age for Nos. 1V	HF8, 13J02	20, 13J021, 4Y	E74 and
4YJ85	Collection bag	g for No. 4YE74						
4UAD2	Wall mount br	acket for No. 1VH	IF8					
6H020	Filter bag for N	No. 4Z906						
3UP65	Filter bag for N	No. 6AKY2						

BACK PACK VACUUMS

Back Pack vacuums are lightweight and ergonomically designed with special attention to cleaning productivity, indoor air quality, quiet performance and comfortable operation.

- Powerful single stage "by- pass" and two stage "flow thru" motors (dry pick up only)
- Quiet operation, deluxe tool make-up and Lock-On® positive connection hose system.



1UG82

Back Pack Vacuums, Single-Stage Motor

- 5 ft. x 1.5 in. dia. Lock-On[®] hose, (2) lightweight aluminum extension wands, wide floor nozzle, crevice tool, dusting brush and utility nozzle
- No. 1TFX2 features a heavy duty cartridge filter and high efficiency disposable filter had
- No. 1UG82 features a permanent cloth filter and high efficiency disposable filter bag. This model can use optional HEPA filter kit (1UG88) for even greater filtration efficiency. Auto resetting thermo motor protection.
- Adjustable wide shoulder/waist harness, carry handle and easy access on/off switch.

ITEM NO.	TANK TYPE	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
Back Pack V	acuums, Single	-Stage N	Motor			
1TFX2	Poly	12.0	400	210	60	25
1UG82	Poly	9.0	500	135	70	35



Back Pack Vacuums, Two-Stage Motor Includes:

- 5 ft. x 1.5 in. dia. Lock-On[®] hose, (2) lightweight aluminum extension wands and wide floor nozzle, crevice tool, dusting brush and utility nozzle.
- Efficient filtration with permanent cloth filter and high efficiency collection filter bag. These models can use optional HEPA filter kit (1UG88) for even geater filtration efficiency.
- Adjustable wide shoulder/waist harness, carry handle, easy access on/off switch and auto resetting thermo motor protection.
- No. 4TR10 operates on 400Hz frequency for aircraft cleaning.

ITEM NO.	TANK TYPE	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)					
Back Pack V	acuums, Two-S	tage Mo	tor								
4TR09	Poly	10.0	750	105	105	50					
4TR10	R10 Poly 7.5 750 95 84 50										
Filters & Baç	s										
4TR17	Micro line collect	Micro line collection filters for Nos. 4TR09, 4TR10 and 1UG82, Package of 5									
4TR18	Cloth filter for No	s. 4TR09	, 4TR10 and 1U	G82							
1UG88	HEPA cartridge f	ilter kit fo	r Nos. 4TR09, 4	TR10 and 1	UG82						
1UG89	HEPA cartridge to installed), Package of 4	ilters (fits	Dayton backpad	ck vacuums	s with kit No. 1	UG88					
1UFP3	High-efficiency of	ollection	filter bag for No.	1TFX2							
4TB95	Portable vacuum	cartridge	e filter for No. 1T	FX2							
1UG86	14in. Professiona	14in. Professional floor nozzle for Dayton Backpack Vacs									
1UG87	Turbo brush carp	oet nozzle	for Dayton Bac	kpack Vac	3						

SPECIALTY VACUUMS

Specialty vacuums feature a wide range of vacuums to tackle tough and unique cleaning applications.

- Powerful, single and two stage, by-pass (wet/dry pick up) and "flow thru" (dry pick up only) motors.
- Efficient filtration and deluxe accessory make-ups.



13J019

Toolbox Vacuum with 2.5 Gallon Portable Wet/Dry Vacuum

Includes:

- · 20 in. toolbox with removable tray and storage bins.
- 4-piece 1.25 in. plastic tool kit that stores directly inside the toolbox lid.

• Heavy duty aluminum handle and buckles.

AVERAGE

- Vac detaches from toolbox for added portability.
- Portable vacuum cartridge filter.



ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	LENGTH (Ft.)
Toolbox Vac	with 2.5 Gallo	on Portable We	t/Dry Vac					
13J019	2.5	Poly	3.5	7.5	450	135	53	18

18 Gallon Wet/Dry Vacuum with Portable Blower Includes:

- Vacuum motor detaches for use as a powerful handheld blower.
- Blower delivers up to 265 MPH air velocity with concentrator nozzle.
- · Deluxe 8-piece 2.5 in. dia. plastic tool set with 8 ft. Lock-On® hose.
- · Heavy duty cartridge filter, foam sleeve and high efficiency disposable filter bag.



TEM THE OLD THE TEMPORE TO SHOULD BE OF THE OLD THE THEORY IN THE OLD THE TEMPORE THE OLD THE OLD THE THEORY IN THE OLD THE OL	NO.	(Gal.) /et & Dry Vacuu	TYPE Im with Portabl	HP le Blower	@120V	(Hrs.)	ORIFICE	(In.)	(Ft.)
ITEM TANK SIZE TANK PEAK AMPS BRUSH LIFE @2.5 IN PRESSURE LENGTH		()				BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	LENGTH (Ft.)

3VE22

13J020

13J021



3.5 & 5 Gallon Plastic and 6 & 8 Gallon Stainless Steel Hang Up® Vacuums

Includes:

- Nos. 13J020 features 18 ft. x 1.25 in. dia. Lock-On® hose, crevice tool, dusting brush and utility nozzle. Heavy duty cartridge filter and disposable filter bag (13J022).
- No. 4UAC7 features 20 ft. x 1.5 in. dia. Stretchable Lock-On® hose, (2) aluminum extension wands, 14 in. floor nozzle with squeegee & brush inserts, crevice tool, dusting brush and claw style utility/auto nozzle. HEPA cartridge filter and foam sleeve. Wall mounting bracket.
- No. 13J021 and 4TB90 feature 18 ft. x 1.5 in. dia. Lock-On® hose, crevice tool, dusting brush and claw style utility/auto nozzle. 13J021 includes (2) extension wands, 14 in. wet/dry floor nozzle, heavy duty cartridge filter, foam sleeve and disposable filter bag (13J023). 4TB90 includes HEPA cartridge filter and foam sleeve. Wall mounting bracket.
- Conveniently mount to the wall for easy, centralized accessibility.
- Ideal for garage, factory, workbench, computer room or wherever space is at a minimum.
- Heavy duty single-stage (Nos. 13J020 and 13J021) and two-stage (Nos. 4TB90 and 4UAC7) by-pass motors (wet/dry pick up).



ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (ln.)	CORD LENGTH (Ft.)
3.5 & 5 Gallo	n Plastic and	6 & 8 Gallon Sta	inless Ste	eel Tank	Hang Up Vacu	ums		
13J020	3.5	Poly	3.5	7.5	450	135	53	6
13J021	5	Poly	5.5	9.2	450	155	57	6
4TB90	6	Stainless Steel	2	7.4	750	100	80	18
4UAC7	8	Stainless Steel	2.5	8	750	100	90	6

POWER



22XJ53

1VHF9



Includes:

- · Large capacity heavy duty vacuum and removable 2.5 Gal. portable vacuum all in one
- High efficiency disposable filter bag and tool holder

- 3-piece 1.25 in. dia. tool set (portable vacuum use)
- 7-piece 2.5 in. dia. tool set (large vacuum use)

 Heavy duty cartridge filter and portable 	
vacuum cartridge filter	

- 16 Gal. No. 22XJ53 has stainless steel tank and 4-wheel heavy duty dolly with on-board tool storage
- 20 Gal. No. 1VHF9 has deluxe wide stance caster system and tool holder



(large va	acuum usc)				AVERAGE	CFM	STATIC	POWER
ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	BRUSH LIFE (Hrs.)	@2.5 IN. ORIFICE	PRESSURE (In.)	CORD LENGTH (Ft.)
2 in 1 Wet & Dry Vacuum								
22XJ53	16	Stainless Steel	6.5	12.0	500	195	60	18
1VHF9	20	Poly	6.5	12.0	500	195	60	18

18 Gallon Plastic Tank Pump Vacuum

- Electric shutoff when liquid capacity is reached (no overflow)
- Deluxe 8-piece 2.5 in. dia. tool set with 8 ft. Lock-On® hose, heavy duty cartridge filter and foam sleeve
- Easily converts from wet/dry vacuum to pump operation
- Utility vacuum has a built-in pump to quickly pump non-hazardous liquids from its large capacity tank
- Self-priming, pumps up to 50 ft. high at 6 gpm, uses conventional garden hose (not included)
- · Heavy duty vacuum cart with 8 in. rear wheels, metal transport handle and on-board tool storage



from its I ITEM NO.	large capacity TANK SIZE (Gal.)	y tank TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (ln.)	POWER CORD LENGTH (Ft.)
18 Gallon Plastic Tank Pump Vacuum								
4TB87	18	Poly	6.5	12.0	500	195	60	18



4TB87

3UP78

Power On-Demand Vacuum

Includes:

- Power tool activated vacuum.
- Built-in receptacle for power tools.
- 3-position switch for on/off/auto operation.
- Auto power adjusts to maintain the maximum available vacuum power.
- 7 ft. x 1.5 in. dia. hose.

- 6 in. utility nozzle with brush insert.
- Universal tool adapter to fit hose to exhaust port of portable power tools.
- Heavy duty cartridge filter & high efficiency disposable filter bag.



POWER

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	PEAK HP	AMPS @120V	AVERAGE BRUSH LIFE (Hrs.)	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (ln.)	CORD LENGTH (Ft.)
Power On-Demand Vacuum								
3UP78	8	Poly	4.0	9.5	500	190	60	18



Includes:

- By-pass motor powerful enough to pick up large quantities of cold ash or fine dust. Dry pick up only.
- Thermal protective device shuts off vacuum should a preset temperature be exceeded.
- 1.25 in., dia. tool set: 4' vinyl covered Lock-On® flexible steel hose, metal intake nozzle and metal crevice tool.
- HEPA Cartridge filter and built-in 3 layer metal pre-filter.

ITEM NO.	TANK SIZE (Gal.)	TANK TYPE	AMPS @120V	CFM @2.5 IN. ORIFICE	STATIC PRESSURE (In.)	POWER CORD LENGTH (Ft.)
Ash Vacuum						
22XJ65	5	Stainless Steel	6.3	80	40	6



22XJ65



Rechargeable Vacuums

Includes:

- No. 26W721 features a detachable nozzle, utility nozzle with brush shoe, crevice tool, dusting brush, battery charger, cartridge filter and foam sleeve. Powerful motor provides quiet operation for efficient dry debris vacuuming.
- No. 26W722 features a 1.25 in., dia. hose, utility nozzle with brush shoe, dusting brush, crevice tool, wall mounting bracket, tool holder, battery charger, vehicle power cord, foam sleeve and disposable filter bag. Use for picking up wet or dry debris. Single stage, by-pass motor provides quiet operation for efficient wet/dry debris vacuuming

ITEM NO.	TANK SIZE (Gal)	TANK TYPE VOLTS		©2.5 IN. ORIFICE	PRESSURE (ln.)	USAGE
Rechargeab	. ,	TIFE	VOLIS	OHITICL	(111.)	USAGE
26W721	N/A	Plastic	9.6	N/A	17	Dry Only
26W722	1	Plastic	12	N/A	22	Wet or Dry





Industrial Walk Behind Push Sweeper

ncludes

- Easy-to-maneuver push sweeper will improve maintenance productivity with cleaner more efficient results.
- Cleans dirt, dust and debris from any hard surface including cement, tile, wood and asphalt.
- 27 in. wide cleaning path with 19 in. wide main broom & 12 in. dia. side broom. Side broom sweeps debris away from walls, curbs, etc. into cleaning path of main broom.
- Adjustable main and side brooms.
- Dent and rust resistant, structural foam frame and poly hopper.
- Large 10 in. rear wheels and heavy duty 3 in. front caster.
- Large 1.4 cu. ft. capacity, easy to empty hopper.

A	

6H003

ITEM NO.	CLEANING PATH (In.)	CAPACITY (cu. ft.)	MAIN BRUSH WIDTH (In.)	SIDE BROOM SIZE			
Industrial Walk Behind Push Sweeper							
5 Z 042	27	1.4	19	12			

Industrial Indoor/Outdoor Vacuum

Includes:

- Quickly and easily cleans, collecting litter, dirt and debris from hard surface areas or low nap commercial carpeting.
- Large 8 gallon filter/collection bag has zipper for easy emptying (filtration designed for large materials such as sawdust, leaves and small sticks. Not meant for fine dust).

ITEM NO.	CLEANING PATH (In.)	BAG CAPACITY (Gal.)	PEAK HP	AMPS @120V
Industrial I				
6H003	19	8	1 25	6.0

- Single-stage high airflow motor.
- Heavy duty nylon impeller mulches as it cleans.
- 19 in. wide nozzle with 1.5 in. dia. intake, two height settings, easy access on/off switch, built-in kickstand.
- Double insulated.

WET/DRY & DRY VACUUM ACCESSORIES AND FILTERS



Foam Sleeve Filter

For general and large-volume wet pick up applications. Use with wet/dry vacuums only.



Heavy Duty Cartridge Filter

Reusable filter provides efficient wet/dry filtration in general applications. Easy to install, remove and clean.



Antimicrobial Cartridge Filter

Nanofiber filtration media inhibits microorganism growth to help prevent stains, odors and product degradation. Has 25% more filtration area than No. 2W435.



High Efficiency Collection Filter Bags

Improve air quality in fine dust applications. Durable 2-ply construction with micro inner liner. Dry filtration only.

	SIZE (Gal.)	BAGS/ PKG.	FILTER AREA	ITEM NO.
I	High Efficier	ncy Collection	Filter Bags	
	6 Short	5	866 sq. in.	3UP64
	5-8	5	915 sq. in.	3UP65
	10-14	5	1560 sq. in.	3UP66
Ī	15-22	5	1560 sq. in.	1UG85



HEPA Cartridge Filter

Abrasion-resistant with non-stick surface to resist clogging. This highly durable, reusable filter is easy to install, remove and clean. Not intended for hazardous materials. Up to 99.97% efficient down to 0.3 microns on wet/dry debris.



Portable Vacuum HEPA Cartridge Filter

HEPA filtration media has a non-stick surface to resist clogging and help maintain suction power. Highly durable, reusable filter is easy to clean, install and remove. Not intended for hazardous materials. Up to 99.7% efficient down to 0.3 microns on wet/dry debris.

1½ in. ACCESSORIES

Fits wet/dry vacuums with 1 1/2 in. diameter hose systems





2NYE7 7 in. Plastic Gulper Tool (use with hose only)



6X886 7 in. Metal Gulper Tool (use with hose only)



6AKY7 Drain Maintenance Tool



Hoses & Adapters

Fits Dayton, Contractor, Industrial and Commercial wet/dry vacuums. Also fits specialty vacuums 1VHF8, 6AKY2, 3VE22, 22XJ53, 1VHF9, 4TB87 and 3UP78.





DESCRIPTION	ITEM NO.
Hoses & Adapters	
Universal Tool Adapter	4YJ86
11/4 in. x 8 ft. Crush-resistant Hose	2 Z 290
11/4 in. x 12 ft. Stretchable Hose	4UAC8
1½ in. x 7 ft. Crush-resistant Hose	5X882
1½ in. x 12 ft. Crush-resistant Hose	3UP61
1½ in. x 12 ft. Premium Crush-resistant Hose	5AU40
1½ in. x 12 ft. Stretchable Hose	4UAD1
1½ in. x 18 ft. Crush-resistant Hose	6X077
1½ in. x 25 ft. Crush-resistant Hose	3UP59
1½ in. x 25 ft. Premium Crush-resistant Hose	5AU41
2½ in. x 8 ft. Hose with 2½in. Coupler	2 Z 212
2½ in. x 12 ft. Stretchable Hose	4UAC9

WET/DRY VACUUM PICK UP KITS



11/4 in. dia. Pick up Kit

(2) Plastic extension wands, deluxe 12 in. master nozzle brush insert, squeegee insert, crevice tool, dusting brush and utility nozzle. Fits vacuums with 1 1/4 in. diameter hoses.



21/2 in. dia. Pick up Kit

(2) 20 in. extension tubes, 6 ft. x $2\frac{1}{2}$ in. hose, car tool, crevice tool, dusting brush and 14 in. floor nozzle. Fits Dayton, Contractor, Industrial and Commercial wet/dry vacuums. Also fits specialty vacuums 1VHF8, 6AKY2, 3VE22, 22XJ53, 1VHF9, 4TB87 and 3UP78.



Vehicle Detail/Cleaning Kit

12 ft x 1½ in. dia. hose, crevice tool, round dusting brush and efficient claw-style nozzle. Fits Dayton, Contractor, Industrial and Commercial wet/dry vacuums. Also fits specialty vacuums 1VHF8, 6AKY2, 3VE22, 22XJ53, 1VHF9, 4TB87 and 3UP78.



Micro Cleaning Kit for 11/4 in. Hose

6-piece kit cleans keyboards, computers and small appliances. Fits vacuums with 1 1/4 in. diameter hoses.



4-Piece 1½ in. dia. Floor Kit

(2) interlocking metal extension wands, 14 in. metal master nozzle (with brush) and squeegee insert. Fits vacuums with 1 1/2 in. diameter hoses.



7-piece 1½ in. dia. Poly Vacuum Accessory Kit

(2) plastic extension wands, 14 in. wet/dry floor nozzle, dusting brush, utility nozzle, crevice tool and curved elbow grip. Fits vacuums with 1 1/2 in. diameter hoses.



9-Piece 1½ in. dia. Commercial Kit

(2) interlocking metal extension wands, 14 in. ABS master nozzle, brush, rug and squeegee shoes, crevice tool, dusting brush and utility nozzle. Fits vacuums with 1 1/2 in. diameter hoses.



9-Piece 1½ in. dia. Professional Metal Kit

(2) 2 ft. interlocking metal extension wands, 14 in. master nozzle, brush, rug and squeegee shoes, utility nozzle, crevice tool and dusting brush. Fits vacuums with 1 1/2 in. diameter hoses.



Gutter Cleaning Kit

Durable Plastic attachments extend the reach of most Dayton Brand wet/dry vacuums. Fits 2½ in. dia. ports and hoses. (2) extension wands, 120° elbow, and concentrator nozzle.



Floating Floor Nozzle

Adjustable-height nozzle picks up wet and dry material in both forward and reverse directions. 20 in. wide vacuum nozzle front mounts easily to Nos. 22XJ56, 22XJ57, 22XJ58, 22XJ59, 22XJ60, 4YE62, 6AKZ1 and 6AKZ2. Variegated polyurethane squeegee blades and all necessary hose and mounting hardware.

Dayton® Stick Vacuum Filters and Accessories

DESCRIPTION	ITEM NO.
Dayton® Stick Vacuum Filters and Accessories	
Vacuum Filter Bags, Package of 5	2YMU3
Turbo Brush Vacuum Nozzle, 1.25 in. dia.	2YMU4
Motorized Floor Nozzle, 1.25 in. dia.	4JMV1

All specifications contained within are subject to change.

