



## **Material Safety Data Sheet**

RISK PHRASES **PROTECTIVE CLOTHING HAZARD WARNINGS** Toxic compound, do not ingest or inhale. Avoid all contact with Irritating to skin, eyes, and the respiratory system. Sensitizer. Teratogenic material.

Section I. Chemical Product and Company Identification					
Chemical Name	Amitriptyline Hydrochloride				
Catalog Number	A0908	Supplier	TCI America 9211 N. Harborgate St. Portland OR 1-800-423-8616  Chemtrec® (800) 424-9300 (U.S.)		
Synonym	Not available.				
Chemical Formula	C <sub>20</sub> H <sub>23</sub> N•HCl				
CAS Number	549-18-8	In case of Emergency			
		Call	(703) 527-3887 (International)		

Section II. Composition and Information on Ingredients					
Chemical Name	CAS Number	Percent (%)	TLV/PEL	Toxicology Data	
Amitriptyline Hydrochloride	549-18-8	Min. 98.0 (T)		Rat LD <sub>50</sub> (oral) 240mg/kg Mouse LD <sub>50</sub> (intraperitoneal) 65mg/kg Human TD <sub>L0</sub> (oral) 200mg/kg	

Acute Health Effects Toxic if ingested or inhaled. Avoid prolonged contact with this material. Overexposure may result in serious illness or death. Irritating to eyes and skin on contact. Inhalation causes irritation of the lungs and respiratory system. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound. **CARCINOGENIC EFFECTS**: Not available. Chronic Health Effects MUTAGENIC EFFECTS : Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITYReproductive: rat (subcutaneous) 220mg/kg. Duration: female 1-22 days of pregnancy. Effects on newborn- Still birth. Effects on newborn- Behavioral. mouse (oral) 70mg/kg. Duration: male 5 days prior to mating.

Paternal effects- spermatogenisis. Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or

	, ,
Section IV.	First Aid Measures
Eye Contact	Check for and remove any contact lenses. IMMEDIATELY flush eyes with runing water for at least 15 minutes. keeping eyelids open. COLD water may be used. DO NOT use an eye oitment. Flush eyes with running water for a minimum of 15 minutes, occasionally lifting the upper eyelids. Seek medical attention. Treat symptomatically and supportively.
Skin Contact	After contact with skin, wash immediately with plenty of water. Gently and thorough wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. COLD water may be used. Cover the irritated skin with an emollient. Seek medical attention. Treat symptomatically and supportively. Wash any contaminated clothing before reusing.
Inhalation	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform artificial respiration. WARNING: It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation when the inhaled material is toxic, infectious or corrosive. Seek immediate medical attention and, if possible, show the chemical label. Treat symptomatically and supportively.
Ingestion	INDUCE VOMITING by sticking finger in throat. Lower the head so that the vomit will not reenter the mouth and throat. Loosen tight clothing such as a collar, tie, belt, or waistband. If the victim is not breathing, administer artificial respiration. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Seek immediate medical attention and, if possible, show the chemical label. Treat symptomatically and supportively.

Emergency phone number (800) 424-9300

A0908	Amitriptyline Hydrochloride Page 2							
Section V. Fire and Explosion Data								
Flammability	May be combustible at high temperature.	Auto-Ignition	Not available.					
Flash Points	Not available.	Flammable Limits	Not available.					
Combustion Products		These products are toxic carbon oxides (CO, CO <sub>2</sub> ), nitrogen oxides (NO <sub>x</sub> ), halogenated compounds. WARNING: Highly toxic HCl gas is produced during combustion.						
Fire Hazards	No specific information is available regarding the flammability of this compound in the presence of various materials.							
Explosion Hazards	Risks of explosion of the product in presence	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available. No additional information is available regarding the risks of explosion.						
Fire Fighting Media and Instructions		SMALL FIRE: Use DRY chemicals, CO <sub>2</sub> , water spray or foam.  LARGE FIRE: Use water spray, fog or foam. DO NOT use water jet.						
Section VI. A	ccidental Release Measures	ccidental Release Measures						
Spill Cleanup Instructions	Toxic material. Irritating material. Sensitizing material. Teratogenic material. In case of a spill and/or a leak, always shut off any sources of ignition, ventilate the area, and exercise caution. Use a shovel to put the material into a convenient waste disposal container. Consult federal, state, and/or local authorities for assistance on disposal.							
Section VII. H	andling and Storage							
Handling and Storage Information	TOXIC. IRRITANT. SENSITIZER. TERATOGENIC. Handle with caution and minimize exposure. Keep away from heat and sources of ignition. Mechanical exhaust required. When not in use, tightly seal the container and store in a dry, cool place. Avoid excessive heat and light. DO NOT ingest. DO NOT breathe dust. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Treat symptomatically and supportively. Always store away from incompatible compounds such as oxidizing agents.							
Section VIII. E	xposure Controls/Personal Protection							
Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.							
Personal Protection	Splash goggles. Lab coat. Dust respirator. Boots. Gloves. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.							
Exposure Limits	Not available.	Not available.						
Section IX. P	hysical and Chemical Prope	rties						
Physical state @ 20°C	White powder.	Solubility	Freely soluble in water, chloroform, alcohol.					
Specific Gravity	Not available.		alconor.					
Molecular Weight	313.86	Partition Coefficient	Not available.					
<b>Boiling Point</b>	Not available.	Vapor Pressure	Not available.					
Melting Point	195 to 200°C (383 to 392°F)	Vapor Density	Not available.					
Refractive Index	Not available.	Volatility	Not available.					
Critical Temperature	Not available.	Odor	Not available.					
Viscosity	Not available.	Taste	Not available.					
Section X. S	tability and Reactivity Data							
Stability	This material is stable if stored under proper conditions. (See Section VII for instructions)							
Conditions of Instability	Avoid excessive heat and light.							
Incompatibilities	Reactive with strong oxidizing agents.							

Section XI. Toxicological Information

RTECS Number

HO9450000

Routes of Exposure

Eye contact. Ingestion. Inhalation. Skin contact.

Toxicity Data

Rat LD<sub>50</sub> (oral) 240mg/kg

Mouse LD<sub>50</sub> (intraperitoneal) 65mg/kg Human TD<sub>LO</sub> (oral) 200mg/kg

Chronic Toxic Effects

CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITYReproductive: rat (subcutaneous) 220mg/kg. Duration: female 1-22 days of pregnancy.

Effects on newborn- Still birth.

Effects on newborn- Behavioral.

mouse (oral) 70mg/kg. Duration: male 5 days prior to mating.

Paternal effects- spermatogenisis.

Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or

Acute Toxic Effects

Toxic if ingested or inhaled. Avoid prolonged contact with this material. Overexposure may result in serious illness or death. Irritating to eyes and skin on contact. Inhalation causes irritation of the lungs and respiratory system. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Follow safe industrial hygiene practices and always wear proper

protective equipment when handling this compound.

Section XII. Ecological Information

Ecotoxicity

Not available.

**Environmental Fate** 

Not available

**Disposal Considerations** Section XIII.

Waste Disposal

Recycle to process, if possible. Consult your local or regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state, and local regulations when disposing of the substance.

Section XIV. Transport Information

DOT Classification

DOT CLASS 6.1: Toxic material

PIN Number Proper Shipping Name

Toxic solids, organic, n.o.s.

Packing Group (PG)

UN2811

DOT Pictograms

Section XV. Other Regulatory Information and Pictograms

TSCA Chemical Inventory

(EPA)

This compound is ON the EPA Toxic Substances Control Act (TSCA) inventory list.

WHMIS Classification

(Canada)

Not available.

EINECS Number (EEC)

208-964-6

**EEC Risk Statements** 

R23/24/25- Toxic by inhalation, in contact with skin and if swallowed.

R36/37/38- Irritating to eyes, respiratory system and skin.

Japanese Regulatory Data

Not available.

Section XVI. Other Information

Version 1.0

Validated on 12/22/1999.

Printed 1/12/2005.

**Notice to Reader** 

Emergency phone number (800) 424-9300

A0908 Amitriptyline Hydrochloride

Page 4

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, facial mask, fume hood). For proper handling and disposal, always comply with federal, state, and local regulations.

Printed 1/12/2005.