



Material Safety Data Sheet

HAZARD WARNINGS

RISK PHRASES

PROTECTIVE CLOTHING

Harmful compound, minimize exposure.
Sternutator.
CARCINOGEN. MINIMIZE EXPOSURE.

Section I.	Chemical Product and Company Identifica	ation		
Chemical Name	o-Dianisidine Dihydrochloride [for Biochemical Research]			
Catalog Number	D3893	Supplier	TCI America 9211 N. Harborgate St.	
Synonym	[1,1'-Biphenyl]-4,4'-diamine, 3,3'-dimethoxy-, hydrochloride (1:2) (CA INDEX NAME); 3,3'-Dimethoxybenzidine Dihydrochloride; 4,4'-Diamino-3,3'-dimethoxybiphenyl Dihydrochloride; Fast Blue B 2HCl		Portland OR 1-800-423-8616	
Chemical Formula	$C_{14}H_{16}N_2O_2 \cdot 2HC1$		***************************************	
CAS Number	20325-40-0	In case of Emergency Call	Chemtrec® (800) 424-9300 (U.S.) (703) 527-3887 (International)	
i			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

Section II. Composition and Information on Ingredients					
Chemical	Name	CAS Number	Percent (%)	TLV/PEL	Toxicology Data
o-Dianisidine Dihydrochloride [for Blochemical Flesearch]		20325-40-0	Min. 98.0 (T)	This chemical is classified as a carcinogen. There is no acceptable exposure limit for a carcinogen.	Not available.

		carcinoge	en.	
Section III.	n III. Hazards Identification			
Acute Health Effects		Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.		
Chronic Health Effects	CARCINOGENIC EFFECTS: Carcin MUTAGENIC EFFECTS: Not availate TERATOGENIC EFFECTS: Tumori Rat TD Oral 11gm/kg for 51 weeks in TOXIC EFFECTS: Tumorigenic - Carcinogenic by RTEC Sense Organs and Special Senses - Skin and Appendages - Tumors Rat TD Oral 6497 mg/kg for 91 week TOXIC EFFECTS: Tumorigenic - Carcinogenic by RTEC Gastrointestinal - Tumors Liver - Tumors Rat TDLo Oral 2822.4 mg/kg for 84 w TOXIC EFFECTS: Tumorigenic - Carcinogenic by RTEC Brain and Coverings - Tumors Liver - Tumors Liver - Tumors DEVELOPMENTAL TOXICITY: Not a Repeated or prolonged exposure to til	able. genic effects. itermittent S criteria Tumors s continuous S criteria veeks continuous S criteria	o aggravate existing me	edical conditions.

Section IV.	First Aid Measures		
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.		
Skin Contact	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.		
Inhalation	If the victim is not breathing, perform mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, oxygen can be administered. Seek medical attention if respiration problems do not improve.		
Ingestion	INDUCE VOMITING by sticking finger in throat. Lower the head so that the vomit will not reenter the mouth and throat. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive.		

D3893		sidine Dihydrochlo	ride Page 2	
Section V.	Fire and Explosion Data	ioi Biodiomical ricocarcing		
Flammability	May be combustible at high temperature.	Auto-Ignition	Not available.	
Flash Points	Not available.	Flammable Limits	Not available.	
Combustion Products	These products are toxic carbon oxides (CC WARNING: Highly toxic HCl gas is produced), halogenated compounds.	
Fire Hazards	Not available.			
Explosion Hazards	Risks of explosion of the product in presence Risks of explosion of the product in presence			
Fire Fighting Media and Instructions		SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. DO NOT use water jet. Consult with local fire authorities before attempting large scale fire-fighting operations.		
Section VI.	Accidental Release Measures	s		
Spill Cleanup Instructions		Harmful material. Carcinogenic material. This material is a sternutator. Use a shovel to put the material into a convenient waste disposal container. Consult federal, state, and/or local authorities for assistance on disposal.		
Section VII.	Handling and Storage			
Handling and Storage Information	HARMFUL. CARCINOGEN. STERNUTATO seal the container and store in a dry, cool plands always store away from incompatible compo	ace. Avoid excessive heat and li	anical exhaust required. When not in use, tightly ght. Do not breathe dust.	
Section VIII.	Exposure Controls/Personal	Protection		
Engineering Controls			ols to keep airborne levels below recommended tion to keep exposure to airborne contaminants	
Personal Protection		Splash goggles. Lab coat. Dust respirator. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. Be sure to use a MSHA/NIOSH approved respirator or equivalent.		
Exposure Limits	This chemical is classified as a carcinogen.	There is no acceptable exposure	limit for a carcinogen.	
Section IX.	Physical and Chemical Prope	erties		
Physical state @ 20°C	Solid. (White ~ bluish-grey, crystal ~ powder.) Not available.	Solubility	Not available.	
Specific Gravity	317.21	Partition Coefficient	Not available.	
Molecular Weight Boiling Point	Not available.			
		Vapor Pressure	Not applicable.	
Melting Point	269℃ (516.2°F)	Vapor Density	Not available.	
Refractive Index	Not available.	Volatility	Not available.	
Critical Temperature	Not available.	Odor	Not available.	
Viscosity	Not available.	Taste	Not available.	
Section X.	Stability and Reactivity Data			
Stability	This material is stable if stored under proper	conditions. (See Section VII for	instructions)	
Conditions of Instability	Avoid excessive heat and light.	Avoid excessive heat and light.		
Incompatibilities	Reactive with oxidizing agents.			
Section XI.	Toxicological Information			
RTECS Number	DD1050000			
Routes of Exposure	Eye Contact. Ingestion. Inhalation.			
Toxicity Data	Not available.			
Continued on	Next Page Em	ergency phone nun	nber (800) 424-9300	

D3893 o-Dianisidine Dihydrochloride Page 3 [for Biochemical Research] CARCINOGENIC EFFECTS: Carcinogenic by RTECS criteria. Chronic Toxic Effects MUTAGENIC EFFECTS : Not available. TERATOGENIC EFFECTS: Tumorigenic effects. Rat TD Oral 11gm/kg for 51 weeks intermittent TOXIC EFFECTS: Tumorigenic - Carcinogenic by RTECS criteria Sense Organs and Special Senses - Tumors Skin and Appendages - Tumors Rat TD Oral 6497 mg/kg for 91 weeks continuous TOXIC EFFECTS: Tumorigenic - Carcinogenic by RTECS criteria Gastrointestinal - Tumors Liver - Tumors Rat TDLo Oral 2822.4 mg/kg for 84 weeks continuous TOXIC EFFECTS: Tumorigenic - Carcinogenic by RTECS criteria Brain and Coverings - Tumors Liver - Tumors **DEVELOPMENTAL TOXICITY: Not available.** Repeated or prolonged exposure to this compound is not known to aggravate existing medical conditions. Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Acute Toxic Effects Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

Section XII. Ecological Information

Ecotoxicity Not available.

Environmental Fate Not available

Section XIII. Disposal Considerations

Waste Disposal

Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all

federal, state and local regulations when disposing of the substance.

Section XIV. Transport Information

DOT Classification Not a DOT controlled material (United States).

PIN Number Not applicable.

Proper Shipping Name Not applicable.

Packing Group (PG) Not applicable.

DOT Pictograms

(EPA)



Section XV. Other Regulatory Information and Pictograms

TSCA Chemical Inventory This compound is **ON** the EPA Toxic Substances Control Act (TSCA) inventory list.

WHMIS Classification CLASS D-2B: Material causing other toxic effects (TOXIC).

(Canada) On DSL.

EINECS Number (EEC) 243-737-5

EEC Risk Statements R20/21/22- Harmful by inhalation, in contact with skin and if swallowed.

R45- May cause cancer.

Japanese Regulatory Data Not available.

Section XVI. Other Information

Version 1.0 Validated on 1/5/2010. Printed 1/5/2010.

Notice to Reader

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product updated periods are products that are stored for extended periods. Disposal of unused product updated periods are products that are stored for extended periods. Disposal of unused product updated periods are products that are stored for extended periods. Disposal of unused product updated periods are products that are stored for extended periods. Disposal of unused product updated periods are products that are stored for extended periods. Disposal of unused product updated periods are products that are stored for extended periods. Disposal of unused product updated periods are products that are stored for e