



Material Safety Data Sheet

HAZARD WARNINGS

RISK PHRASES

PROTECTIVE CLOTHING

Flammable material; avoid heat and sources of ignition.
Harmful compound, minimize exposure.
Irritating to skin, eyes, and the respiratory system.
Lachrymator.
Possible carcinogenic and mutagenic material.

| Section I. Chemical Product and Company Identification | | | | |
|--|----------------------|---------------------------|--|--|
| Chemical Name | Ethynylbenzene | | | |
| Catalog Number | E0196 | Supplier | TCI America 9211 N. Harborgate St. | |
| Synonym | Phenylacetylene | | Portland OR 1-800-423-8616 | |
| Chemical Formula | C ₆ H₅CCH | | | |
| CAS Number | 536-74-3 | In case of Emergency Call | Chemtrec® (800) 424-9300 (U.S.) (703) 527-3887 (International) | |
| | | | | |

| Section II. Composition and Information on Ingredients | | | | | | |
|--|------------|-------------|---|---|--|--|
| Chemical Name | CAS Number | Percent (%) | TLV/PEL | Toxicology Data | | |
| Ethynylbenzene | 536-74-3 | 97% (GC) | This chemical is classified as a possible carcinogen. There is no acceptable exposure limit for a carcinogen. This compound is classified as a possible mutagen. There is no acceptable exposure limit for a mutagen. | Rat LD _{LO} (oral) 10mL/kg Mouse LD ₅₀ (intravenous) 100mg/kg | | |

Section III. Hazards Identification Acute Health Effects Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Irritating to eyes and skin on contact. Inhalation causes irritation of the lungs and respiratory system. Inflammation of the

Irritating to eyes and skin on contact. Inhalation causes irritation of the lungs and respiratory system. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

Chronic Health Effects

CARCINOGENIC EFFECTS: Not available.

MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITYNot available.

There is no known effect from chronic exposure to this product. Repeated or prolonged exposure to this compound is not known to aggravate existing medical conditions.

| Section IV. | First Aid Measures |
|--------------|---|
| Eye Contact | Check for and remove any contact lenses. IMMEDIATELY flush eyes with runing water for at least 15 minutes. keeping eyelids open. COLD water may be used. DO NOT use an eye oitment. Flush eyes with running water for a minimum of 15 minutes, occasionally lifting the upper eyelids. Seek medical attention. Treat symptomatically and supportively. |
| Skin Contact | After contact with skin, wash immediately with plenty of water. Gently and thorough wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. COLD water may be used. Cover the irritated skin with an emollient. Seek medical attention. Treat symptomatically and supportively. Wash any contaminated clothing before reusing. |
| Inhalation | Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform artificial respiration. Seek medical attention. Treat symptomatically and supportively. |
| Ingestion | INDUCE VOMITING by sticking finger in throat. Lower the head so that the vomit will not reenter the mouth and throat. Loosen tight clothing such as a collar, tie, belt, or waistband. If the victim is not breathing, administer artificial respiration. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. Seek immediate medical attention and, if possible, show the chemical label. Treat symptomatically and supportively. |

| E0196 | Ethynylbenzene Page 2 | | | | | | |
|--|--|---|--|--|--|--|--|
| Section V. Fire and Explosion Data | | | | | | | |
| Flammability | Flammable. | Auto-Ignition | Not available. | | | | |
| Flash Points | 31°C (87.8°F). | Flammable Limits | Not available. | | | | |
| Combustion Products | These products are toxic carbon oxides | These products are toxic carbon oxides (CO, CO ₂). | | | | | |
| Fire Hazards | | Reactive with strong oxidizers. Vapors may travel to source of ignition and flash back. Closed containers may explode from heat of a fire. Highly flammable in presence of open flames nad sparks, of heat. | | | | | |
| Explosion Hazards | Risks of explosion of the product in pres | Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available. No additional information is available regarding the risks of explosion. | | | | | |
| Fire Fighting Media and Instructions | | | | | | | |
| Section VI. | Accidental Release Measur | es | | | | | |
| Spill Cleanup Instructions | Keep away from heat and sources of ig earth, sand or other non-combustible m | Flammable liquid. Harmful material. Irritating material. Lachrymatory. Possible carcinogenic and mutagenic material. Keep away from heat and sources of ignition. Mechanical exhaust required. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. DO NOT touch spilled material. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all sources of ignition. Consult federal, state, and/or local authorities for assistance on disposal. | | | | | |
| Section VII. H | landling and Storage | | | | | | |
| Handling and Storage Information | FLAMMABLE. HARMFUL. IRRITANT. LACHRYMATOR. POSSIBLE CARCINOGEN AND MUTAGEN. Do not breathe gas, fumes, vapor or spray. Always store away from incompatible compounds such as oxidizing agents, acids. Reactive with strong oxidizers; may be ignited by heat, sparks or flames. Vapors may travel to source of ignition and flash back. Closed containers may explode from heat of a fire. Empty containers may pose a fire risk. Evaporate residue under a fume hood if possible. Ground all equipment containing material. Handle with caution and minimize exposure. Keep away from heat and sources of ignition. Tightly seal container and store in a cool, dry place. Use only non-sparking hand tool when handling this product. | | | | | | |
| Section VIII. | Exposure Controls/Person | al Protection | | | | | |
| Engineering Controls | | Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash station and safety shower is proximal to the work-station location. | | | | | |
| Personal Protection | | Splash goggles. Lab coat. Vapor respirator. Boots. Gloves. Be sure to use a MSHA/NIOSH approved respirator or equivalent. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. | | | | | |
| | | | | | | | |
| Exposure Limits | the state of the s | This chemical is classified as a possible carcinogen. There is no acceptable exposure limit for a carcinogen. This compound is classified as a possible mutagen. There is no acceptable exposure limit for a mutagen. | | | | | |
| Section IX. Physical and Chemical Properties | | | | | | | |
| Physical state @ 20°C | Liquid. | Solubility | Insoluble in water. Miscible with alcohol, ether, other organic | | | | |
| Specific Gravity | 0.93 | _ | solvents. | | | | |
| Molecular Weight | 102.13 | Partition Coefficient | Not available. | | | | |
| Boiling Point | 144°C (291.2°F) | Vapor Pressure | 17.6 mm of Hg @ 37.7°C | | | | |
| Melting Point | -45°C (-49°F) | Vapor Density | Not available. | | | | |
| Refractive Index | 1.5489 @ 20°C | Volatility | Not available. | | | | |
| Critical Temperature | Not available. | Odor | Not available. | | | | |
| Viscosity | Not available. | Taste | Not available. | | | | |
| Section X. | Stability and Reactivity Dat | a | | | | | |

Stability This material is stable if stored under proper conditions. (See Section VII for instructions)

Conditions of Instability Avoid excessive heat and light.

Incompatibilities Reactive with oxidizing agents, acids, halogens and alkali metals.

Emergency phone number (800) 424-9300

Section XI. Toxicological Information

RTECS Number

DA0780000

Routes of Exposure

Eye contact. Ingestion. Inhalation. Skin contact.

Toxicity Data

Rat LD_{LO} (oral) 10mL/kg

Mouse LD₅₀ (intravenous) 100mg/kg

Chronic Toxic Effects

CARCINOGENIC EFFECTS: Not available **MUTAGENIC EFFECTS**: Not available. TERATOGENIC EFFECTS: Not available **DEVELOPMENTAL TOXICITY**Not available.

There is no known effect from chronic exposure to this product. Repeated or prolonged exposure to this compound is not

known to aggravate existing medical conditions.

Acute Toxic Effects

Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Irritating to eyes and skin on contact. Inhalation causes irritation of the lungs and respiratory system. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

Section XII. Ecological Information

Ecotoxicity

Not available.

Environmental Fate

Not available.

Section XIII. **Disposal Considerations**

Waste Disposal

Recycle to process, if possible. Consult your local or regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state, and local regulations when disposing of the substance.

Section XIV. Transport Information

DOT Classification

DOT CLASS 3: Flammable liquid.

PIN Number

UN3295

Proper Shipping Name

Hydrocarbons, liquid, n.o.s.

Packing Group (PG)

DOT Pictograms



Section XV. Other Regulatory Information and Pictograms

TSCA Chemical Inventory

(EPA)

This compound is ON the EPA Toxic Substances Control Act (TSCA) inventory list.

WHMIS Classification

(Canada)

WHMIS CLASS B-2: Flammable liquid with a flash point lower than 35°C (100°F).

EINECS Number (EEC)

208-645-1

EEC Risk Statements

R10- Flammable.

R18- In use, may form flammable/explosive vapor-air mixture.

R20/21/22- Harmful by inhalation, in contact with skin and if swallowed. R36/37/38- Irritating to eyes, respiratory system and skin.

R45- May cause cancer.

R46- May cause heritable genetic damage

Japanese Regulatory Data

Not available.

Section XVI. Other Information

Version 1.0

Validated on 1/21/2004.

Printed 2/16/2005.

Notice to Reader

Emergency phone number (800) 424-9300

E0196 Ethynylbenzene Page 4

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, facial mask, fume hood). For proper handling and disposal, always comply with federal, state, and local regulations.

Printed 2/16/2005.