



# **Material Safety Data Sheet**

HAZARD WARNINGS	RISK PHRASES	PROTECTIVE CLOTHING
	Toxic compound, do not ingest or inhale. Avoid all contact with this material.  Moisture sensitive material.	

Section I. Chemical Product and Company Identification			
Chemical Name	Nicardipine Hydrochloride		
Catalog Number	N0635	Supplier	TCI America 9211 N. Harborgate St.
Synonym	Not available.		Portland OR 1-800-423-8616
Chemical Formula	$C_{26}H_{29}N_3O_6$ •HCl		
CAS Number	54527-84-3	In case of Emergency Call	Chemtrec® (800) 424-9300 (U.S.) (703) 527-3887 (International)
			***************************************

Section II. Comp	osition and In	forma	tion on Ing	gredients	
Chemical Name	CAS	Number	Percent (%)	TLV/PEL	Toxicology Data
Nicardipine Hydrochloride		27-84-3	Min. 98.0 (HPLC, T)		Rat LD $_{50}$ (oral) 184 mg/kg Rat LD $_{50}$ (intraperitoneal) 155 mg/kg Mouse LD $_{50}$ (oral) 322 mg/kg

Section III.	Hazards Identification
Acute Health Effects	Toxic if ingested or inhaled. Avoid prolonged contact with this material. Overexposure may result in serious illness or death. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.
Chronic Health Effects	CARCINOGENIC EFFECTS: Not available.  MUTAGENIC EFFECTS: Not available.  TERATOGENIC EFFECTS: Not available.  DEVELOPMENTAL TOXICITY: Reproductive Effects.  Rat TDLo Intravenous 110 mg/kg female 7-17 days of pregnancy.  TOXIC Effects:  Effects on Fertility - Litter size.  Effects on Embryo or Fetus - Fetal death.  Effects on Newborn - Viability index.  Rat TDLo Intravenous 60 mg/kg female 17-22 days of pregnancy.  TOXIC Effects:  Effects on Embryo or Fetus - Fetotoxicity.  Rabbit TDLo Oral 1650 mg/kg female 7-17 days of pregnancy.  TOXIC Effects:  Effects on Fertility - Post-implantation mortality.  Effects on Fertility - Litter size.  Effects on Embryo or Fetus - Fetal death.  Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section IV.	First Aid Measures
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
Inhalation	If the victim is not breathing, perform mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, oxygen can be administered. Seek medical attention if respiration problems do not improve.
Ingestion	INDUCE VOMITING by sticking finger in throat. Lower the head so that the vomit will not reenter the mouth and throat. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive.

N0635	Nicardipine Hydrochloride Page 2			
Section V.	Fire and Explosion Data			
Flammability	May be combustible at high temperature.	Auto-Ignition	Not available.	
Flash Points	Not available.	Flammable Limits	Not available.	
Combustion Products		These products are toxic carbon oxides (CO, CO <sub>2</sub> ), nitrogen oxides (NO, NO <sub>2</sub> ), halogenated compounds. WARNING: Highly toxic HCl gas is produced during combustion.		
Fire Hazards	Not available.			
Explosion Hazards		Risks of explosion of the product in presence of mechanical impact: Not available.  Risks of explosion of the product in presence of static discharge: Not available.		
Fire Fighting Media and Instructions		SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. DO NOT use water jet. Consult with local fire authorities before attempting large scale fire-fighting operations.		
Section VI.	Accidental Release Measures	S		
Spill Cleanup Instructions	Toxic material. Moisture sensitive material.  Stop leak if without risk. DO NOT get water inside container. DO NOT touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all sources of ignition. Consult federal, state, and/or local authorities for assistance on disposal.			
Section VII.	Handling and Storage			
Handling and Storage Information	TOXIC. MOISTURE SENSITIVE. Keep locked up. Keep away from heat. Mechanical exhaust required. When not in use, tightly seal the container and store in a dry, cool place. Avoid excessive heat and light. DO NOT ingest. Do not breathe dust. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Treat symptomatically and supportively.  Always store away from incompatible compounds such as oxidizing agents.			
Section VIII.	Exposure Controls/Personal Protection			
Engineering Controls		Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants		
Personal Protection				
Exposure Limits	Not available.	Not available.		
Section IX.	Physical and Chemical Prope	erties		
Physical state @ 20°C	Solid. (Light Yellow Crystalline Powder.)	Solubility	Not available.	
Specific Gravity	Not available.			
Molecular Weight	515.99	Partition Coefficient	Not available.	
<b>Boiling Point</b>	Not available.	Vapor Pressure	Not applicable.	
Melting Point	168 to 170 °C (334.4 to 338 °F)	Vapor Density	Not available.	
Refractive Index	Not available.	Volatility	Not available.	
Critical Temperature	Not available.	Odor	Not available.	
Viscosity	Not available.	Taste	Not available.	
Section X.	Stability and Reactivity Data			
Stability	This material is stable if stored under proper conditions. (See Section VII for instructions)			
Conditions of Instability	Avoid excessive heat and light.			
Incompatibilities	Reactive with strong oxidizing agents.			

N0635	Nicardipine Hydrochloride Page 3
Section XI.	Toxicological Information
RTECS Number	US7972100
Routes of Exposure	Eye Contact. Ingestion. Inhalation.
Toxicity Data	Rat LD <sub>50</sub> (oral) 184 mg/kg Rat LD <sub>50</sub> (intraperitoneal) 155 mg/kg Mouse LD <sub>50</sub> (oral) 322 mg/kg
Chronic Toxic Effects	CARCINOGENIC EFFECTS: Not available.  MUTAGENIC EFFECTS: Not available.  TERATOGENIC EFFECTS: Not available.  DEVELOPMENTAL TOXICITY: Reproductive Effects.  Rat TDLo Intravenous 110 mg/kg female 7-17 days of pregnancy.  TOXIC Effects:  Effects on Fertility - Litter size.  Effects on Embryo or Fetus - Fetal death.  Effects on Newborn - Viability index.  Rat TDLo Intravenous 60 mg/kg female 17-22 days of pregnancy.  TOXIC Effects:  Effects on Embryo or Fetus - Fetotoxicity.  Rabbit TDLo Oral 1650 mg/kg female 7-17 days of pregnancy.  TOXIC Effects:  Effects on Fertility - Post-implantation mortality.  Effects on Fertility - Post-implantation mortality.  Effects on Embryo or Fetus - Fetal death.  Repeated exposure to an highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.
Acute Toxic Effects	Toxic if ingested or inhaled. Avoid prolonged contact with this material. Overexposure may result in serious illness or death. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

Not available. Ecotoxicity

Not available. **Environmental Fate** 

## Disposal Considerations Section XIII.

Waste Disposal

Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

#### Section XIV. Transport Information

DOT Class 6.1: Toxic material. **DOT Classification** 

UN2811 PIN Number

Proper Shipping Name Toxic solid, organic, n.o.s.

Ш Packing Group (PG)

**DOT Pictograms** 



## Section XV. Other Regulatory Information and Pictograms

TSCA Chemical Inventory

(EPA)

This product is NOT on the EPA Toxic Substances Control Act (TSCA) inventory. The following notices are required by 40

CFR 720.36 (C) for those products not on the inventory list:

(i) These products are supplied solely for use in research and development by or under the supervision of a technically

qualified individual as defined in 40 CFR 720.0 et sec.

(ii) The health risks of these products have not been fully determined. Any information that is or becomes available will be

supplied on an MSDS sheet.

WHMIS Classification (Canada)

CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC).

EINECS Number (EEC) 259-198-4

R23/24/25- Toxic by inhalation, in contact with skin and if swallowed. **EEC Risk Statements** 

Japanese Regulatory Data Not available. Section XVI.

Other Information

Version 1.0 Validated on 5/25/2007. Printed 4/12/2011.

N0635

# **Notice to Reader**

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, facial mask, fume hood). For proper handling and disposal, always comply with federal, state, and local regulations.

Nicardipine Hydrochloride

Page 4

Printed 4/12/2011.